

## **Motorhomes 2021**

Technical Information



# Dethleffs Plus Factors - Explanation of symbols

In the Dethleffs motorhomes, there are a lot of smart ideas and standard comfort features. Here we briefly present the most important ones with the corresponding symbols which can be found on the pages of the vehicle. More detailed information can be found at: www.dethleffs.co.uk/plus-factors

### Family benefits



Lightweight: 3.5 t vehicles licenced for 4 passengers and sufficient payload capacity



Stay cool! Extra-large fridges with at least 142 litres and freezer compartment



Stay cool! XXL fridge with at least 190 litres and freezer compartment.



Family-friendly: At least 4 sleeping berths without additional makeup



Flexible: A comfortable pull-down bed offers additional sleeping berths (partly optional)

## Added comfort



Inviting: 70 cm XXL entrance door



"SleepWell": Fixed beds with 7-zone mattresses and ergonomic wooden bed frames.



Put your feet up: Comfortable L-shaped lounge with freestanding table



Freedom of movement: Separate shower and the washing area can be connected to a big bathroom



Easy entrance: Thanks to lowered Coupé entrance step

## Added equipment



Winter expert! Excellent winterisation thanks to the elaborate double floor construction



Winterproof: Heated double floor with frost-protected water installation and additional storage space



Rear Wheel Drive of base chassis



For a healthy indoor climate: Optimal rear ventilation of overhead lockers avoids condensation



King of storage: Particularly high rear garages thanks to Dethleffs drop chassis extension



Height-adjustable queens bed: Comfortable entrance to bed or high garage



More power: 95 Ah battery with AGM technology for higher performance, longer life and shorter charging time

## **Added safety**



Safe on the road: Premium broad gauge low platform for secure and dynamic driving experience



Well protected: Robust GRP roof for hail protection

## **Added longevity**



Long-lasting: Rot-proof body construction without wood inserts and with GRP covered underfloor, roof and rear (rear depending on layout)



Long-lasting: Rot-proof floor construction without wood inserts and with GRP covered underfloor (roof and rear depending on layout)



Lifetime
Long-lasting: Proven reliable
floor and conversion construction
with excellent insulation

# Chassis specification

From the model year 2021 Dethleffs use three different chassis brands for their motorhomes: Fiat, Mercedes and Iveco. The following chassis specifications are installed as standard in every Dethleffs vehicle regardless of the model ranges. Further series-dependent standard equipment can be found on the pages of the respective series.

#### **Fiat Chassis**

### Just 90, Trend, Globebus, Pulse, Pulse Classic 90, Esprit, Alpa (except Grand Alpa Plus) and Globetrotter XL Edition 90

- · Front wheel drive
- Steel wheels 16" (except Just 90, Trend A 5887, 6977)
- · Fix & Go kit (tire filling set)
- · ABS/EBD
- ESP (Electronic Stabilizing Program)
- ASR
- · Hill Holder
- · Hill Descent Control
- Interruption of fuel supply and retraction of steering column (in case of a collision)
- · Anti-theft device and revolution counter
- Day-time running lights integrated into the headlights
- Electrical window lift (for A Class only in conj. with the optional cab door)
- · Break-down kit
- Driver airbag
- Booster included for automatic transmission and/or 160/180 hp engines
- Traction +
- Full wheel covers
- · Painted front bumpers (except for A Class)

### **Mercedes Chassis**

## Globeline

- · Rear-wheel drive
- · Alloy wheels 16"
- · ABS/EBD
- · ESP (Electronic Stabilizing Program)
- ASR
- · Active brake Assist
- Crosswind Assist
- · Lane Keep Assist
- Low beam Assist
- Adaptive brake light
- Keyless start function
- · Mercedes Benz emergency call system
- Day-time running lights integrated into the headlights
- Electrical window lift and central locking for cab doors
- Driver airbag
- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator
- · Alternator 200 Ah
- · Brake-down kit

### **Iveco Daily Chassis**

### **Grand Alpa Plus, Globetrotter XXL**

- · Rear wheel drive with twin tires
- · Steel wheels 16"
- Wheel trims
- · Spare wheel located under the vehicle rear
- · ABS/EBD
- ASR
- · Hill Holder
- · Hydraulic Brake Assist
- · Differential lock for drive axle
- Disc brakes
- · Large 90 l fuel tank
- · Anti-theft device and revolution counter
- Day-time running lights integrated in the headlights
- Fog lights with static cornering light
- · Driver airbag
- Passenger airbag
- · Automated cab air-conditioning
- Dash tray with 2 x USB and Aux-in
- · Electrical window lift
- Electric. adjustable and heatable cab mirrors
- · Hydraulic captain seats
- · Seat heating (cab)
- Driver and passenger seats in luxury design, 3-way adjustable and hydraulically sprung
- · Alternator 220 Ah
- · Break-down kit



## Content

2	Dethleffs Plus Factors			
3	Chassis specification			
5	Content			
6 - 7	Conversion types			
8 - 15	Just 90	Low Profile	-	-
16 - 29	Trend	Low Profile	A Class	Coachbuilt
30 - 39	Globebus	Low Profile	A Class	
40 - 49	Pulse	Low Profile	A Class	
50 - 57	Pulse Classic 90	Low Profile	-	
58 - 65	Globeline	Low Profile	-	-
66 - 73	Esprit	-	A Class	-
74 - 83	Alpa	-	A Class	Coachbuilt
84 - 91	Globetrotter XLi Edition 90	-	A Class	-
92 - 99	Globetrotter XXL	-	-	Coachbuilt
100	Winter Comfort Packages			
101	Dethleffs - long-lasting qual	ity		
102	General Information			

# Conversion types

																				:
										······	:	EDS			• • • • • • • • • • • • • • • • • • • •		,		·	
		Just 90		į	Trend					Globe- bus	Pulse			Pulse Classic 9		Globeline	Esprit		XL Edition 90 XXL	Just 90
Low Profile	9 m 8 m	max 5	5 ×	5	3 7	max 4	max. 4	max. 5	max 4	<sup>™3X</sup>   P	max. 🗖	max. 4	max. 4	max. 4	max. 4	3 7				4
Low Profile models inspire with a low vehicle height and dynamic driving features. They are perfect for exciting journeys. All Low Profile models receive the maximum sleeping berths only in conjunction with	7 m 6 m	EB	EB	EBL	EB	T 6717 EB	T 7017 EB	EB	EBL		EB	T 7051 EB	EBL	T 7051 EB	T 7051 EBL	T 6613 EB				T 6752 DBL
the option pull-down bed.			2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,20 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m				2,33 m
					max. 4	max. 4	max. 4	max. 5	max. 4	max. 4	max. 4	max. 4	max. 4				5 F	max 4	1 P	
A Class The driving experience with an A Class is beyond comparison: The large panoramic windscreen, the effective sound reduction and the spacious feel combine to make your journey an adventure. All A Class models are equipped with a standard	9 m 8 m 7 m 6 m				I 6617 EB	I 6717 EB	I 7017 EB	17057 EB	17057 EBL	I 6 EB	I 6811 EB	I 7051 EB	I 7051 EBL				I 7150 EB	I 7150 EBL	17850-2 EB	
	Width							2,33 m		2,20 m	2,33 m	2,33 m	2,33 m				2,33 m	2,33 m	2,33 m	
3																			6 P	
Coachbuilt  The cosy Overcab bed is much loved by children and is also ideal for adults because of its large dimensions. When you do not use the overcab bed for sleeping	9 m 8 m 7 m 6 m																		A 9000-2	
it can be very useful for storing your holiday implements.	<u>ਪ</u> Width																		<b>EB</b> 2,35 m	
					<u>:</u>						<u> </u>			:		<u>:</u>	<u>:</u>			

						D	OUBLE B	EDS									ED CROSSWAYS PULL-DOWN BED	U-SHAPED LOUNGE
		Trend	•		•		Globe- bus	Pulse	********		Pulse Classic 9		Esprit		XL Edition 90 XXL	Globebus	Trend	Alpa
max 5	max. 5	max. 3	max 4	max. 4	max. T	max. 4	max 3	max. 3	max. 4	max. 4	max. 4	max. 4				<sub>тах.</sub>		
T 7052 DBM	T 7052 DBL	T 6557 DBM	T 6757 DBM	T 6757 DBL	T 7057 DBM	T 7057 DBL	T7 DBM	T 6651 DBM	T 7051 DBM	T 7051 DBL	T 7051 DBM	T 7051 DBL				T1		
2,33 m	2,20 m	2,33 m	2,33 m	2,33 m	2,33 m	2,33 m				2,20 m								
		max 4	max. 4	max. 4	max.	max. 4			max. 5	max. 4	max 4	max. 4		4				
		I 6557 DBM	1 6757 DBM	1 6757 DBL	1 7057 DBM	1 7057 DBL	I 7 DBM	I 6651 DBM	I 7051 DBM	I 7051 DBL			17150-2 DBM	1 7150-2 DBL	17850-2 DBM	I1		17820-2
		2,33 m	2,20 m	2,33 m	2,33 m	2,33 m			2,33 m	2,33 m	2,33 m	2,20 m		2,33 m				
															6			
															A 9050-2 DBM 2,35 m		2,33 m 2,33 m 2,33 n	A A A A A 6820-2 7820-2 9820-2 2,33 m 2,33 m 2,35 m



## Just 90 plus factors

- + Interior height 2,13 m (not below pull-down bed)
- + 70 cm wide habitation door
- + High payload capacities
- + High standard equipment at the best price































Just caravanning! With its advantage of the extensive 90 years anniversary equipment, the Just 90 already has everything you need on board as standard for your caravanning experience. And of course the reliability and good service from Dethleffs - the inventor of caravanning.

<sup>1</sup> on the next page you will find a list of the individual options

## Standard UK specifications which is above standard European specification\*

- + Right hand drive chassis
- + Insulated waste water tank
- + Full UK specification incl. UK gas and UK electrics
- + Smoke detector
- + Oven with grill
- + Lounge conversion to bed
- + Pre-wiring SAT system and solar system
- \* Please note: From technical point of view there are components which are not possible for some model types and layouts.

# Just 90

Anniversary equipment "90-Years Package" (included in the base price)	T 6812 EB, T 7052 EB / EBL	T 6752 DBL, T 7052 DBM / DBL
Exterior mirrors electrically adjustable and heated	✓	✓
Passenger airbag	✓	✓
Manual A/C	✓	✓
Cruise control	✓	✓
Leather steering wheel and shift knob with leather sleeve	✓	✓
Steering wheel control	✓	✓
Cup holder in dashboard centre	✓	✓
Instruments with chrome rings	✓	✓
LED daytime running light	✓	✓
Preparation for radio system with Sound Package	✓	✓
Height/tilt adjustment for driver and passenger seat	✓	✓
Opening window in T-hood	✓	✓
Habitation door with window and central locking (incl. cab door)	✓	✓
Flyscreen habitation door	✓	✓
Blackout blinds in cab	✓	✓
Panoramic skylight 70 x 50 cm in living room	✓	✓
Awning light 12V	✓	✓
LED spots with USB and touch	✓	✓
Single beds convert to double bed	✓	
Waste water tank insulated	✓	✓
Preparation for SAT system	✓	✓
Preparation for solar system	✓	✓
0ven	✓	✓
Seating lounge converts to bed	✓	✓

## Standard Specification

# Chassis (in addition to standard equipment, see p. 3)

- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator
- Multi-functional leather steering wheel and leather shift knob
- · Cup holder in cab dashboard
- · Driver and passenger airbags
- · Cruise control
- · Steel wheels 15"
- · Dashboard with chrome rings
- · Radio pre-wiring
- Leather steering wheel and shift knob with leather sleeve
- Exterior mirrors electrically adjustable and heated
- · LED daytime running lights
- · Cab air-conditioning manual

#### Conversion

- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm
- Rear garage: two garage doors, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1x 230 V socket
- Window for T-hood
- Automotive rear moulding and 3rd brake light
- Captain seats: integrated headrests, two armrests, rotating function
- Habitation door: 70 cm, flyscreen door, awning light, window
- Panoramic skylight 70 cm x 50 cm above living area (when pull-down bed: sleeping area)
- · Central locking habitation door
- Height/tilt adjustment for driver and passenger seat
- · Blackout blinds in driver's cab

## On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- · LED illumination for the interior
- Illuminated roof lining above the habitation door
- EBL with overvoltage protection

#### Kitchen

- Large fridge with freezer compartment and auto energy selection (AES)
- · MultiFlex rail system
- Gourmet kitchen: cooker, large drawers, cutlery tray, garbage bin and generous worktop

#### **Bathroom**


- Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head
- · Shower grid

#### Living area

- Overhead locker doors with softclose function
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- · Wardrobe left and right of the King bed
- Comfortable L-shaped lounge (only for T 6812 EB, T 7052 DBM and T 7052 EB)
- Single beds can be converted to a large double bed

#### Interior

 Wood décor Rosario Cherry with upholstery Metropolitan













Just	90
Low	Profile

JUST 90			T 6752 DBL	T 6812 EB	T 7052 DBM	T 7052 DBL	T 7052 EB	T 7052 EBL
Chassis type			Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank		- 1	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19
Emission class			Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
Length		cm	696	696	741	741	741	741
Width		cm	233	233	233	233	233	233
Height		cm	294	294	294	294	294	294
Internal height		cm	213	213	213	213	213	213
Towing weight braked/unbraked		kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres			215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C	215/70R 15C
Wheel base		cm	404	380	404	404	404	404
Beds pull-down/ overcab		cm	200x140 <sup>1</sup>	200x140/125 <sup>1</sup>	200x140/125 <sup>1</sup>	200x140 <sup>1</sup>	200x140/125 <sup>1</sup>	200x140 <sup>1</sup>
Bed ı	mid	cm	200x110/90	210x105/70	210x120/80	206x110/90	210x120/80	206x110/90
Bed i	еаг	cm	190x150	198x80 / 200x80	190x150	190x150	215x80 / 215x80	215x80 / 215x80
Alter	native	cm	-	210x170	-	-	210x190	210x190
Sleeping berths			5 <sup>1</sup>	5 <sup>1</sup>	5 <sup>1</sup>	5 <sup>1</sup>	5 <sup>1</sup>	5 <sup>1</sup>
Basic engine			2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)			88 (120)	88 (120)	88 (120)	88 (120)	88 (120)	88 (120)
Weight net		kg	2765	2720	2735	2780	2735	2780
Mass in running order (MIRO)		kg	2945	2900	2915	2960	2915	2960
Payload		kg	554	599	584	539	584	539
Maximum authorised weight		kg	3499	3499	3499	3499	3499	3499
Designated passenger seats (sta	ndard weight)		4	4	4	4	4	4
Designated passenger seats (ma	x. weight upgr	ade)	4	5 <sup>2</sup>	5 <sup>2</sup>	4	5 <sup>2</sup>	4
Heating			Combi 6	Combi 6	Combi 6	Combi 6	Combi 6	Combi 6
Fridge/ thereof freezer comparts	ment	I	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volu	me)	1	116 (20)	116 (20)	116 (20)	116 (20)	116 (20)	116 (20)
Waste water tank volume		I	90	90	90	90	90	90
Awning size		m	4	4	4,5	4,5	4,5	4,5
Dimensions through-opening rig	ht stand./opt.	cm	75x85 / -	75x115 / -	95x115 / -	95x115 / -	95x115 / -	95x115 / -
Dimensions through-opening lef	t stand./opt.	cm	75x65 / -	75x95 / -	95x95 / -	95x95 / -	95x95 / -	95x95 / -
Battery/ charging device		Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12	V/USB	8 / 1 / 4	8 / 1 / 4	8 / 1 / 4	8 / 1 / 4	8 / 1 / 4	8 / 1 / 4

Only in combination with option "electrical pull-down bed"
 Only in combination with optional 5th seat

# Packages

## Assistance Package Fiat (Code 9973)

Package components	Low Profile
Lane Keep Assist	✓
Light Assist	✓
Full Brake Control	✓
Rain sensor	✓
High Beam Assist	✓
Traffic Sign Assist	✓


✓ included ● Standard specification – not included

90 Years Anniversary Package	T 6752 DBL, T 6812 EB	T 7052 DBM, DBL, EB, EBL	T 6752 DBL, T 6812 EB	T 7052 DBM, DBL, EB, EBL
Package components	Package One	Package One	Package Two	Package Two
Cassette awning manual 4 m	<b>✓</b>	_	✓	-
Cassette awning manual 4,5 m	_	✓	-	✓
Roof A/C	_	-	✓	✓
Dethleffs Naviceiver incl. DAB+, Truck Navigation and connection with the onboard control panel	-	-	✓	✓
Dethleffs Moniceiver incl. DAB+, Apple CarPlay / Android Auto	✓	✓	-	-
Rear view camera (single camera)	✓	✓	✓	✓
Flatscreen TV bracket	✓	✓	✓	✓
Flatscreen TV 22" HD TV	✓	✓	✓	✓
Automatic HD SAT system 65 Twin	✓	✓	✓	✓

<sup>✓</sup> included • Standard specification - not included

Options	Additional weight (kg)	Code	T 6752 DBL	T 6812 EB	T 7052 DBM	T 7052 DBL	T 7052 EB	T 7052 EBL
Chassis/Base								
Fiat Ducato Multijet 140 (2,3 l / 140 hp)	U.ſ.	0	0	0	0	0	0	0
Fiat Ducato MultiJet 160 (2,3 l / 160 hp) incl. start-stop function	U.ſ.	0	0	0	0	0	0	0
Fiat Ducato MultiJet 180 (2,3   / 180 hp) incl. start-stop function	U.ſ.	0	0	0	0	0	0	0
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	18	10736	0	0	0	0	0	0
Weight upgrade 3.650kg	0	10769	0	0	0	0	0	0
Alloy wheels Fiat 16 Zoll	U.ſ.	8922	0	0	0	0	0	0
Tow bar (please consider the total towing weight)	49	273	0	0	0	0	0	0
Additional seat	11	435	_	0	0	-	0	
Bodywork exterior								
Bike rack for 3 bikes (lowerable)	10	7482	0	0	0	0	0	0
Flush fitting windows	5	415	0	0	0	0	0	0
Furniture layouts								
Isofix - child seat bracket	5	8125	-	0	0	-	0	-
Electrical pull-down bed in cab	55	680	0	0	0	0	0	0
Electrics/Installation								
Solar system (2 x 60 W)	15	922	0	0	0	0	0	0
Gas/Installation								
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	0	0	0	0	0	0
Water supply/Installation								
Switch for water pump	1	397	0	0	0	0	0	0
Bathroom								
Additional window in bathroom	5	372	0	-	0	0	0	0
Multimedia systems								
Second rear view camera in rear light carrier (only in comb. with option 11301 "Dethleffs Moniceiver" or option 9582 "Dethleffs Naviceiver")	u.r.	11541	0	0	0	0	0	0
Miscellaneous								
Registration documents	U.ſ.	0	+	+	•	•	•	•







Dashboard: Comfortable dashboard with leather steering wheel and gear knob with leather cuff, steering wheel remote control, centrally placed cup holder and instrument panel with chrome rings



Overhead lockers: Handleless lockers in modern design with softclose technology



Safe: Isofix mount for child seats optionally available



Captain seat: Comfortable and swivelling captain seats with integrated headrest, two armrests as well as height and tilt adjustment



Electrically operated 2-sleeper lift bed above the seating group (option)



Toilet room with practical and lateral sliding mirror cabinet and toothbrush mugs



Cab blinds: protect against heat, cold and prying eyes



Bed conversion: Easy conversion into single bed in the seating area



Functional kitchen with large worktop, softclose drawers and flexible rail system with hooks on the side wall

# Just 90 Plus factors exterior



70 cm wide entry door with window, central locking and fly screen door



Large rear garage which is loadable from both sides



Stylish and safe feature: LED day-time running light



Flush fitting windows for good insulation and safety (option)



Heated and adjustable exterior mirrors with dead angle mirror



Striking rear light carrier, optionally with two rear view cameras



Modern T-hood with opening window



## Trend plus factors

- + Perfect price/performance ratio
- + Optional pull-down bed for all Low Profile models
- + Rot-proof Lifetime-Smart body construction
- + 142 I fridge with large freezer compartment
- + Extra wide entrance door (70 cm) with Coupé entrance (not for Coachbuilt)
- + Large garage for transportation of e-bikes (dep. on layout)
- + High payload capacity despite being licenced for 4 persons at 3.5 t total weight (not for A 7877-2)
- + Be better equipped in the Trend with the stylish Design Package (option) (not for Coachbuilt)



































## Standard UK specification which is above standard European specification\*

- · Right hand drive chassis
- · LED day-time-running light (T/A)
- · Leather steering wheel and shift knob with leather sleeve
- · Instruments in chrome
- · Electrical & heated mirrors
- · Autom. cab air conditioning
- · Cruise control
- · Passenger airbag
- Radio pre-wiring with Sound Package
- Weight upgrade 3.650 kg (A 5887, A 6977)
- · 2nd access locker door (A)
- · Awning light
- Flyscreen door
- · Cab door left (I)
- Captain seats with height/inclination adjustment and integrated headrest
- · Cab blinds (T/A)
- · Panoramic skylight 70x50 cm in living area (T/A)
- · Panoramic skylight 75x105 cm in living area (I)Habitation door with window and central locking
- · Window in T-hood (T)

- · Insulated waste water tank
- · Ambience illumination
- · LED light package
- Full UK specification incl. UK gas and UK electrics
- · Combi 6 E heating with integrated 10 I boiler
- · Smoke detector
- · Oven with grill
- · TV bracket
- · Pre-wiring solar system
- Pre-wiring SAT system
- Lounge convert to bed (T) (not for DBL/EBL)
- · Bed convert single beds to double bed
- L-shaped lounge with free-standing table (T/I)
- · Fold-away Overcab bed (A)
- · Safety Package incl. additional safety belts against driving direction (A)
- · Carpets for cab and living room
- \* Please note: From technical point of view there are components which are not possible for some model types and layouts.

## Standard specification

# Chassis (in addition to standard equipment, see p. 3)

- Low-vibration, electric and heated cab mirrors in bus style (two-piece) (only for A Class)
- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator (not for A Class)
- 15" steel wheels (only for A 5887 and A 6977)

#### Conversion

- Skylight 40 x 40cm above the lounge
- Cab blinds for best insulation and privacy protection (only for A Class)
- · Pull-down bed (only for A Class)
- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm (not for Coachbuilt)
- Automotive rear moulding and 3rd brake light
- · Window for overcab (only for Coachbuilt)
- Captain seats: integrated headrests, two armrests, rotating function
- Floor thickness: 42mm, sidewall thickness 34mm and roof thickness 35mm (only for Coachbuilt)
- Rear garage: two garage doors, drop chassis extension (150 kg loading capacity), heated incl. fixing loops, 1 x 230
   V power outlet
- · Habitation door: 70cm
- Double floor storage, to be loaded almost through the complete vehicle width (only for A 7877-2)

## On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- Illuminated roof lining above the habitation door
- EBL with overvoltage protection
- Fresh water/waste water tank installed in double floor (insulated area) (only for A 7877-2)
- LED Light Package

#### Kitchen

- Gourmet kitchen with 3-flames hob, spacious drawers with softclose function and generous worktop
- Worktop extention: extendable or foldaway (only for T/I 6557 DBM and T/I 6617 EB)
- Large fridge with freezer compartment and auto energy selection (AES) (not for T/I 6617 EB)
- MultiFlex rail system (not for A 5887 and A 6977)

#### **Bathroom**

- Rotating bathroom for optimal use of space (only for T/I 6717 EB, A 5887 and A 6977)
- Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head
- Shower grid (not for T/I 7057 DBL, T/I 7057 EBL, A 5887, A 6977 and A 7877-2)

#### Living area

- Overhead locker doors with softclose function
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- AirPlus ventilation system for an optimised ventilation of the interior
- · Wardrobe left and right of the King bed
- Children's beds and overcab bed with fallout protection net and ladder (only for Coachbuilt)
- Bunk bed loading up to 100kg
- No steps in living room (only for Coachbuilt)
- Convenient magnet pinboard in living area (only for A Class)

#### Interior

- Wood décor Virginia Oak with upholstery Torcello, Gresso or La Rocca
- · White laminate table and kitchen worktop













# Trend Low Profile


TREND		T 6557 DBM	T 6617 EB	T 6717 EB	T 6757 DBM	T 6757 DBL	T 7017 EB
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank	I	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	660	696	696	696	696	740
Width	cm	233	233	233	233	233	233
Height	cm	294	294	294	294	294	294
Internal height	cm	213	213	213	213	213	213
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	345	380	380	404	404	404
Beds pull-down/ overcab	cm	200x100 <sup>1</sup>	200x100 <sup>1</sup>	200x140/125 <sup>1</sup>	200x140/110 <sup>1</sup>	200x140 <sup>1</sup>	200x140 <sup>1</sup>
Bed mid	cm	160x105/80	170x105/80	170x105/80	160x105/80	200x110/90	210x115/80
Bed rear	cm	190x150	185x80 / 195x80	200x80 / 190x80	190x150	190x150	195x75 / 195x80
Alternative	cm	-	210x195/170	215x200/175	-	-	-
Sleeping berths		3 <sup>1</sup>	3 <sup>1</sup>	4 <sup>1</sup>	4 <sup>1</sup>	5 <sup>1</sup>	5 <sup>1</sup>
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		88 (120)	88 (120)	88 (120)	88 (120)	88 (120)	88 (120)
Weight net	kg	2675	2755	2740	2750	2800	2865
Mass in running order (MIRO)	kg	2855	2935	2920	2930	2980	3045
Payload	kg	644	564	579	569	519	454
Maximum authorised weight	kg	3499	3499	3499	3499	3499	3499
Designated passenger seats (standard wei	ght)	4	4	4	4	4	4
Designated passenger seats (max. weight	upgrade)	4	4	4	4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	- 1	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	I	116 (20)	116 (20)	125 (20)	116 (20)	116 (20)	125 (20)
Waste water tank volume	1	90	90	90	90	90	90
Awning size	m	4,0	4,0	4,0	4,0	4,0	4,5
Dimensions through-opening right stand./o	pt. cm	70x85 / 70x115	75x115 / -	75x115 / -	75x85 / 75x115	75x85 / 75x115	95x55 / -
Dimensions through-opening left stand./op	ot. cm	70x85 / 70x115	75x115 / -	75x115 / -	75x85 / 75x115	75x85 / 75x115	95x55 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets 230V	//12V/USB	6 / 1 / 0	7 / 1 / 0	8 / 1 / 0	8 / 1 / 0	8 / 1 / 0	8 / 1 / 0

<sup>&</sup>lt;sup>1</sup> Only in combination with option "electrical pull-down bed" <sup>2</sup> Only in combination with optional 5th seat










T 7057 DBM	T 7057 DBL	T 7057 EB	T 7057 EBL
Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform
75 / 19	75 / 19	75 / 19	75 / 19
Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
741	741	741	741
233	233	233	233
294	294	294	294
213	213	213	213
2000 / 750	2000 / 750	2000 / 750	2000 / 750
225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
404	404	404	404
200x140/125 <sup>1</sup>	200x140 <sup>1</sup>	200x140/125 <sup>1</sup>	200x140 <sup>1</sup>
210x125/80	206x110/90	210x125/80	206x110/90
190x150	190x150	210x80 / 205x80	205x80 / 210x80
-	-	215x210/205	210x195
5 <sup>1</sup>	5 <sup>1</sup>	5 <sup>1</sup>	5 <sup>1</sup>
2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
88 (120)	88 (120)	88 (120)	88 (120)
2815	2855	2825	2865
2995	3035	3005	3045
504	464	494	454
3499	3499	3499	3499
4	4	4	4
5 <sup>2</sup>	4	5 <sup>2</sup>	4
Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
142 / 15	142 / 15	142 / 15	142 / 15
125 (20)	116 (20)	125 (20)	116 (20)
90	90	90	90
4,5	4,5	4,5	4,5
95x115 / -	95x115 / -	95x115 / -	95x115 / -
95x115 / -	95x115 / -	95x115 / -	95x115 / -
95 / 18	95 / 18	95 / 18	95 / 18
8 / 1 / 0	8 / 1 / 0	8 / 1 / 0	8 / 1 / 0













# Trend A Class


TREND			I 6557 DBM	I 6617 EB	I 6717 EB	I 6757 DBM	I 6757 DBL	I 7017 EB
Chassis type			Fiat low platform					
Diesel tank/AdBlue tank		- 1	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19
Emission class			Euro 6d temp					
Length		cm	660	695	695	695	695	740
Width		cm	233	233	233	233	233	233
Height		cm	294	294	294	294	294	294
Internal height		cm	213	213	213	213	213	213
Towing weight braked/unbraked	d	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres			225/75R 16C					
Wheel base		cm	345	380	380	404	404	404
Beds pull-down/ overcab		cm	195x150	195x150	195x150	195x150	195x150	195x150
Bed	mid	cm	-	-	-	-	-	-
Bed	rear	cm	190x150	185x80 / 195x80	200x80 / 190x80	190x150	190x150	195x75 / 195x80
Alte	rnative	cm	-	210x195/170	215x200/175	-	-	-
Sleeping berths			4	4	4	4	4	4
Basic engine			2,3 MJET					
kW (BHP)			88 (120)	88 (120)	88 (120)	88 (120)	88 (120)	88 (120)
Weight net		kg	2725	2820	2795	2820	2860	2895
Mass in running order (MIRO)		kg	2905	3000	2975	3000	3040	3075
Payload		kg	594	499	524	499	459	424
Maximum authorised weight		kg	3499	3499	3499	3499	3499	3499
Designated passenger seats (sta	andard weight)		4	4	4	4	4	4
Designated passenger seats (m	ax. weight upgr	ade)	4	4	4	4	4	4
Heating			Combi 6 E					
Fridge/ thereof freezer compart	ment	1	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volu	ıme)	1	116 (20)	116 (20)	125 (20)	116 (20)	116 (20)	125 (20)
Waste water tank volume		- 1	90	90	90	90	90	90
Awning size		m	4,5	5,0	5,0	5,0	5,0	5,5
Dimensions through-opening rig	ght stand./opt.	cm	70x85 / 70x115	75x115 / -	75x115 / -	75x85 / 75x115	75x85 / 75x115	95x55 / -
Dimensions through-opening le	ft stand./opt.	cm	70x85 / 70x115	75x115 / -	75x115 / -	75x85 / 75x115	75x85 / 75x115	95x55 / -
Battery/ charging device		Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12	V/USB	5 / 1 / 0	6 / 1 / 0	7 / 1 / 0	7 / 1 / 0	8 / 1 / 0	7 / 1 / 0

 $<sup>^{\</sup>rm 1}$  Only in combination with option "seating lounge converts into bed transverse"  $^{\rm 2}$  Only in combination with optional 5th seat










I 7057 DBM	I 7057 DBL	I 7057 EB	I 7057 EBL
Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform
75 / 19	75 / 19	75 / 19	75 / 19
Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
739	739	739	739
233	233	233	233
294	294	294	294
213	213	213	213
2000 / 750	2000 / 750	2000 / 750	2000 / 750
225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
404	404	404	404
195x150	195x150	195x150	195x150
210x125/80	-	210x125/80	-
190x150	190x150	210x80 / 205x80	205x80 / 210x80
-	-	215x210/205	210x195
5 <sup>1</sup>	4	5 <sup>1</sup>	4
2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
88 (120)	88 (120)	88 (120)	88 (120)
2875	2905	2880	2910
3055	3085	3060	3090
444	414	439	409
3499	3499	3499	3499
4	4	4	4
5 <sup>2</sup>	4	5 <sup>2</sup>	4
Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
142 / 15	142 / 15	142 / 15	142 / 15
125 (20)	116 (20)	125 (20)	116 (20)
90	90	90	90
5,5	5,5	5,5	5,5
95x115 / -	95x115 / -	95x115 / -	95x115 / -
95x115 / -	95x115 / -	95x115 / -	95x115 / -
95 / 18	95 / 18	95 / 18	95 / 18
7 / 1 / 0	7 / 1 / 0	7 / 1 / 0	7 / 1 / 0







## Trend Coachbuilt

TREND		A 5887	A 6977	A 7877-2
Chassis type		Fiat high platform	Fiat high platform	Fiat AL-KO low platform 3 axis
Diesel tank/AdBlue tank	I	75 / 19	75 / 19	90 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro VI D
Length	cm	651	706	860
Width	cm	233	233	233
Height	cm	319	319	327
Internal height	cm	198	198	209
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	1800 / 750
Tyres		215/70R 15C	215/70R 15C	225/75R 16C
Wheel base	cm	345	404	460/80
Beds pull-down/ overcab	cm	210x165	210x165	210x165
Bed mid	cm	185x130	185x130	195x130
Bed rear	cm	210x85/200x80	210x150/140	210x150
Alternative	cm	-	-	-
Sleeping berths		6	6	6
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET MAXI
kW (BHP)		88 (120)	88 (120)	96 (130)
Weight net	kg	2810	2865	3600
Mass in running order (MIRO)	kg	2975	3030	3790
Payload	kg	675	620	1210
Maximum authorised weight	kg	3650	3650	5000
Designated passenger seats (standard weigh	nt)	4	4	4
Designated passenger seats (max. weight up	ograde)	6	6	6
Heating		Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	1	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	I	107 (20)	107 (20)	160 (20)
Waste water tank volume	1	90	90	150
Awning size	m	4,0	4,5	6,0
Dimensions through-opening right stand./op	t. cm	65x120 / -	100x120 / -	105x135 / -
Dimensions through-opening left stand./opt.	. cm	- / 65x120	- / 85x120	- / 105x135
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18
Power outlets 230V/1	12V/USB	3 / 1 / 0	3 / 1 / 0	7 / 1 / 0

# Packages

Design Package (Code 9992)	ca. 13 kg	ca. 13 kg
Package components	Low Profile	A Class
Backlit chrome handle in entrance area (dep. on layout)	✓	✓
Sockets and switches two-tone	✓	✓
Shower panel and bathroom accessoires in black (tooth brush mug, soap dish)(dep. on layout)	✓	✓
Newly designed kitchen area (rear wall illuminated, indirectly illuminated kitchen worktop, handle and towel rail in chrome)	<b>~</b>	<b>√</b>
Illuminated seat casing	✓	✓
✓ included ● Standard specification	- not included	

Package components	Low Profile	Coachbuil
Lane Keep Assist	✓	✓
Light Assist	✓	✓
Full Brake Control	✓	✓
Rain sensor	✓	✓
High Beam Assist	✓	✓
Traffic Sign Assist	✓	✓

# Dethleffs world of colours

For the TREND smooth side variants you can choose from the following colour combinations (some at extra charge).

Low Profile				
Chassis colour		Conversion colour		
		White	Titansilver Metallic	
White	Code	standard	<b>option</b> 5338	
A Class Chassis colour	_	Conversion colour		_
Chassis Colodi		White	Titansilver Metallic	
White	Code standard		<b>option</b> 1665	

Chassis colour		Conversion colour
		White
White	Code	standard

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

			×			W			W	_		. 5			~			~					
Options	Additional weight (kg)	Code	T 6557 DBM	T 6617 EB	T 6717 EB	T 6757 DBM	T 6757 DBL	T 7017 EB	T 7057 DBM	T 7057 DBL	1 /05/ EB	I 6557 DBM	I 6617 EB	I 6717 EB	I 6757 DBM	I 6757 DBL	I 7017 EB	I 7057 DBM	1 7057 081	I 7057 EB	I 7057 EBL	A 5887	A 6977 A 7877-2
Chassis/Base																							
Fiat Ducato MultiJet 140 (2,3 l / 140 hp)	U.ſ.	0	0	0	0	0	0	0	0	0 (	) C	0	0	0	0	0	0	0	0	0	0	0 (	<b>S</b> -
Fiat Ducato MultiJet 160 (2,3 l / 160 hp) incl. start-stop function	u.r.	0	0	0	0	0	0	0	0	0 (	) C	0	0	0	0	0	0	0	0	0	0	0 (	O -
Fiat Ducato MultiJet 160 (2,3 l / 160 hp) incl. start-stop function	0	0	-	-	-	-	-	-	-		-   -	_	-	-	-	-	-	-	-	-	-	-	- 0
Fiat Ducato MultiJet 180 (2,3 l / 180 hp) incl. start-stop function	u.r.	0	0	0	0	0	0	0	0	0 (	) C	0	0	0	0	0	0	0	0	0	0	0 (	O -
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	18	10736	0	0	0	0	0	0	0	0 (	) C	0	0	0	0	0	0	0	0	0	0	0 (	0 0
Weight upgrade 3.650kg	0	10769	0	0	0	0	0	0	0	0 (	) C	0	0	0	0	0	0	0	0	0	0	• (	• -
Weight upgrade 5.400 kg	25	7497	-	-	-	-	-	-	-	-	-   -	-	-	-	-	-	-	-	-	-	-	-	- 0
Fiat Ducato Maxi chassis (4.250 kg)	40	0	0	0	0	0	0	_			) C		0					0	_	_	0	0 (	0 0
Alloy wheels 16"	0	8045	0	0	0	0	0	0	0	0	) C	0	0	0	0	0	0	0	0	0	0	0 (	O -
Alloy wheels Dethleffs 16" for 3-axle	0	8045	-	-	-	-	_	-	-			-	-	-	-	-	_	-	-	-	-	-	- 0
Tow bar (please consider the total towing weight)	49	273	0	0	0	0	O	O		0		0	O	O	O	O	O	0			0	0 (	0 0
Additional seat  Rear corner steadies (2 pieces)	11 6	435 390	0			0	0	0	0		) - ) (		_		_	_	0	0	0	0	_	<u> </u>	0 0
Reinforced spring for front axle	0	1889	_	0	_	_	_	_	_	-	) C	0	0					0	_	_	0	-	0 0
1 3	U	1007																					
Bodywork exterior																							
Bike rack for 3 bikes (rear)	9	938		0						0 (			0			0		0			0	0 (	0 0
Bike rack for 3 bikes (lowerable)	10	7482		0	0	0	0				) C		0					0		0	0	- (	0 0
Flush fitting windows	5	415	0	0	0	0	0	0	0	0 (	) C	0	0	0	0	0	0	0	0	O	O		
Cassette awning Omnistor 4.0 m	33	859	O	0	0	0	0	_	_	0 (	2 0		_	_	_	_	_	_	_	_	_	O	
Cassette awning Omnistor 4.5 m Cassette awning Omnistor 5.0 m (manual)	50 54	930 697		_	_	_		0	0	0 (		) (	_	_	_	_	_	_		_	_	- (	) -
Cassette awning Omnistor 5.5 m	58	494		_				_	_			_	_	_	_	_	0	0	0	_	_		
Cassette awning Omnistor 6.0 m (manual)	61	560															_	_	_	_	_		- 0
Panoramic skylight 70x50 cm above the pull-down bed	8	246	_	_	_	_	_	_	_			0	0	0	$\bigcirc$	$\bigcirc$	0	$\bigcirc$	$\bigcirc$	$\bigcirc$	$\circ$		
	0	240	_		-		-			-	-						O						
Bodywork interior																							
Fire extinguisher 2 kg	4	1878	0	0	0	0	0				) C					0		0		0		0 (	0 0
Safe mounted	13	323				0		_		0 0	_		_								_		0 0
Double floor for rear garage	5	1890	O	O	O	O	O	O	O	0 0		0	O	O	0	O	O	O	O	O	O	0 (	0 0
Furniture layouts																							
Isofix - child seat bracket	5	8125	0	0	0		-	0	0	- (	O -	0	0	0	0	-	0	0	-	0	-	0	0 0
Rear bed with manual height adjustment	15	9435	0	_	_		_			_		_	_	_	0	0	_	0	0	-	_		
Electrical pull-down bed in cab	55	680	0	0	0	0	0	0	0	0	) C	) –	-	-	-	-	-	-	-	-	-	-	
Electrics/Installation																							
Solar system (2 x 60 W)	15	922	0	0	0	0	0	0	0	0 (	) C	0	0	0	0	0	0	0	0	0	0	0 (	0 0
2nd leisure battery 95 Ah	27	830	0	0	0	0	0	0	0	0 (	) C	0	0	0	0	0	0	0	0	0	0	0 (	0 0
Gas/Installation																							
Exterior socket for gas 30mbar	1	878	0	0	0	0	0	0	0	0 (	) C		0	0	0	$\circ$	$\circ$	0	$\circ$	$\circ$	0	0	0 0
Automatic gas bottle switch-over incl. crash sensor and EisEx		070	O	O								, 0			O			O		O	O		5 0
(weight incl. optional 11 kg aluminium gas bottle)	13	1577	0	0	0	0	0	0	0	0 (	) C	0	0	0	0	0	0	0	0	0	0	0 (	0 0
Water supply/Installation																							
Switch for water pump	1	397	0	0	0	0	0	0	0	0 (	2 0	0	0	0	0	0	0	0	0	0	0	0	0 0
Heating/Air-conditioning				_	_	_	c	-	<u> </u>	0	2 -		_	6			_	_	_	<u> </u>	_	2	
Alternative heating operation panel	1	6622	O	O	O	O	O	O	O	0 (		0	O	O	O	O	O	O	O	O	O	0 (	0 0
App operation for warm air heating (only in comb. with option 6622)	1	9659	0	0	0	0	0	0	0	0 (	) C	0	0	0	0	0	0	0	0	0	0	0 (	0 0
Floor heating (electrical)	9	763		0	0				$\bigcirc$	0 (	) (						0			$\bigcirc$			0 -
Roof A/C	34	609				0				0 (				0									0 0
Electrically heated overcab bed	3	1740	_	_	_	_	_	_	_				_	_	_	_	_	_	_	_	_		0 0
Warm water heating	30-50	761	C	C	C	C	C	C	C	0 (		0	C	C	C	C	C	C	C	C	C		- 0
Cab warm water heating (only in comb. with warm water																							
heating - cab carpets not possible)	10	6709	0	0	0	0	0	0	0	0 (	) C	0	0	0	0	0	0	0	0	0	0	-	- 0

	Additional weight (kg)	Code	T 6557 DBM	T 6617 EB	T 6717 EB	T 6757 DBM	T 6757 DBL	T 7017 EB	T 7057 DBM	T 7057 DBL	T 7057 EB	T 7057 EBL	I 6557 DBM	I 6617 EB	I 6717 EB	I 6757 DBM	I 6757 DBL	I 7017 EB	I 7057 DBM	I 7057 DBL	I 7057 EB	I 7057 EBL	A 5887	A 6977 A 7877-2
Heating/Air-conditioning																								
Warm water heating by smartphone app	0	7512	_	_	_	_	_	-	_	-	_	_	_	_	_	-	_	-	_	-	_	_	_	- 0
Heat exchanger	7	565	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	- 0
Kitchen																								
Extractor fan	2	344	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0
Bathroom																								
Shower grid	1,5	1657	•	•	•	•	0	•	•	0	•	0	•	•	•	•	0	•	•	0	•	0	0	0 0
Multimedia systems																								
SAT system Flatsat Classic 65 Twin	13	7670	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	
Rear view camera (single camera) (only in comb. with option 9582 Dethleffs Naviceiver)	2	1642	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0
Reversing camera (double camera) (only in comb. with option 9582 Dethleffs Naviceiver)	2	1641	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0
Second rear view camera in the rear light moulding (only in comb. with option 9582 "Dethleffs Naviceiver")	1	11541	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0
Dethleffs Naviceiver incl. DAB+,truck navigation and bord control panel linking	u.r.	9582	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0
Miscellaneous																								
Registration documents	U.ſ.	0	•	•	•	•	•	+	•	•	•	•	•	•	•	•	•	+	•	+	•	•	•	•

# Trend T/I Plus factors interior



T/I: Comfortable captain seats with height/ inclination adjustment and integrated headrest



T: Practical, modern and laterally sliding mirror cabinet



The AirPlus system avoids any condensation.



The L-shaped lounge can be easily converted to an additional sleeping berth.



T/I: Cab blinds protect from heat, cold and prying eyes.



Large pull-down bed with wooden slatted frame and 7-zone mattress.



Sophisticated ambience with the advantages of an A Class: even when the bed is pulled down the seating lounge still can be used.



Childproof: Isofix bracket for child seats (option). Not available for T/I 7057 DBL and EBL.



Practical: Storage compartment in entrance area (depending on model).



Lounge conversion to belted passenger seats (for T/I 7057 DBL and EBL layouts).



Quietly closing overhead locker doors. The indirect lighting creates a wonderful and cosy ambience during the evenings

## Trend T/I Plus factors exterior



70 cm wide entrance door with window and central locking.



Large opening skylight in cab.



T: Stylish safety feature: LED day-time running lights.



T: Prominent rear moulding.



I: Easy to service: large engine bay opening for servicing all relevant parts.



I: modern Dethleffs face.



I: Coach-style mirrors for an unobstructed field of view.



T/I 7017: Through-loading possibility under the single beds (95 x 55 cm).



The garages of the single bed's layout are high and loadable from both sides. Two garage doors are standard



Clever: Lighting and 230 V socket in rear garage.



Wood-free and rot-free Lifetime-Smart floor construction (covered with GRP)

# Trend A Plus factors interior



The classic dinette can also be used without swivelling the driver's and passenger's seats. It can be easily converted to a comfortable bed for two.



The Overcab bed is loved by children and adults alike (Trend A 7877-2)



Childproof: Isofix bracket for child seats (option).



The standard indirect lighting creates a wonderful and cosy ambience during the evenings.



Quitely closing overhead locker doors.



Many 230 V sockets in living area and rear garage.



Dethleffs Naviceiver (option) incl. navigation system and DAB+ radio reception. The display of on-board-control readings is possible.



Cab blinds protect from heat, cold and prying eyes



Dethleffs Fiat chassis 9 gear automatic transmission optionally available

# Trend A Plus factors exterior



Opening window in overcab provides light and air circulation.



Stylish safety feature: LED daytime running lights.



Prominent rear moulding.



70 cm wide entrance door with electrical entrance step incl. a window and central locking.



Well protected against hail: durable GRP roof.



Clever: Lighting and 230 V socket in rear garage.



Stay safe with the standard ESP and other important driving assistance systems.



There is a lot of storage space for your holiday implements and not only in the rear garage (A 7877-2)



A 7877-2: High double floor with load-through possibility. Furthermore this vehicle basement is perfectly made for protecting the vehicle installations from cold temperatures.



## Globebus plus factors

- + Plenty of space in the interior despite a width of only 2,2m
- + Large L-shaped lounge with modern upholstery
- + Robust work surface extension in the kitchen area (not in T/I 7)
- + Exclusive Gran Turismo (GT) Package (optional)
- + Compact and agile



























## Standard UK specification which is above standard European specification\*

- · Right hand drive chassis
- LED day-time-running light (T)
- · Leather steering wheel and shift knob with leather sleeve
- · Instruments in chrome
- · Electrical & heated mirrors
- · Autom. cab air conditioning
- · Cruise control
- Passenger airbag
- · Radio pre-wiring with Sound Package
- · Cab door left (I)
- · Cab blinds (T)
- Panoramic skylight 70x50 cm incl. roof lining in living area (T)
- Panoramic skylight 75x105 cm incl. illuminated roof lining in living area
- · Habitation door with window and central locking
- · On-board control panel luxus

- · Insulated waste water tank
- · Ambience illumination
- Full UK specification incl. UK gas and UK electrics
- · Combi 6 E heating with integrated 10 I boiler
- Smoke detector
- · Oven with grill
- Large fridge (T/I 1)
- TV bracket
- · Pre-wiring solar system
- Pre-wiring SAT system
- · Lounge convert to bed (T)
- Bed convert single beds to double bed (T/I 6)
- · Carpets for cab and living room

\*Please note: From technical point of view there are components which are not possible for some model types and layouts.

## Standard specification

# Chassis (in addition to standard equipment, see p. 3)

- Radiator grill offers additional protection (only for A Class)
- Low-vibration, electric and heated cab mirrors in bus style (two-piece) (only for A Class)
- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator (only for Low Profile)

#### Conversion

- Automotive rear moulding with integral rear lights and integrated LED light bar and 3rd brake light
- Skylight 40 x 40cm above the lounge
- Cab blinds for best insulation and privacy protection (only for A Class)
- Captain seats: integrated headrest, two upholstered arm rests, rotating (only for T
   1)
- Pull-down bed (only for A Class)
- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm
- Rear garage: two garage doors, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1x 230 V socket
- Habitation door: 70cm, flyscreen door, awning light (not for T/I 1)
- Height adjustable queen bed (only for T/I
   7)
- Window for T-hood (only for Low Profile)
- Captain seats: integrated headrests, two armrests, rotating function

### On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- · LED illumination for the interior
- Illuminated roof lining above the habitation door
- · EBL with overvoltage protection

#### Kitchen

- Gourmet kitchen with 3-flames hob, spacious drawers with softclose function and generous worktop
- Worktop extention: extendable or foldaway (not for T/I 7)
- Large fridge with freezer compartment and auto energy selection (AES)

#### **Bathroom**

- Rotating bathroom for optimal use of space (only for T/I 1)
- Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head
- Shower grid (not for T/I 1)


#### Living area

- Large mirror
- Overhead locker doors with softclose function
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- AirPlus ventilation system for an optimised ventilation of the interior
- High wardrobe with convenient laundry shelves in upper area
- Multi-functional storage space underneath the double bed incl. wardrobe, accessible from inside and out, illuminated, bed frame with adjustable shock absorbers (only for T/I 1)
- Shoe cabinet in entrance area (only for T/I
   7)
- · Wardrobe left and right of the King bed

#### Interior

 Wood décor Rosario Cherry with upholstery Quadro or Atomic







# Globebus Low Profile

GLOBEBUS		T1	T 6	T 7
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank	I	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	599	698	698
Width	cm	220	220	220
Height	cm	281	281	281
Internal height	cm	198	198	198
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	345	380	380
Beds pull-down/ overcab	cm	-	-	-
Bed mid	cm	155x95/90	175x95/90	155x95/90
Bed rear	cm	200x145	195x80 / 195x75	190 / 180x140
Alternative	cm	-	200x155	-
Sleeping berths		3	3	3
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		88 (120)	88 (120)	88 (120)
Weight net	kg	2615	2750	2740
Mass in running order (MIRO)	kg	2795	2930	2920
Payload	kg	704	569	579
Maximum authorised weight	kg	3499	3499	3499
Designated passenger seats (standard weight)		4	4	4
Designated passenger seats (max. weight upgr	rade)	4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	- 1	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volume)	I	114 (20)	114 (20)	114 (20)
Waste water tank volume	- 1	90	90	90
Awning size	m	3,0	4,0	4,0
Dimensions through-opening right stand./opt.	cm	75x100 / -	95x105 / -	95x100 / -
Dimensions through-opening left stand./opt.	cm	95x80 / -	95x105 / -	75x100 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18
Power outlets 230V/12	V/USB	6/1/2	6/1/2	6/1/2







# Globebus A Class

GLOBEBUS		11	16	17
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank	I	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	599	695	695
Width	cm	220	220	220
Height	cm	281	281	281
Internal height	cm	198	198	198
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	345	380	380
Beds pull-down/ overcab	cm	185x150	185x150	185x150
Bed m	id cm	-	-	-
Bed re	ar cm	200x145	195x80 / 195x75	190 / 180x140
Alterna	ative cm	-	200x155	-
Sleeping berths		4	4	4
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		88 (120)	88 (120)	88 (120)
Weight net	kg	2675	2830	2820
Mass in running order (MIRO)	kg	2855	3010	3000
Payload	kg	644	489	499
Maximum authorised weight	kg	3499	3499	3499
Designated passenger seats (stan	dard weight)	4	4	4
Designated passenger seats (max	. weight upgrade)	4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartm	ent I	142 / 15	142 / 15	142 / 15
Water tank incl. boiler (red. volum	ie) I	114 (20)	114 (20)	114 (20)
Waste water tank volume	1	90	90	90
Awning size	m	4,0	5,0	5,0
Dimensions through-opening righ	t stand./opt. cm	75x100 / -	95x105 / -	95x100 / -
Dimensions through-opening left	stand./opt. cm	95x80 / -	95x105 / -	75x100 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V/USB	6 / 1 / 2	6 / 1 / 2	6/1/2

# Packages

## Assistance Package Fiat (Code 9973)

1101 (1001 7713)	
Package components	Low Profile
Lane Keep Assist	✓
Light Assist	✓
Full Brake Control	✓
Rain sensor	✓
High Beam Assist	✓
Traffic Sign Assist	✓

✓ included ● Standard specification – not included

GT-Package	wh	ite	bla	ck
	ca. 25 kg	ca. 23 kg	ca. 25 kg	ca. 23 kg
Package components	Low Profile	A Class	Low Profile	A Class
Chassis colour Black, radiator grill Silver	-	-	✓	-
Exterior design GT White T (various stickers, red skid plate)	✓	-	_	-
Exterior design GT White I (various stickers, red skid palte, black A Class front)	-	✓	-	-
Exterior design GT Black T (various stickers, red skid plate)	-	-	✓	-
Exterior design GT Black I (various stickers, red skid plate, black A Class front)	-	-	-	✓
Interior design GT (kitchen back wall black, switches and power outlets in bicolor)	✓	✓	<b>✓</b>	✓
Cab entrance step	✓	-	✓	-
High-level rear moulding incl. roof rails	✓	✓	✓	✓
Flush-fitting windows	✓	✓	✓	✓
Alloy wheels 16" Fiat	✓	✓	✓	✓
Cab dashboard with aluminium applications	✓	✓	✓	✓

<sup>✓</sup> included ⊙ Standard specification – not included

Options	Additional							
options -	weight (kg)	Code	Ξ	16	17	Ξ	9	17
Chassis/Base								
Fiat Ducato MultiJet 140 (2,3 l / 140 hp)	U.f.	0	0	0	0	0	0	0
Fiat Ducato MultiJet 160 (2,3 l / 160 hp) incl. start-stop function	U.f.	0	0	0	0	0	0	0
Fiat Ducato MultiJet 180 (2,3 l / 180 hp) incl. start-stop function	U.f.	0	0	0	0	0	0	0
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	18	10736	0	0	0	0	0	0
Weight upgrade 3.650kg	0	10769	0	0	0	0	0	0
Alloy wheels 16"	0	8045	0	0	0	0	0	0
Tow bar (please consider the total towing weight)	49	273	0	0	0	0	0	0
Captain seat including seat heating and lateral support	6	1659 390	_	_	_	0	0	0
Rear corner steadies (2 pieces) Reinforced spring for front axle	0	1889	0	0	0	0	0	0
	U	1007						
Bodywork exterior								
Bike rack for 3 bikes (rear)	9	938	0	0	0	0	0	0
Bike rack for 3 bikes (lowerable) Flush fitting windows	10 5	7482 415	0	0	0	0	0	0
Cassette awning Omnistor 3.0 m	23	932	0	0	0	0	0	0
Cassette awning Omnistor 4.0 m	33	859	-	0	0	0	_	_
Cassette awning Omnistor 5.0 m (manual)	54	697	-	-	-	-	0	0
Alarm system for doors with central locking	4	322	0	0	0	0	0	0
Panoramic skylight 70x50 cm above the pull-down bed	8	246	-	-	-	0	0	0
Bodywork interior								
Fire extinguisher 2 kg	4	1878	0	0	0	0	0	0
Safe mounted	13	323	0	0	0	0	0	0
Double floor for rear garage	5	1890	0	0	0	0	0	0
Furniture layouts								
Isofix - child seat bracket	5	8125	0	0	0	0	0	0
Electrics/Installation								
Solar system (2 x 60 W)	15	922	0	0	0	0	0	0
2nd leisure battery 95 Ah	27	830	0	0	0	0	0	0
Gas/Installation								
Exterior socket for gas 30mbar	1	878	0	0	0	0	0	0
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg	42		_	_	_			0
aluminium gas bottle)	13	1577	0	0	0	0	0	0
Water supply/Installation								
Switch for water pump	1	397	0	0	0	0	0	0
Heating/Air-conditioning								
Alternative heating operation panel	1	6622	0	0	0	0	0	0
App operation for warm air heating (only in comb. with option 6622)	1	9659	0	0	0	0	0	0
Floor heating (electrical)	9	763	0	0	0	0	0	0
Roof A/C	34	609	0	0	0	0	0	0
Kitchen								
Extractor fan	2	344	0	0	0	0	0	0
Bathroom								
Shower grid	1,5	1657	0	•	•	0	•	•
Multimedia systems								
SAT system Flatsat Classic 65 Twin	13	7670	0	0	0	0	0	0
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	0	0	0	0	0	0
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	0	0	0	0	0	0
Rear view camera (single camera) (only in comb. with option 9582 Dethleffs Naviceiver)  Reversing camera (double camera) (only in comb. with option 9582 Dethleffs Naviceiver)	2	1642 1641	0	0	0	0	0	0
Second rear view camera in the rear light moulding (only in comb. with option 9582 "Dethleffs	1	11541	0	0	0	0	0	0
Naviceiver")								
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	0	0	0	0	0	0
Dethleffs Naviceiver incl. DAB+,truck navigation and bord control panel linking	U.f.	9582	0	0	0	0	0	0

	Additional weight (kg)	Code	1	16	17		91	17
Miscellaneous								
Registration documents	U.f.	0	•	•	+	•	•	+

# Globebus Plus factors interior



The lounge can be converted to a comfortable bed.



I: The standard pull-down bed has a sleeping area of up to 150 cm in width.



Useful: The extendable step for bed access with a storage box (T/I 1).



The LED illumination with indirect light elements provides atmospheric ambience. The overhead lockers are equipped with Softclose function.



Comfortable kitchen worktop extension and rail system. Optionally with kitchen backwall (GT Package)



Childproof: Isofix bracket for child seats (option)



T/I 1: Multi-functional storage compartment under the fold-away bed frame, also accessible from outside.



T/I: Cab blinds protect from heat, cold and prying eyes



T/I: Large L-shaped seating lounge with wide passage way to the cab - for more elbow room



Wrap-around windscreen with unique panoramic view.



T/I: Comfortable captain seats with height/ inclination adjustment and upholstered arm



Dethleffs Fiat chassis 9 gear automatic transmission optionally available

# Globebus Plus factors exterior



Extra-wide entrance door (70 cm) (not for T/I 1) with flyscreen door.



Well-protected against hail: durable GRP roof.



I: Easy to service: large engine bay opening for servicing all relevant parts.



T: Large opening skylight in T-hood.



High garage with 150 kg loading capacity.
Two garage doors are standard.



T: Standard black radiator grill. Stylish safety feature: LED day-time-running lights



T/I: Prominent and safe: Integral rear lights with LED night-time-running lights.



 I: Coach-style mirrors for an unobstructed field of view.



I: Prominent headlights, elegantly integrated in the new design.



Comprehensive assistance systems optionally available for all Dethleffs Low Profile and Coachbuilt vehicles with Fiat chassis with the following systems: Hydraulic Brake Assist, Lane Keep Assist, Light Assist, Traffic sign Assist and rain sensor.



## Pulse plus factors

- + Harmonious light composition Light Moments for many emotions and good spirits in the Pulse
- + Further development of the Dethleffs design language for more openness, bightness and clear forms and lines
- + Innovative Maxi-Flex overhead locker with soft opening and intuitive operation
- + One-level floor in living room by IsoProtect Comfort































#### Standard UK specification which is above standard European specification\*

- Right hand drive chassis
- · LED day-time-running light (T)
- · Leather steering wheel and shift knob with leather sleeve
- Instruments in chrome
- Electrical & heated mirrors
- Autom. cab air conditioning
- · Cruise control
- Passenger airbag
- Radio pre-wiring with Sound Package
- Cab door left (I)
- Cab blinds (T)
- Window T-hood (T)
- Panoramic skylight 70x50 cm in living area (T)
- Panoramic skylight 75x105 cm in living area (I)
- · Habitation door with window and central locking
- On-board control panel luxus
- · Insulated waste water tank
- · Ambience illumination

- Light Moments (pedestal illumination in kitchen, lounge and sleeping area, wall area illumination, head lining illumination with ambient illumination), illuminated entrance handle and indirect illumination in bathroom with illuminated shower console
- Full UK specification incl. UK gas and UK electrics
- Combi 6 E heating with integrated 10 I boiler
- Smoke detector
- Oven with grill
- TV bracket
- Pre-wiring solar system
- Pre-wiring SAT system
- Lounge convert to bed (T) (not for DBL/EBL)
- Bed convert single beds to double bed
- Carpets for cab and living room

<sup>\*</sup>Please note: From technical point of view there are components which are not possible for some model types and layouts.

## Standard specification

## Chassis (in addition to standard equipment, see p. 3)

- Low-vibration, electric and heated cab mirrors in bus style (two-piece) (only for A Class)
- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator (only for Low Profile)

#### Conversion

- Skylight 40 x 40cm above the lounge
- Cab blinds for best insulation and privacy protection (only for A Class)
- Captain seats: integrated headrest, two upholstered arm rests, rotating
- Pull-down bed (only for A Class)
- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm
- Habitation door: 70cm, flyscreen door, awning light
- Height adjustable queen bed (not for T/I 6811 EB, T/I 7051 EB and I 7051 EBL)
- Rear moulding: 3rd brake light, Integral rear lights incl. LED strip, rear spoiler
- Rear garage: two garage doors with onehand operation, drop chassis extension (150 kg loading capacity), heated, with fixing loops, illuminated, 1x 230 V power outlet
- Panoramic skylight 40x40cm with mosquito screens and shade blinds above the pull-down bed (only for A Class)

#### On-board technology / Installations

- Starter battery and leisure battery with automatic switch-over (also for fridge)
- LED illumination for the interior
- Illuminated roof lining above the habitation door
- · EBL with overvoltage protection
- Heating mounted in seating lounge for optimum heat distribution

#### Kitcher

- Gourmet kitchen with 3-flames hob, spacious drawers with softclose function and generous worktop
- Large fridge with freezer compartment and auto energy selection (AES)

#### Bathroom


- Shower grid (not for T/I 7051 DBL and T/I 7051 EBL)
- Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder

#### Living area

- · Large mirror
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- AirPlus ventilation system for an optimised ventilation of the interior
- · Shoe cabinet in entrance area
- · Wardrobe left and right of the King bed
- · No steps in living room

#### Interior

 Wood décor Rosario Anthracite with upholstery Beat or Dance














## Pulse Low Profile


PULSE		T 6651 DBM	T 6811 EB	T 7051 DBL	T 7051 DBM	T 7051 EB	T 7051 EBL
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank	I	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	699	699	740	740	740	740
Width	cm	233	233	233	233	233	233
Height	cm	300	300	300	300	300	300
Internal height	cm	205	205	205	205	205	205
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	380	380	404	404	404	404
Beds pull-down/ overcab	cm	200x105/90 <sup>1</sup>	200x105/80 <sup>1</sup>	200x140 <sup>1</sup>	200x140/110 <sup>1</sup>	200x140/110 <sup>1</sup>	200x140 <sup>1</sup>
Bed mid	cm	155x100/80	155x100/80	202x110/90	170x100/80	170x100/80	202x110/90
Bed rear	cm	190x160	195x80 / 205x80	190x160	190x160	210/185x80 / 200x80	205/185x80 210/195x80
Alternative	cm	-	210x190	-	-	210x190	210x190
Sleeping berths		3 <sup>1</sup>	3 <sup>1</sup>	5 <sup>1</sup>	4 <sup>1</sup>	4 <sup>1</sup>	5 <sup>1</sup>
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		88 (120)	88 (120)	88 (120)	88 (120)	88 (120)	88 (120)
Weight net	kg	2770	2790	2935	2875	2885	2945
Mass in running order (MIRO)	kg	2950	2970	3115	3055	3065	3125
Payload	kg	549	529	384	444	434	374
Maximum authorised weight	kg	3499	3499	3499	3499	3499	3499
Designated passenger seats (standard wei	ght)	4	4	4	4	4	4
Designated passenger seats (max. weight	upgrade)	4	4	4	4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	- 1	142 / 15	142 / 15	142 / 15	141 / 23	141 / 23	142 / 15
Water tank incl. boiler (red. volume)	1	116 (20)	116 (20)	116 (20)	116 (20)	116 (20)	116 (20)
Waste water tank volume	1	90	90	90	90	90	90
Awning size	m	4,0	4,0	4,5	4,5	4,5	4,5
Dimensions through-opening right stand./	opt. cm	85x110 / -	85x75 / 85x110	90x110 / -	90x110 / -	90x85 / 90x110	90x85 / 90x110
Dimensions through-opening left stand./o	pt. cm	85x110 / -	85x75 / 85x110	90x110 / -	90x110 / -	90x85 / 90x110	90x85 / 90x110
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets 230	V/12V/USB	7 / 1 / 2	6 / 1 / 2	7 / 1 / 2	7 / 1 / 2	7 / 1 / 2	7 / 1 / 2

 $<sup>^{\</sup>rm 1}$  Only in combination with option "electrical pull-down bed"













## Pulse A Class

PULSE		I 6651 DBM	I 6811 EB	I 7051 DBM	I 7051 DBL	I 7051 EB	I 7051 EBL
Chassis type		Fiat low platform	Fiat low platform				
Diesel tank/AdBlue tank	I	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp				
Length	cm	699	699	740	740	740	740
Width	cm	233	233	233	233	233	233
Height	cm	300	300	300	300	300	300
Internal height	cm	205	205	205	205	205	205
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C				
Wheel base	cm	380	380	404	404	404	404
Beds pull-down/ overcab	cm	195x150	195x150	195x150	195x150	195x150	195x150
Bed mid	cm	-	-	-	-	-	-
Bed rear	cm	190x160	190x80 / 205x80	190x160	190x160	210/185x80 / 200x80	205/185x80 210x195x80
Alternative	cm	-	210x190	-	-	210x190	210x190
Sleeping berths		4	4	4	4	4	4
Basic engine		2,3 MJET	2,3 MJET				
kW (BHP)		88 (120)	88 (120)	88 (120)	88 (120)	88 (120)	88 (120)
Weight net	kg	2880	2850	2910	2975	2910	2985
Mass in running order (MIRO)	kg	3060	3030	3090	3155	3090	3165
Payload	kg	439	469	409	344	409	334
Maximum authorised weight	kg	3499	3499	3499	3499	3499	3499
Designated passenger seats (standard weigh	t)	4	4	4	4	4	4
Designated passenger seats (max. weight up	grade)	4	4	4	4	4	4
Heating		Combi 6 E	Combi 6 E				
Fridge/ thereof freezer compartment	- 1	142 / 15	142 / 15	142 / 23	142 / 15	142 / 23	142 / 15
Water tank incl. boiler (red. volume)	I	116 (20)	116 (20)	116 (20)	116 (20)	116 (20)	116 (20)
Waste water tank volume	- 1	90	90	90	90	90	90
Awning size	m	4,5	4,5	5,0	5,0	5,0	5,0
Dimensions through-opening right stand./opt	. cm	85x110 / -	85x75 / 85x110	90x110 / -	90x110 / -	90x85 / 90x110	90x85 / 90x110
Dimensions through-opening left stand./opt.	cm	85x110 / -	85x75 / 85x110	90x110 / -	90x110 / -	90x85 / 90x110	90x85 / 90x110
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets 230V/1	2V/USB	7 / 1 / 2	6/1/2	7 / 1 / 2	7 / 1 / 2	7 / 1 / 2	7 / 1 / 2

## Packages

#### Assistance Package Fiat (Code 9973)

1101 (1001 7713)	
Package components	Low Profile
Lane Keep Assist	✓
Light Assist	✓
Full Brake Control	✓
Rain sensor	✓
High Beam Assist	✓
Traffic Sign Assist	✓

✓ included ● Standard specification – not included

## Packages

GT-Package	wh	ite	black			
	ca. 25 kg	ca. 23 kg	ca. 25 kg	ca. 23 kg		
Package components	Low Profile	A Class	Low Profile	A Class		
Chassis colour Black, radiator grill Silver	_	-	✓	-		
Exterior design GT White T (various stickers, red skid plate)	✓	-	_	-		
Exterior design GT White I (various stickers, red skid palte, black A Class front)	_	✓	_	-		
Exterior design GT Black T (various stickers, red skid plate)	_	-	✓	-		
Exterior design GT Black I (various stickers, red skid plate, black A Class front)	_	-	_	✓		
Cab entrance step	✓	-	✓	-		
Flush-fitting windows	✓	✓	✓	✓		
Alloy wheels 16" Fiat	✓	✓	✓	✓		
Cab dashboard with aluminium applications	✓	✓	✓	✓		
Switches and power outlets in bicolor	✓	✓	✓	✓		
LED day-time running light		✓		✓		


 $<sup>\</sup>checkmark$  included  $\odot$  Standard specification - not included

			W		_	W			>		>			
Options	Additional weight (kg)	Code	T 6651 DBM	T 6811 EB	T 7051 0BL	T 7051 DBM	T 7051 EB	T 7051 EBL	I 6651 DBM	I 6811 EB	I 7051 DBM	I 7051 DBL	I 7051 EB	I 7051 EBL
Chassis/Base														
Fiat Ducato MultiJet 140 (2,3 l / 140 hp)	U.ſ.	0	0	0	0	0	0	0	0	0	0	0	0	0
Fiat Ducato MultiJet 160 (2,3 l / 160 hp) incl. start-stop function	U.ſ.	0	0	0	0	0	0	0	0	0	0	0	0	0
Fiat Ducato MultiJet 180 (2,3 I / 180 hp) incl. start-stop function	U.ſ.	0	0	0	0	0	0	0	0	0	0	0	0	0
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	18	10736	0	0	0	0	0	0	0	0	0	0	0	0
Weight upgrade 3.650kg	0	10769	0	0	0	0	0	0	0	0	0	0	0	0
Fiat Ducato Maxi chassis (4.250 kg)	40	0	0	0	0	0	0	0	0	0	0	0	0	0
Alloy wheels 16"	0	8045	0	0	0	0	0	0	0	0	0	0	0	0
Tow bar (please consider the total towing weight)  Captain seat including seat heating and lateral support	49	273 1659	0	_	0	0	-	0	0	0	0	0	0	0
Rear corner steadies (2 pieces)	6	390	0	0	0	0	0	0	0	0	0	0	0	0
Reinforced spring for front axle	0	1889	_	_	_	_	_	_	0	0	0	0	0	0
, 3	Ü	1007		-				-						
Bodywork exterior														
Bike rack for 3 bikes (rear)	9	938	0	0	0	0	0	0	0	0	0	0	0	0
Bike rack for 3 bikes (lowerable)	10	7482	0	0	0	0	0	0	0	0	0	0	0	0
Flush fitting windows	5 33	415 859	0	0	0	0	0	0	0	0	0	0	0	0
Cassette awning Omnistor 4.0 m	50	930	0	0	_	0	_		_	0				
Cassette awning Omnistor 4.5 m Cassette awning Omnistor 5.0 m (manual)	50	697	_		0	O	0	0	0	O	0	0	0	0
Alarm system for doors with central locking	4	322	0	0	0	0	0	0	0	0	0	0	0	0
	4	JZZ			O					O				
Bodywork interior														
Fire extinguisher 2 kg	4	1878	0	0	0	0	0	0	0	0	0	0	0	0
Safe mounted	13	323	0	0	0	0	0	0	0	0	0	0	0	0
Double floor for rear garage	5	1890	0	0	0	0	0	0	0	0	0	0	0	0
Furniture layouts														
Isofix - child seat bracket	5	8125	0	0	-	0	0	-	0	0	0	-	0	-
Electrical pull-down bed in cab	55	680	0	0	0	0	0	0	-	_	-	_	-	-
High bed with overhead lockers	5	652	-	0	-	-	-	-	-	0	-	-	0	0
Bed convert for seating lounge	9	1944	_	_	0	_	_	0	_	_	_	_	_	_
High-level bed	0	652	_	O	_	_	0	0	0	_	0	O	_	_
Electrics/Installation														
Solar system (2 x 60 W)	15	922		0										
2nd leisure battery 95 Ah	27	830	0	0	0	0	0	0	0	0	0	0	0	
Gas/Installation  Exterior socket for gas 30mbar	1	070	0	0	0	0	0	0	0	0	0	0	0	
Automatic gas bottle switch-over incl. crash sensor and EisEx	ļ.	878	0	O	O	O	O	0	O	O	O	O	O	O
(weight incl. optional 11 kg aluminium gas bottle)	13	1577	0	0	0	0	0	0	0	0	0	0	0	0
Water supply/Installation														
Switch for water pump	1	397	0	0	0	0	0	0	0	0	0	0	0	0
Heating/Air-conditioning														
App operation for warm air heating (only in comb. with option 6622)	1	9659	0	0	0	0	0	0	0	0	0	0	0	0
Floor heating (electrical)	9	763	0	0	0	0	0	0	0	0	0	0	0	0
Warm water floor heating (only in comb. with warm water heating)	10	1603	0	0	0	0	0	0	0	0	0	0	0	0
Roof A/C	34	609	0	0	0	0	0	0	0	0	0	0	0	0
Warm water heating	30-50	761	0	0	0	0	0	0	0	0	0	0	0	0
Cab warm water heating (only in comb. with warm water heating - cab carpets not possible)	10	6709	0	0	0	0	0	0	0	0	0	0	0	0
Warm water heating by smartphone app	0	7512	0	0	0	0	0	0	0	0	0	0	0	0
Heat exchanger	7	565	0	0	0	0	0	0	0	0	0	0	0	0
Kitchen														
Extractor fan	2	344	0	0	0	0	0	0	0	0	0	0	0	0
Bathroom														
Shower grid	1,5	1657	•	•	•	•	•	0	<b>(</b> )	<ul><li>•</li></ul>	•	0	•	0
g	1,5	1031		J	J	J	J	J	J		J	J	J	

			)BM	9.	18(	)BM	9.	18	BM	8	BM	18	8	EBL
	Additional weight (kg)	Code	T 6651 DBM	T 6811 EB	T 7051 DBL	T 7051 DBM	T 7051 EB	T 7051 EBL	I 6651 DBM	I 6811 EB	I 7051 DBM	I 7051 DBL	I 7051 EB	I 7051 E
Bathroom														
Additional window in bathroom	5	372	0	0	0	0	•	•	0	0	0	0	•	•
Multimedia systems														
SAT system Flatsat Classic 65 Twin	13	7670	0	0	0	0	0	0	0	0	0	0	0	0
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	0	0	0	0	0	0	0	0	0	0	0	0
Reversing cam (only in comb. with option 9582 "Dethleffs Naviceiver")	5	7636	0	0	0	0	0	0	0	0	0	0	0	0
Second rear view camera in the rear light moulding (only in comb. with option 9582 "Dethleffs Naviceiver")	1	11541	0	0	0	0	0	0	0	0	0	0	0	0
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	0	0	0	0	0	0	0	0	0	0	0	0
Additional flatscreen TV 22" (incl. DVB-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle)	4	7490	0	-	-	-	-	-	0	-	-	-	-	-
Flatscreen TV 32"	7	9807	0	0	0	0	0	0	0	0	0	0	0	0
Dethleffs Naviceiver incl. DAB+,truck navigation and bord control panel linking	u.r.	9582	0	0	0	0	0	0	0	0	0	0	0	0
Sound Package for living room (only in comb. with radio pre-wiring incl. Sound Package)	10	9964	0	0	0	0	0	0	0	0	0	0	0	0
Miscellaneous														
Registration documents	U.f.	0	٠	•	*	+	+	•	•	•	+	•	•	+

## Pulse Plus factors interior







Innovative maxiflex overhead locker concept with soft opening. Thanks to the intelligent overhead locker construction the Pulse offers more storage room and freedom of moving (interior height 2.05 m).



Compact but spacious bathroom with sliding door to the sleeping area



160 cm wide and height-adjustable double bed for optimal use of the garage.



Low Profile models can be upgraded with a pull-down bed (interior height below pull-down bed 1,90 m).



Multi-functional entrance module including a practical shoe box, a robust entrance handle and space for TV.




One-level IsoProtect Comfort floor in living area.



Pretty seat frame trim for an optical separation of living room and the kitchen.

## Pulse Plus factors exterior







Outstanding design of the Low Profile hoods.



Amazing rear design including the LED rear lights.



I: Double mirror for an optimised field of view.



New for A Class conversions - the Dethleffs face (picture shows the optional GT package)



Wood-free and rot-free Lifetime Smart floor construction (covered with GRP).



Good-looking and safe: day-time running lights (option for A Class).



Practical one-hand operation of the garage doors. All Pulse models have two garage doors as standard.

# Pulse Classic 90

### Pulse Classic plus factors

- + Bord control panel Luxus series
- + One-level floor without tripping hazard
- + Interior headroom 2,05 m
- + Shoe cabinet in entry area
- + L-shaped seating lounge standard
- + Optional rear view camera integrated in spoiler
- + Comprehensive equipment package
- + 4-level illumination "Light Moments" standard



As a 90 year anniversary model, the Pulse Classic scores with a "ready to go" standard equipment, which meets all the requirements of function and comfort. In addition comes a chic anniversary upholstery and of course the reliability and the proverbial good service of Dethleffs - the inventor of caravanning.

<sup>1</sup> on the next page you will find a list of the individual options





























#### Extended standard equipment\* Pulse Classic

- · Right hand drive
- · Light composition Light Moments (without roof lining)
- · LED day-time-running lights
- · Alloy wheels 16"
- · Cruise control
- · Autom. cab air conditioning
- · Passenger airbag
- · Electrical & heated mirrors
- Cab blinds
- · Leather steering wheel and shift knob with leather sleeve
- · Pre-wiring radio
- · Instruments in chrome
- Window T-hood
- · Habitation door with window and central locking
- · Indirect ambience illumination

- · On-board control panel luxus
- · Panoramic skylight 70x50 cm in living area
- · Bed convert single beds to double bed
- Lounge convert to bed
- Full UK specification incl. UK gas and UK electrics
- · Combi 6 E heating with integrated boiler
- · Smoke detector
- Oven
- TV bracket
- · Pre-wiring solar system
- · Pre-wiring SAT system
- \* Please note: From technical point of view there are components which are not possible for some model types and layouts.

# Pulse Classic 90

Anniversary equipment (included in the base price)	Preis 7051 EB / EBL	Preis 7051 DBM / DBL
Exterior mirrors electrically adjustable and heated	✓	✓
Passenger airbag	✓	✓
Automatic A/C	✓	✓
Cruise control	✓	✓
Leather steering wheel and shift knob with leather sleeve	✓	✓
Multifunction steering wheel	✓	✓
LED daytime running light	✓	✓
Preparation for radio system with Sound Package	✓	✓
Instruments with chrome rings	✓	✓
Chassis colour black, grill silver	✓	✓
Alloy wheels 16" Fiat	✓	✓
Dashboard with aluminium application	✓	✓
Exterior design GT silver/black T (various stickers, skid plate red)	✓	✓
Habitation door with window and central locking (incl. cab door)	✓	✓
Blackout blinds in cab	✓	✓
Panoramic skylight 70 x 50 cm in living room	✓	✓
Opening window in T-hood	✓	✓
Onboard control panel Luxu	✓	✓
Indirect ambience illumination	✓	✓
Light Moments without roof-lining	✓	✓
Flush fitting windows	✓	✓
Entry step cab	✓	✓
Switches and sockets in bi-colour	✓	✓
Single beds convert to double bed	✓	✓

### Standard Specification

## Chassis (in addition to standard equipment, see p. 3)

- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator
- Multi-functional leather steering wheel and leather shift knob
- · Driver and passenger airbags
- · Cruise control
- · Dashboard with chrome rings
- · Radio pre-wiring
- Leather steering wheel and shift knob with leather sleeve
- Exterior mirrors electrically adjustable and heated
- · LED daytime running lights
- Driver's cab automatic A/C
- · 16" alloy wheels
- · Chassis colour black, radiator grill silver
- · Dashboard with aluminium applications

#### Conversion

- Captain seats: integrated headrest, two upholstered arm rests, rotating
- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm
- Height adjustable queen bed (only for T 7051 DBL and T 7051 DBM)
- · Window for T-hood
- Rear moulding: 3rd brake light, Integral rear lights incl. LED strip, rear spoiler
- Rear garage: two garage doors with onehand operation, drop chassis extension (150 kg loading capacity), heated, with fixing loops, illuminated, 1x 230 V power outlet
- Habitation door: 70 cm, flyscreen door, awning light, window
- Panoramic skylight 70 cm x 50 cm above living area (when pull-down bed: sleeping area)
- · Central locking habitation door
- Blackout blinds in driver's cab
- Indirect ambient lighting
- · Flush fitting windows
- Stickers GT black, skid plate red, footboard

#### On-board technology / Installations

- Starter battery and leisure battery with automatic switch-over (also for fridge)
- · LED illumination for the interior

- Illuminated roof lining above the habitation door
- · EBL with overvoltage protection
- Heating mounted in seating lounge for optimum heat distribution
- · Bord control panel Luxus
- · Switch and sockets two-tone
- Light Moments (illuminations on 4 levelsbase lighting in kitchen, seating lounge and bedroom-wall surface illuminationindirect lighting in bathroom with lit shower panel, illuminated entry handle)

#### **Kitchen**

- Gourmet kitchen with 3-flames hob, spacious drawers with softclose function and generous worktop
- Large fridge with freezer compartment and auto energy selection (AES)

#### Bathroom

- Shower grid (only for T 7051 DBM and T 7051 EB)
- Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder

#### Living area

- Large mirror
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- AirPlus ventilation system for an optimised ventilation of the interior
- · Shoe cabinet in entrance area
- · Wardrobe left and right of the King bed
- · No steps in living room
- Single beds can be converted to a large double bed

#### Interior

 Wood décor Noce Nagano with upholstery Cosmopolitan









## Pulse Classic 90 Low Profile

PULSE CLASSIC 90		T 7051 DBL	T 7051 DBM	T 7051 EB	T 7051 EBL
Chassis type		Fiat low platform	Fiat low platform	Fiat low platform	Fiat low platform
Diesel tank/AdBlue tank	I	75 / 19	75 / 19	75 / 19	75 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	741	741	741	741
Width	cm	233	233	233	233
Height	cm	300	300	300	300
Internal height	cm	205	205	205	205
Towing weight braked/unbraked	kg	2000 / 750	2000 / 750	2000 / 750	2000 / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	404	404	404	404
Beds pull-down/ overcab	cm	200x140 <sup>1</sup>	200x140/110 <sup>1</sup>	200x140/110 <sup>1</sup>	200x140 <sup>1</sup>
Bed mid	cm	202x110/90	-	-	202x110/90
Bed rear	cm	190x160	190x160	210/185x80 / 200x80	205/185x80 210/195x80
Alternative	cm	-	-	210x190	210x190
Sleeping berths		5 <sup>1</sup>	4 1	4 <sup>1</sup>	5 <sup>1</sup>
Basic engine		2,3 MJET	2,3 MJET	2,3 MJET	2,3 MJET
kW (BHP)		88 (120)	88 (120)	88 (120)	88 (120)
Weight net	kg	2930	2870	2880	3040
Mass in running order (MIRO)	kg	3110	3050	3060	3120
Payload	kg	389	449	439	379
Maximum authorised weight	kg	3499	3499	3499	3499
Designated passenger seats (standard v	veight)	4	4	4	4
Designated passenger seats (max. weig	jht upgrade)	4	4	4	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	1	142 / 15	141 / 23	141 / 23	142 / 15
Water tank incl. boiler (red. volume)	I	116 (20)	116 (20)	116 (20)	116 (20)
Waste water tank volume	1	90	90	90	90
Awning size	m	4,5	4,5	4,5	4,5
Dimensions through-opening right stan	d./opt. cm	90x110 / -	90x110 / -	90x110 / -	90x110 / -
Dimensions through-opening left stand	./opt. cm	90x110 / -	90x110 / -	90x110 / -	90x110 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets 2	30V/12V/USB	7 / 1 / 2	7 / 1 / 2	7 / 1 / 2	7 / 1 / 2

<sup>&</sup>lt;sup>1</sup> Only in combination with option "electrical pull-down bed"

## Packages

#### Assistance Package Fiat (Code 9973)

Low Profile
✓
✓
✓
✓
✓
✓


✓ included ● Standard specification – not included

#### 90 Years Anniversary Package


Package Components	Paket One	Paket Two
Cassette awning manual 4,5 m	✓	✓
Roof A/C	-	✓
Dethleffs Naviceiver incl. DAB+, Truck Navigation and connection with the onboard control panel	-	✓
Dethleffs Moniceiver incl. DAB+, Apple CarPlay / Android Auto	✓	-
Rear view camera	✓	✓
Flatscreen TV bracket	✓	✓
Flatscreen TV 22" HD TV	✓	✓
Automatic HD SAT system 65 Twin	✓	✓

✓ included ⊙ Standard specification – not included

Options	Additional weight (kg)	Code	T 7051 DBL	T 7051 DBM	T 7051 EB	T 7051 EBL
Chassis/Base						
Fiat Ducato MultiJet 140 (2,3 l / 140 hp)	U.f.	0	0	0	0	0
Fiat Ducato MultiJet 160 (2,3 l / 160 hp) incl. start-stop function	U.f.	0	0	0	0	0
Fiat Ducato MultiJet 180 (2,3 l / 180 hp) incl. start-stop function	U.f.	0	0	0	0	0
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	18	10736	0	0	0	0
Weight upgrade 3.650kg	0	10769	0	0	0	0
Fiat Ducato Maxi chassis (4.250 kg)	40	0	0	0	0	0
Bodywork exterior						
Bike rack for 3 bikes (lowerable)	10	7482	0	0	0	0
Furniture layouts						
Isofix - child seat bracket	5	8125	-	0	0	-
Electrical pull-down bed in cab	55	680	0	0	0	0
Gas/Installation						
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	0	0	0	0
Water supply/Installation						
Switch for water pump	1	397	0	0	0	0
Bathroom						
Additional window in bathroom	5	372	0	0	•	•
Multimedia systems						
Second rear view camera in rear light carrier (only in comb. with option 11301 "Dethleffs Moniceiver" or option 9582 "Dethleffs Naviceiver")	U.f.	11541	0	0	0	0
Miscellaneous						
Registration documents	U.f.	0	•	•	+	•









Comfortable Captain seats with height-tilt adjustment and upholstered armrests



Dashboard with aluminium applications



Leather steering wheel and gear knob with leather sleeve and a practical steering wheel control panel



Switches & sockets in bi-colour




Compact but very spacious bathroom with sliding door to the sleeping area



Modern anniversary upholstery

# Pulse Classic 90 Plus factors exterior







Elegant construction of the hoods



Elegant designed rear with LED tail light



Wood-free, rot-proof Lifetime-Smart body construction (GRP covered)



Rear garage loadable on both sides with one-hand operation



Flush fitting windows provide good insulation and security



16" alloy wheels





## Globeline plus factors

- + Single bed layout with a total length below 7 m
- + Premium chassis and driving comfort thanks to Mercedes Benz Sprinter chassis
- + Comprehensive assistance systems on board
- + Optional Style Package available with black chassis, chromed radiator grill and flush fitting windows
- + Large rear garage for bulky luggage



























#### Standard UK specification which is above standard European specification\*

- · Right hand drive chassis
- Multifunctional leather steering wheel incl. cruise control. For manual transmission incl. leather shift knob
- · Semi-automatic cab air conditioning Tempmatic
- · Combi instrument with colour display
- · Digital DAB radio
- Multimedia system 10,25" touch screen
- · Cupholder front
- Electrical handbrake
- · Passenger airbag
- · Alloy wheels
- All-season tires (FourSeason M+S with snow flake)
- · Large 93 | diesel tank
- · Reversing camera
- Flyscreen door
- Awning light 12 V
- Panoramic skylight 70x50 cm in living area
- · Cab blinds

- · Habitation door with window and central locking (incl. cab door)
- Window in T-hood
- · Ambience illumination
- LED illumination package
- Full UK specification incl. UK gas and UK electrics
- Combi 6 E heating with integrated 10 l boiler
- Smoke detector
- · Oven with grill
- TV bracket
- · Pre-wiring solar system
- · Pre-wiring SAT system
- · Lounge convert to bed
- · Bed convert single beds to double bed
- · Carpets for cab and living room
- \* Please note: From technical point of view there are components which are not possible for some model types and layouts.

## Standard specification

#### Conversion

- Automotive rear moulding with integral rear lights and integrated LED light bar and 3rd brake light
- Skylight 40 x 40cm above the lounge
- Floor thickness: 49mm; sidewall thickness: 34mm; roof thickness: 35mm
- Rear garage: two garage doors, rear lowering (150 kg surface load), heated, with lashing rails, illuminated, 1x 230 V socket
- Captain seats: integrated headrests, two armrests, rotating function
- · Habitation door: 70cm

#### On-board technology / Installations

- Gas bottle locker for 2 x 11kg bottles
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- Illuminated roof lining above the habitation door
- EBL with overvoltage protection
- Heating mounted in seating lounge for optimum heat distribution
- · Insulated fresh and waste water tank

#### Kitchen

- Gourmet kitchen with 3-flames hob, spacious drawers with softclose function and generous worktop
- Worktop extention: extendable or foldaway
- · MultiFlex rail system

#### **Bathroom**

- Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head
- Shower grid
- Shower panel black and accessoires (tooth brush mug, soap dish, toilet roll holder)

#### Living area

- · Large mirror
- Overhead locker doors with softclose function
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material

- AirPlus ventilation system for an optimised ventilation of the interior
- · Comfortable L-shaped lounge
- Coat rack covered with fabrics; incl. chrome coat hooks

#### Interior

 Wood décor Virginia Oak with upholstery Torcello, Gresso or La Rocca




# Globeline Low Profile

Chassis type  Chassis type  Diesel tank/AdBlue tank  Diesel tank/AdBlue tank  Diesel tank/AdBlue tank  Length  Cm  696  Width  Cm  233  Height  Cm  300  Internal height  Cm  205  Towing weight braked/unbraked  kg  2000 1/750  Tyres  235/65 R16 C  Wheel base  Cm  367  Beds pull-down/ overcab  Cm  Bed mid  Cm  185x80 / 195x80  Alternative  Cm  210x195/150  Sleeping berths  Basic engine  Alternative  Cm  210x195/150  Sleeping berths  Alternative  Sleeping berths  Basic engine  414 CDI  kW (BHP)  105 (143)  Weight net  kg  2875  Mass in running order (MIRO)  kg  3500  Payload  kg  450  Maximum authorised weight  besignated passenger seats (standard weight)  Designated passenger seats (standard weight)  Designated passenger seats (max. weight upgrade)  Heating  Fridge/ thereof freezer compartment  I 142 / 15  Water tank incl. boiler (red. volume)  I 130 (20)  Waste water tank volume  Awning size  Mayload  Awning size  Ayload  Dimensions through-opening right stand./opt. Cm  95x120 /-  Battery/ charging device  Ah/A  95 / 18				
Diesel tank/AdBlue tank  I 71 / 22  Emission class  Length cm 696  Width cm 233  Height cm 300  Internal height cm 205  Towing weight braked/unbraked kg 2000 ¹ / 750  Tyres 235/65 R16 C  Wheel base cm 367  Beds pull-down/ overcab cm 200x95 ²  Bed mid cm 160x100/80  Bed rear cm 185x80 / 195x80  Alternative cm 210x195/150  Sleeping berths 3 ²  Basic engine 414 CDI  kW (BHP) 105 (143)  Weight net kg 2875  Mass in running order (MIRO) kg 3050  Payload kg 450  Maximum authorised weight kg 3500  Designated passenger seats (standard weight) 4  Heating Combi 6 E  Fridge/ thereof freezer compartment I 142 / 15  Water tank incl. boiler (red. volume) I 130 (20)  Waste water tank volume I 100  Awning size m 4,0  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	GLOBELINE			
Emission class  Length  Cm 696  Width  Cm 233  Height  Cm 300  Internal height  Cm 205  Towing weight braked/unbraked  Kg 2000 1 / 750  Tyres  235/65 R16 C  Wheel base  Cm 367  Beds pull-down/ overcab  Cm 200x95 2  Bed mid Cm 160x100/80  Bed rear  Bed rear  Alternative  Cm 210x195/150  Sleeping berths  Sleeping berths  Saic engine  414 CDI  kW (BHP)  Weight net  Kg 2875  Mass in running order (MIRO)  Reginated passenger seats (standard weight)  Designated passenger seats (standard weight)  Heating  Combi 6 E  Fridge/ thereof freezer compartment  I 142 / 15  Water tank incl. boiler (red. volume)  I 100  Awning size  M 4,0  Dimensions through-opening left stand./opt.  Cm 95x120 / -	,,			Mercedes ladder frame
Length Cm 696 Width Cm 233 Height Cm 300 Internal height Cm 205 Towing weight braked/unbraked kg 2000 1/750 Tyres 235/65 R16 C Wheel base Cm 367 Beds pull-down/ overcab Cm 200x95 2 Bed mid Cm 160x100/80 Bed rear Cm 185x80 / 195x80 Alternative Cm 210x195/150 Sleeping berths 3 2 Basic engine 414 CDI kW (BHP) 105 (143) Weight net kg 2875 Mass in running order (MIRO) kg 3050 Payload kg 450 Maximum authorised weight kg 3500 Designated passenger seats (standard weight) 4 Designated passenger seats (max. weight upgrade) 4 Heating Combi 6 E Fridge/ thereof freezer compartment I 142 / 15 Water tank incl. boiler (red. volume) I 130 (20) Waste water tank volume I 100 Awning size m 4,0 Dimensions through-opening left stand./opt. Cm 95x120 / -	Diesel tank/AdBlue tank		ı	71 / 22
Width cm 233 Height cm 300 Internal height cm 205 Towing weight braked/unbraked kg 2000 ¹ / 750 Tyres 235/65 R16 C Wheel base cm 367 Beds pull-down/ overcab cm 200x95 ² Bed mid cm 160x100/80 Bed rear cm 185x80 / 195x80 Alternative cm 210x195/150 Sleeping berths 3 ² Basic engine 414 CDI kW (BHP) 105 (143) Weight net kg 2875 Mass in running order (MIRO) kg 3050 Payload kg 450 Maximum authorised weight kg 3500 Designated passenger seats (standard weight) 4 Designated passenger seats (max. weight upgrade) 4 Heating Combi 6 E Fridge/ thereof freezer compartment I 142 / 15 Water tank incl. boiler (red. volume) I 130 (20) Waste water tank volume I 100 Awning size m 4,0 Dimensions through-opening left stand./opt. cm 95x120 / - Dimensions through-opening left stand./opt. cm 95x120 / - Dimensions through-opening left stand./opt. cm 95x120 / -	Emission class			Euro VI D
Height cm 300 Internal height cm 205 Towing weight braked/unbraked kg 2000 ¹ / 750 Tyres 235/65 R16 C Wheel base cm 367 Beds pull-down/ overcab cm 200x95 ² Bed mid cm 160x100/80 Bed rear cm 185x80 / 195x80 Alternative cm 210x195/150 Sleeping berths 3 ² Basic engine 414 CDI kW (BHP) 105 (143) Weight net kg 2875 Mass in running order (MIRO) kg 3050 Payload kg 450 Maximum authorised weight kg 3500 Designated passenger seats (standard weight) 4 Designated passenger seats (max. weight upgrade) 4 Heating Combi 6 E Fridge/ thereof freezer compartment I 142 / 15 Water tank incl. boiler (red. volume) I 130 (20) Waste water tank volume I 100 Awning size m 4,0 Dimensions through-opening left stand./opt. cm 95x120 / -	Length		cm	696
Internal height cm 205  Towing weight braked/unbraked kg 2000 ¹ / 750  Tyres 235/65 R16 C  Wheel base cm 367  Beds pull-down/ overcab cm 200x95 ²  Bed mid cm 160x100/80  Bed rear cm 185x80 / 195x80  Alternative cm 210x195/150  Sleeping berths  Basic engine 414 CDI  kW (BHP) 105 (143)  Weight net kg 2875  Mass in running order (MIRO) kg 3050  Payload kg 450  Maximum authorised weight kg 3500  Designated passenger seats (standard weight) 4  Designated passenger seats (max. weight upgrade) 4  Heating Combi 6 E  Fridge/ thereof freezer compartment I 142 / 15  Water tank incl. boiler (red. volume) I 130 (20)  Waste water tank volume I 100  Awning size m 4,0  Dimensions through-opening left stand./opt. cm 95x120 / -	Width		cm	233
Towing weight braked/unbraked kg 2000 1 / 750  Tyres 235/65 R16 C  Wheel base cm 367  Beds pull-down/ overcab cm 200x95 2  Bed mid cm 160x100/80  Bed rear cm 185x80 / 195x80  Alternative cm 210x195/150  Sleeping berths  Basic engine 414 CDI  kW (BHP) 105 (143)  Weight net kg 2875  Mass in running order (MIRO) kg 3050  Payload kg 450  Maximum authorised weight kg 3500  Designated passenger seats (standard weight) 4  Designated passenger seats (max. weight upgrade) 4  Heating Combi 6 E  Fridge/ thereof freezer compartment I 142 / 15  Water tank incl. boiler (red. volume) I 130 (20)  Waste water tank volume I 100  Awning size m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -	Height		cm	300
Tyres  Wheel base  Cm  367  Beds pull-down/ overcab  Bed mid  Cm  160x100/80  Bed rear  Alternative  Cm  210x195/150  Sleeping berths  Basic engine  Weight net  Kg  2875  Mass in running order (MIRO)  Payload  Maximum authorised weight  Designated passenger seats (standard weight)  Designated passenger seats (max. weight upgrade)  Heating  Combi 6 E  Fridge/ thereof freezer compartment  I 100  Awning size  May A50  Dimensions through-opening right stand./opt.  Cm  95x120 /-  Dimensions through-opening left stand./opt.  Cm  235/65 R16 C  367  200x95²  200x95²  210x195/80  210x195/150  210x195/150	Internal height		cm	205
Wheel base cm 367  Beds pull-down/ overcab cm 200x95 ²  Bed mid cm 160x100/80  Bed rear cm 185x80 / 195x80  Alternative cm 210x195/150  Sleeping berths  Basic engine 414 CDI kW (BHP) 105 (143)  Weight net kg 2875  Mass in running order (MIRO) kg 3050  Payload kg 450  Maximum authorised weight kg 3500  Designated passenger seats (standard weight) 4  Designated passenger seats (max. weight upgrade) 4  Heating Combi 6 E  Fridge/ thereof freezer compartment I 142 / 15  Water tank incl. boiler (red. volume) I 130 (20)  Waste water tank volume I 100  Awning size m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	Towing weight braked/un	braked	kg	2000 <sup>1</sup> / 750
Beds pull-down/ overcab  Bed mid  Cm  160x100/80  Bed rear  Alternative  Cm  210x195/150  Sleeping berths  Basic engine  Weight net  kg  2875  Mass in running order (MIRO)  Rayload  Maximum authorised weight  Designated passenger seats (standard weight)  Heating  Fridge/ thereof freezer compartment  Water tank incl. boiler (red. volume)  I mod  Awning size  Manimus device  Ah/A  P5 / 18	Tyres			235/65 R16 C
Bed mid cm 160x100/80  Bed rear cm 185x80 / 195x80  Alternative cm 210x195/150  Sleeping berths  Basic engine 414 CDI  kW (BHP) 105 (143)  Weight net kg 2875  Mass in running order (MIRO) kg 3050  Payload kg 450  Maximum authorised weight kg 3500  Designated passenger seats (standard weight) 4  Designated passenger seats (max. weight upgrade) 4  Heating Combi 6 E  Fridge/ thereof freezer compartment I 142 / 15  Water tank incl. boiler (red. volume) I 130 (20)  Waste water tank volume I 100  Awning size m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	Wheel base		cm	367
Bed rear cm 210x195/150  Sleeping berths  Basic engine 414 CDI kW (BHP) 105 (143)  Weight net kg 2875  Mass in running order (MIRO) kg 3050  Payload kg 450  Maximum authorised weight kg 3500  Designated passenger seats (standard weight) 4  Designated passenger seats (max. weight upgrade) 4  Heating Combi 6 E  Fridge/ thereof freezer compartment I 142 / 15  Water tank incl. boiler (red. volume) I 130 (20)  Waste water tank volume I 100  Awning size m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	Beds pull-down/ overcab		cm	200x95 <sup>2</sup>
Alternative cm 210x195/150  Sleeping berths  Basic engine 414 CDI  kW (BHP) 105 (143)  Weight net kg 2875  Mass in running order (MIRO) kg 3050  Payload kg 450  Maximum authorised weight kg 3500  Designated passenger seats (standard weight) 4  Designated passenger seats (max. weight upgrade) 4  Heating Combi 6 E  Fridge/ thereof freezer compartment I 142 / 15  Water tank incl. boiler (red. volume) I 130 (20)  Waste water tank volume I 100  Awning size m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18		Bed mid	cm	160x100/80
Sleeping berths  Basic engine  414 CDI  kW (BHP)  105 (143)  Weight net  kg 2875  Mass in running order (MIRO)  kg 3050  Payload  kg 450  Maximum authorised weight  besignated passenger seats (standard weight)  Designated passenger seats (max. weight upgrade)  Heating  Combi 6 E  Fridge/ thereof freezer compartment  I 142 / 15  Water tank incl. boiler (red. volume)  I 100  Awning size  m 4,0  Dimensions through-opening right stand./opt. cm  95x120 / -  Dimensions through-opening left stand./opt. cm  95x120 / -  Battery/ charging device  Ah/A  95 / 18		Bed rear	cm	185x80 / 195x80
Basic engine  kW (BHP)  105 (143)  Weight net  kg 2875  Mass in running order (MIRO)  kg 3050  Payload  kg 450  Maximum authorised weight  kg 3500  Designated passenger seats (standard weight)  4  Designated passenger seats (max. weight upgrade)  4  Heating  Combi 6 E  Fridge/ thereof freezer compartment  I 142 / 15  Water tank incl. boiler (red. volume)  I 130 (20)  Waste water tank volume  I 100  Awning size  m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device  Ah/A 95 / 18		Alternative	cm	210x195/150
kW (BHP)  Weight net  kg 2875  Mass in running order (MIRO)  kg 3050  Payload  kg 450  Maximum authorised weight  besignated passenger seats (standard weight)  Designated passenger seats (max. weight upgrade)  Heating  Combi 6 E  Fridge/ thereof freezer compartment  I 142 / 15  Water tank incl. boiler (red. volume)  Waste water tank volume  I 100  Awning size  m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device  Ah/A 95 / 18	Sleeping berths			3 <sup>2</sup>
Weight net kg 2875  Mass in running order (MIRO) kg 3050  Payload kg 450  Maximum authorised weight kg 3500  Designated passenger seats (standard weight) 4  Designated passenger seats (max. weight upgrade) 4  Heating Combi 6 E  Fridge/ thereof freezer compartment I 142 / 15  Water tank incl. boiler (red. volume) I 130 (20)  Waste water tank volume I 100  Awning size m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	Basic engine			414 CDI
Mass in running order (MIRO) kg 3050  Payload kg 450  Maximum authorised weight kg 3500  Designated passenger seats (standard weight) 4  Designated passenger seats (max. weight upgrade) 4  Heating Combi 6 E  Fridge/ thereof freezer compartment I 142 / 15  Water tank incl. boiler (red. volume) I 130 (20)  Waste water tank volume I 100  Awning size m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	kW (BHP)			105 (143)
Payload kg 450  Maximum authorised weight kg 3500  Designated passenger seats (standard weight) 4  Designated passenger seats (max. weight upgrade) 4  Heating Combi 6 E  Fridge/ thereof freezer compartment I 142 / 15  Water tank incl. boiler (red. volume) I 130 (20)  Waste water tank volume I 100  Awning size m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	Weight net		kg	2875
Maximum authorised weight kg 3500  Designated passenger seats (standard weight) 4  Designated passenger seats (max. weight upgrade) 4  Heating Combi 6 E  Fridge/ thereof freezer compartment I 142 / 15  Water tank incl. boiler (red. volume) I 130 (20)  Waste water tank volume I 100  Awning size m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	Mass in running order (MI	RO)	kg	3050
Designated passenger seats (standard weight)  Designated passenger seats (max. weight upgrade)  Heating  Combi 6 E  Fridge/ thereof freezer compartment  I 142 / 15  Water tank incl. boiler (red. volume)  I 130 (20)  Waste water tank volume  I 100  Awning size  m 4,0  Dimensions through-opening right stand./opt. cm  95x120 / -  Dimensions through-opening left stand./opt. cm  95x120 / -  Battery/ charging device  Ah/A  95 / 18	Payload		kg	450
Designated passenger seats (max. weight upgrade)  Heating  Combi 6 E  Fridge/ thereof freezer compartment  I 142 / 15  Water tank incl. boiler (red. volume)  I 130 (20)  Waste water tank volume  I 100  Awning size  m 4,0  Dimensions through-opening right stand./opt. cm  95x120 / -  Dimensions through-opening left stand./opt. cm  95x120 / -  Battery/ charging device  Ah/A  95 / 18	Maximum authorised wei	ght	kg	3500
Heating  Combi 6 E  Fridge/ thereof freezer compartment  I 142 / 15  Water tank incl. boiler (red. volume)  I 130 (20)  Waste water tank volume  I 100  Awning size  m 4,0  Dimensions through-opening right stand./opt. cm  95x120 / -  Dimensions through-opening left stand./opt. cm  95x120 / -  Battery/ charging device  Ah/A  95 / 18	Designated passenger sea	ats (standard weig	jht)	4
Fridge/ thereof freezer compartment I 142 / 15  Water tank incl. boiler (red. volume) I 130 (20)  Waste water tank volume I 100  Awning size m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	Designated passenger sea	ats (max. weight u	ıpgrade)	4
Water tank incl. boiler (red. volume)  I 130 (20)  Waste water tank volume  I 100  Awning size  m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device  Ah/A 95 / 18	Heating			Combi 6 E
Waste water tank volume  I 100  Awning size m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	Fridge/ thereof freezer co	mpartment	1	142 / 15
Awning size m 4,0  Dimensions through-opening right stand./opt. cm 95x120 / -  Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	Water tank incl. boiler (red. volume)		I	130 (20)
Dimensions through-opening right stand./opt. cm 95x120 / - Dimensions through-opening left stand./opt. cm 95x120 / - Battery/ charging device Ah/A 95 / 18	Waste water tank volume		1	100
Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	Awning size		m	4,0
Dimensions through-opening left stand./opt. cm 95x120 / -  Battery/ charging device Ah/A 95 / 18	Dimensions through-oper	ing right stand./o	pt. cm	95x120 / -
Battery/ charging device Ah/A 95 / 18				95x120 / -
	Battery/ charging device		Ah/A	95 / 18
	Power outlets	230V	/12V/USB	6/1/0

<sup>&</sup>lt;sup>1</sup> Considering the total towing weight of 5.5t or 5,88t <sup>2</sup> Only in combination with option "pull-down bed"

## Packages



Mercedes (Code 9980)	ca. 5 kg
Package components	Low Profile
Exterior colour Obsidian black metallic	✓
Bumper and mounting parts painted in vehicle colour, incl. radiator grill frame	<b>✓</b>
Radiator grill chromed	✓
Conversion colour silver	✓
Flush fitting windows	✓



Options	Additional	Codo	T 6613 EB
	weight (kg)	Code	166
Chassis/Base			
Mercedes Benz Sprinter 416 CDI (120 kW / 163 hp) 4 cylinders	0	0	0
Mercedes Benz Sprinter 419 CDI (140 kW / 190 hp) 6 cylinders (only in comb. with 7G-Tronic Plus)	24	0	0
Automatic transmission 7G-TRONIC PLUS incl. HOLD function	38	10292	0
Weight upgrade 4.100kg	u.r. 49	10413	0
Tow bar (please consider the total towing weight)  Rear corner steadies (2 pieces)	6	273 390	0
LED high performance lights	2	10295	0
	L	10275	U
Bodywork exterior	0	020	0
Bike rack for 3 bikes (rear) Bike rack for 3 bikes (lowerable)	9	938 7482	0
Flush fitting windows	5	415	0
Cassette awning Omnistor 4.0 m	33	859	0
,			
Bodywork interior  Fire extinguisher 2 kg	4	1878	0
Fire extinguisher 2 kg Safe mounted	13	323	0
Double floor for rear garage	5	1890	0
Furniture layouts			
Electrical pull-down bed in cab	55	680	0
	33	000	
Electrics/Installation	27	830	0
2nd leisure battery 95 Ah	21	830	U
Gas/Installation			
Exterior socket for gas 30mbar	1	878	0
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	0
Water supply/Installation			
Switch for water pump	1	397	0
Heating/Air-conditioning			
Alternative heating operation panel	1	6622	0
App operation for warm air heating (only in comb. with option 6622)	1	9659	0
Floor heating (electrical)	9	763	0
Roof A/C	34	609	0
Warm water heating	30-50	761	0
Kitchen			
Extractor fan	2	344	0
Multimedia systems			
SAT system Flatsat Classic 65 Twin	13	7670	0
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	0
Flatscreen TV 32"	7	9807	0
Shelf for smartphone and wireless charging	2	10264	0
Miscellaneous			
Registration documents	U.f.	0	•

# Globeline Plus factors interior



Fully equipped: the kitchen worktop with three-burner stove, illuminated kitchen backwall and rail system, 142 l fridge/freezer combination and oven



Comfortable, modern, spacious - the popular single-bed layout has a lot to offer due to its compactness, including and generous bathroom or an optional pull-down bed.



Generous L-shaped lounge with free-standing table for maximum legroom, Isofix (option)




From comfortable single beds to a large double bed: the variable sleeping area in the rear



Cab blinds protect from heat, cold and prying



A suitable upholstery for every taste: the attractive upholstery design Torcello




A suitable upholstery for every taste: the attractive upholstery design La Rocca



A suitable upholstery for every taste: the attractive upholstery design Gresso

# Globeline Plus factors exterior







Extra wide entrance door (70 cm) with Coupé entrance



Premium chassis and driving comfort with the rear-wheel drive Mercedes Benz Sprinter chassis



High and illuminated rear garage with 150 kg loading capacity and accessible from both sides. Two garage doors are standard.



Wood-free and rot-free Lifetime Smart floor construction (covered with GRP) with insulated and heated water tank.



Style Package inclusive black chassis colour, chromed radiator grill and flush fitting windows (option)



Well-protected against hail: durable GRP roof.



Elegant rear with LED rear lights.



## Esprit plus factors

- + Winterproof: heated double floor with frost-protected water installation
- + Ideal driving characteristics: premium low-frame chassis with 145 mm lowering and up to 4.5 t max. authorised weight
- + Big, comfortable pull-down bed (200 x 150 cm), electrically operated
- + Large rear garage with doors on both sides, 250 kg surface load, GRP anti-slip flooring, fleece cover, lashing rails, lighting and one-hand operation
- + Gourmet kitchen: 3-flames cooker, generously sized drawers with soft-close, cutting board, pharmacy-style pull-out, waste bin and central locking





























#### Standard UK specification which is above standard European specification\*

- + Right hand drive chassis
- + Leather steering wheel and shift knob with leather sleeve
- + Instruments in chrome
- + Electric & heated mirrors
- + Autom. cab air conditioning
- + Cruise control
- + Passenger airbag
- + Radio pre-wiring with Sound Package
- + Cab door left
- + Panoramic skylight 75x105 cm in living room area
- + Habitation door with window and central locking
- + On-board control panel luxus
- + Ambience illumination
- + Light Moments (pedestal illumination in kitchen, lounge and sleeping area, wall surface illumination, head lining illumination with ambient illumination), illuminated entrance handle and indirect illumination in bathroom with illuminated shower console

- + Full UK specification incl. UK gas and UK electrics
- + Combi 6 E heating with integrated 10 l boiler
- + Smoke detector
- + TecTower
- + TV bracket
- + Pre-wiring solar system
- + Pre-wiring SAT system
- + Bed convert single beds to double bed
- + Carpets for cab and living room
- + Rear view camera Twin
- + Dethleffs Naviceiver
- + DuoControl
- + Electrical front window shutters
- + Extractor fan
- \* Please note: From technical point of view there are components which are not possible for some model types and layouts.

### Standard specification

## Chassis (in addition to standard equipment, see p. 3)

- Low-vibration, electric and heated cab mirrors in bus style (two-piece)
- · Cup holder in cab dashboard

#### Conversion

- Skylight 40 x 40cm above the lounge
- Captain seats: integrated headrest, two upholstered arm rests, rotating
- Double floor storage, to be loaded almost through the complete vehicle width
- Rear moulding: 3rd brake light, Integral rear lights incl. LED strip, rear spoiler
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens
- Habitation door: 70 cm, flyscreen door, awning light, window
- · Electric pull-down bed
- · Windscreen blind (horizontally adjustable)
- Rear garage: two garage doors, drop chassis extension (250 kg loading capacity), heated, incl. fixing loops, LED illumination, 1x 230 V power outlet, GRP antislip floor cover, one-hand operation, non-woven covered walls
- Panoramic skylight 40x40cm with mosquito screens and shade blinds above the pull-down bed
- · Additional window in bathroom

#### On-board technology / Installations

- Starter battery and leisure battery with automatic switch-over (also for fridge)
- · LED illumination for the interior
- Illuminated roof lining above the habitation door
- $\bullet \ \ \text{EBL with overvoltage protection} \\$
- Fresh water/waste water tank installed in double floor (insulated area)
- Heating mounted in seating lounge for optimum heat distribution
- Gas bottle locker with easy pull-out function for quick change of the gas bottles (2 x 11 kg)
- · Bord control panel Luxus
- · Switch for water pump
- Digital control unit for warm-air heating

#### Kitchen

- Large fridge with freezer compartment and auto energy selection (AES)
- Gourmet kitchen: 3-flame cooker, spacious drawers with softclose function, cutting board, apothecary pull-out, waste bin and central locking

#### **Bathroom**

- Equipped with cabinets, storage compartments, hooks, large mirrors and a height-adjustable shower head
- · Shower grid
- Shower panel black and accessoires (tooth brush muq, soap dish, toilet roll holder)

#### Living area

- Large mirror
- Overhead locker doors with softclose function
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- AirPlus ventilation system for an optimised ventilation of the interior
- · Shoe cabinet in entrance area
- · Wardrobe left and right of the King bed
- · No steps in living room
- Comfortable L-shaped lounge (only for I 7150-2 DBM and I 7150-2 EB)
- Single beds can be converted to a large double bed
- Low single-beds for comfortable access and high headroom (only for I 7150-2 EB and I 7150-2 EBL)

#### Interior

 Wood décor Noce Nagano with upholsteries Kari, Nubia or Rubino









## Esprit A Class

ESPRIT		I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
Chassis type		Fiat AL-KO low platform	Fiat AL-KO low platform	Fiat AL-KO low platform	Fiat AL-KO low
Diesel tank/AdBlue tank	1	90 / 19	90 / 19	90 / 19	90 / 19
Emission class		Euro 6d temp	Euro 6d temp	Euro 6d temp	Euro 6d temp
Length	cm	781	781	781	781
Width	cm	233	233	233	233
Height	cm	298	298	298	298
Internal height	cm	205	205	205	205
Towing weight braked/unbraked	kg	1750 <sup>1</sup> / 750	1750 <sup>1</sup> / 750	1750 <sup>1</sup> / 750	1750 <sup>1</sup> / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	450	450	450	450
Beds pull-down/ overcab	cm	200x150	200x150	200x150	200x150
Bed mid	cm	206x123/88	-	206x123/88 <sup>2</sup>	-
Bed rear	cm	200x160	200x160	215x80 / 220x80	215x80 / 220x80
Alternativ	e cm	-	-	210x200/193	210x200/193
Sleeping berths		5	4	5	4
Basic engine		2,3 MJET MAXI	2,3 MJET MAXI	2,3 MJET MAXI	2,3 MJET MAXI
kW (BHP)		103 (140)	103 (140)	103 (140)	103 (140)
Weight net	kg	3335	3325	3335	3325
Mass in running order (MIRO)	kg	3525	3515	3525	3535
Payload	kg	725	735	725	715
Maximum authorised weight	kg	4250	4250	4250	4250
Designated passenger seats (standar	d weight)	4	4	4	4
Designated passenger seats (max. we	eight upgrade)	5 <sup>2</sup>	4	5 <sup>2</sup>	4
Heating		Combi 6 E	Combi 6 E	Combi 6 E	Combi 6 E
Fridge/ thereof freezer compartment	- 1	177 / 35	177 / 35	177 / 35	177 / 35
Water tank incl. boiler (red. volume)	I	166 (20)	166 (20)	166 (20)	166 (20)
Waste water tank volume	Ī	156	156	156	156
Awning size	m	5	5	5	5
Dimensions through-opening right st	and./opt. cm	100x105 / -	100x105 / -	100x80 / 100x110	100x80 / 100x11
Dimensions through-opening left star	nd./opt. cm	100x105 / -	100x105 / -	100x80 / 100x110	100x80 / 100x11
Battery/ charging device	Ah/A	95 / 18	95 / 18	95 / 18	95 / 18
Power outlets	230V/12V/USB	7 / 1 / 2	7 / 1 / 2	7/1/2	7 / 1 / 2

<sup>&</sup>lt;sup>1</sup> Considering the total towing weight of 6 t <sup>2</sup> Only in combination with optional 5th seat

## Packages

#### GT Package black (Code 11136) / GT Package white (Code 11294)

Package components	A Class
SKA captain seats air-driven	✓
Sun shade lateral	✓
Seat heating and ventilation of the seat area (only in comb. with Captain SKA air-swing seat option 7505 and leather Rubino)	<b>√</b>
Cab dashboard with aluminium application	✓
Panoramic skylight 75x105 cm (excl. illuminated roof lining) in sleeping area	✓
LED headlights	✓
Connecting cable air-conditioning to heating (only in comb. with A/C)	<b>✓</b>
16" alloy wheels Maxi	✓
Rear corner steadies (2 pieces)	✓
Exterior design GT black or GT white	<b>✓</b>

✓ included ● Standard specification – not included

			)BM	181	В	18
Options	Additional weight (kg)	Code	I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBI
Chassis/Base						
Fiat Ducato MultiJet 160 (2,3l / 160 hp) incl. start-stop function	0	0	0	0	0	0
Fiat Ducato MultiJet 180 (2,3 l / 180 hp) incl. start-stop function	U.ſ.	0	0	0	0	0
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	18	10736	0	0	0	0
Weight upgrade 4.500kg (only in comb. with Maxi chassis)	0	1585	0	0	0	0
Alloy wheels 16"	0	8045	0	0	0	0
Tow bar (please consider the total towing weight)	49 36	273 7505	0	0	0	0
SKA captain seats air-driven Additional seat	30 11	435	0	0	0	0
Seat heating and ventilation of the seat area (only in comb. with Captain SKA air-swing seat option 7505 and leather Rubino)	U.f.	11147	0	0	0	0
Reinforced spring for front axle	0	1889	0	0	0	0
LED headlights	1	7152	0	0	0	0
Hydraulic lifting jacks with automatic levelling and weighing function	80	9663	0	0	0	0
Air suspension rear axle (ALKO)	35	1658	0	0	0	0
Air suspension front and rear axles (ALKO)	85	1796	0	0	0	0
Bodywork exterior						
Bike rack for 3 bikes (rear)	9	938	0	0	0	0
Bike rack for 3 bikes (lowerable)	10	7482	0	0	0	0
Cassette awning Omnistor 5.0 m (manual)	54	697	0	0	0	0
Alarm system for doors with central locking	4	322	0	0	0	0
Furniture layouts						
High-level bed	0	652	-	-	0	0
Upholstery						
Real leather Rubino	U.f.	10443	0	0	0	0
Electrics/Installation						
Solar system (2 x 60 W)	15	922	0	0	0	0
2nd leisure battery 95 Ah	27	830	0	0	0	0
Gas/Installation						
Exterior socket for gas 30mbar	1	878	0	0	0	0
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	0	0	0	0
Water supply/Installation						
Installed exterior shower (cold/hot water)	U.ſ.	1574	0	0	0	0
Heating/Air-conditioning						
App operation for warm air heating (only in comb. with option 6622)	1	9659	0	0	0	0
Roof A/C	34	609	0	0	0	0
Warm water heating	30-50	761	0	0	0	0
Cab warm water heating (only in comb. with warm water heating - cab carpets not possible)	10	6709	0	0	0	0
Warm water heating by smartphone app	0	7512	0	0	0	0
Heat exchanger	7	565	0	0	0	0
Electric cartridge 230 V for warm air heating	2	330	0	0	0	0
Kitchen						
Extractor fan	2	344	0	0	0	0
Bathroom						
Macerator toilet with waste-holding tank	22	1625	0	0	0	0
Ceramic toilet	25	7243	0	0	0	0
Multimedia systems						
SAT system Flatsat Classic 65 Twin	13	7670	0	0	0	0
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	0	0	0	0
Second rear view camera in the rear light moulding (only in comb. with option 9582 "Dethleffs Naviceiver")	1	11541	0	0	0	0
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	0	0	0	0
Additional flatscreen TV 22" (incl. DVB-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle)	4	7490	0	0	0	0

	Additional weight (kg)	Code	I 7150-2 DBM	I 7150-2 DBL	I 7150-2 EB	I 7150-2 EBL
Multimedia systems						
Flatscreen TV 32"	7	9807	0	0	0	0
Radio pre-wiring with Sound Package	4	659	0	0	0	0
Sound Package for living room (only in comb. with radio pre-wiring incl. Sound Package)	10	9964	0	0	0	0
Miscellaneous						
Registration documents	U.ſ.	0	+	•	+	•

## Esprit Plus factors interior



Spacious and comfortable L-shaped seating lounge for plenty of legroom and harmonious light composition "Light Moments"



Practical and pretty: illuminated kitchen back wall with lateral splash guard and practical spice rack



Dashboard: Comfortable dashboard with leather steering wheel and gear knob with leather cuff, steering wheel control, centrally placed cup holder and instrument panel with chrome rings and aluminium applications



Comfortable SKA Captain air-swing seat incl. seat ventilation and seat heating (option)



To fall asleep, count the stars. Big skylight above the bed in the sleeping area (option, GT Package)



Intelligent cooker hood in the kitchen area.

No external intrusion of air possible



I: Sleeping comfort at its best. Pull-down bed with 200 x 150 cm.



Overhead lockers with softclose function reach up into the cab hood with atmospheric indirect lighting.



Large 177 l fridge with integrated oven, can be opened on both sides

# Esprit Plus factors exterior



Large rear garage with trim lines, which can be loaded from both sides; LED lights, 230V socket, GRP antislip floor cover, one-hand operation, heated walls covered with fleece. The electrical block (EBL) with overvoltage protection is stowed behind a practical metal rail in the rear garage



Frost-protected: high, heated double floor with a lot of storage space and load-through possibility



Supply compartment in the exterior area



Good insulation and safe: automotive flush fitting window



Dethleffs Lifetime-Plus: The wood free underbody is GRP covered, side walls with PU strips and XPS insulation



Double mirror for an optimal field of vision, electrically adjustable and heatable in coach optics



Premium class claim: chromed headlamp bezel, LED daytime running light and visual protection on the radiator grille



## Alpa plus factors

- + Huge panoramic U-shaped lounge with lots of space for enjoying meal times and relaxing
- + Great single beds comfort with easy access
- + Large, spacious double floor, which can also be loaded from the rear (rear flaps with one-hand operation)
- + Large bathroom and dressing area
- + Winter-proof: Heated double floor with freezeprotected water installation
- + Warm water heating as standard































#### Standard UK specification which is above standard European specification\*

#### Alpa A 6820-2 and Grand Alpa A 7820-2 and I 7820-2

- Right hand drive chassis
- LED day-time-running lights (A)
- · Leather steering wheel and shift knob with leather sleeve
- · Instruments in chrome
- · Electrical & heated mirrors
- Autom. cab air conditioning
- · Cruise control
- · Passenger airbag
- · Rear corner steadies
- Radio pre-wiring with Sound Package
- · Cab door left (I 7820-2)
- · Cab blinds
- Sky Roof (2nd panoramic skylight 70x50 cm crossways instead of panoramic skylight over the seating lounge in the rear) (A 6820-2)
- Sky Roof (2nd panoramic skylight 75x105 cm lengthwise over the seating lounge) incl. roof lining and lamp (A 7820-2 / I 7820-2)
- Habitation door with central locking
- · Ambience illumination, indirect ambience illumination
- Full UK specification incl. UK gas and UK electrics
- · Smoke detector
- TecTower incl. oven
- Extractor fan
- TV bracket
- Single folding seats right and left seating lounge rear incl. 4.8 t weight upgrade (A 6820-2)
- Seats with belts, opposite driving direction (A 7820-2/ I 7820-2)
- · Pre-wiring solar system
- · Pre-wiring SAT system

- · Lounge convert to bed
- · Carpets for cab and living room

#### Grand Alpa Plus A 9820-2

- · Right hand drive chassis
- · Wheel trims in chrome
- · Multifunctional leather steering wheel
- · Rear steadies (2 pieces)
- · Radio pre-wiring with Sound Package
- Dethleffs Naviceiver incl. DAB+, Truck Navigation and connection to the on-board control panel
- · Twin reversing camera
- Sky Roof (2nd panoramic skylight 75x105 cm lengthwise over the seating lounge) incl. roof lining and lamp
- Habitation door with central locking
- Ambience illumination, indirect ambience illumination
- · Full UK specification incl. UK gas and UK electrics
- · Smoke detector
- TecTower incl. oven
- Extractor fan
- · TV bracket
- Seats with seat belts, opposite driving direction incl. air suspension for driving axle (original)
- · Pre-wiring solar system
- Pre-wiring SAT system
- · Carpets for cab and living room
- \* Please note: From technical point of view there are components which are noch possible for some model types and layouts.

## Standard specification

# Chassis (in addition to standard equipment, see p. 3)

- Low-vibration, electric and heated cab mirrors in bus style (two-piece) (only for A Class)
- Adjustable cab mirrors incl. dead angle mirror and integrated turn indicator (only for Coachbuilt)
- · For FIAT chassis only:
- Multi-functional leather steering wheel and leather shift knob (only for A Class)
- Cup holder in cab dashboard (only for A Class)

#### Conversion

- Cab blinds for best insulation and privacy protection (only for A Class)
- Captain seats: integrated headrest, two upholstered arm rests, rotating
- · Window for overcab (only for Coachbuilt)
- Double floor storage, to be loaded almost through the complete vehicle width
- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator
- Rear garage: two garage doors, drop chassis extension (250 kg loading capacity), heated, incl. fixing loops, LED illumination, 1x 230 V power outlet, GRP Antislip floor cover, one-hand operation, non-woven fabric covered walls
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens
- Panoramic skylight 75 x 105cm above the seating lounge
- Habitation door: 70 cm, flyscreen door, awning light, window
- Floor thickness 43 mm, intermediate floor 20 mm, sidewall thickness 34 mm, roof thickness 35 (not for A 9820-2)
- Floor thickness: 43mm; intermediate floor: 30mm, sidewall/ roof thickness: 34mm (only for A 9820-2)
- Floor thickness 43 mm, intermediate floor 20 mm, sidewalls 44 mm, roof 45 mm (only for A Class)

- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator which is part of the fully-insulated GRP rear (only for A Class)
- Automotive roof skirts optionally available with integrated awning (only for A Class)
- Panoramic skylight 70x50 cm with flyscreen and blind over the pull-down bed (only for A Class)
- Electric pull-down bed (only for A Class)

#### On-board technology / Installations

- · Gas bottle locker for 2 x 11kg bottles
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- · LED illumination for the interior
- Illuminated roof lining above the habitation door
- EBL with overvoltage protection
- Fresh water/waste water tank installed in double floor (insulated area)
- Warm water heating with automatic drain valve and shut-off valve for the sleeping area

#### Kitchen

- Large fridge with freezer compartment and auto energy selection (AES)
- MultiFlex rail system
- Gourmet kitchen: 3-flame cooker, spacious drawers with softclose function, cutting board, apothecary pull-out, waste bin and central locking
- Kitchen overhead locker with illuminated roof lining

#### Bathroom

- Shower grid
- Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder

#### Living area

- Overhead locker doors with softclose function
- AirPlus ventilation system for an optimised ventilation of the interior
- High wardrobe with convenient laundry shelves in upper area (not for A 6820-2)
- · Overhead lockers in the rear area

#### Interior

 Wood décor Virginia Oak with upholstery Amaro or Goa



# Alpa A Class

ALPA			I 7820-2
Chassis type			Fiat AL-KO low platform 3 axis
Diesel tank/AdBlue tank		I	90 / 19
Emission class			Euro VI D
Length		cm	854
Width		cm	233
Height		cm	304
Internal height		cm	208
Towing weight braked/unb	oraked	kg	1800 <sup>1</sup> / 750
Tyres			225/75R 16C
Wheel base		cm	460/80
Beds pull-down/ overcab		cm	2x(210x75)
	Bed mid	cm	-
	Bed rear	cm	210x150
	Alternative	cm	200x165
Sleeping berths			4
Basic engine			2,3 MJET MAXI
kW (BHP)			96 (130)
Weight net		kg	3965
Mass in running order (MII	RO)	kg	4155
Payload		kg	845
Maximum authorised weig	jht	kg	5000
Designated passenger sea	ts (standard weigh	t)	2
Designated passenger sea	ts (max. weight up	grade)	4
Heating			ALDE WW
Fridge/ thereof freezer con	mpartment	1	190 / 35
Water tank incl. boiler (red	l. volume)	I	166 (20)
Waste water tank volume		1	156
Awning size		m	6,0
Dimensions through-open	ing right stand./op	t. cm	105x85 / -
Dimensions through-open	ing left stand./opt.	cm	105x85 / -
Battery/ charging device		Ah/A	95 / 18
Power outlets	230V/1	2V/USB	8 / 1 / 2

 $<sup>^{\</sup>rm 1}$  Considering the total towing weight of 6 t







# Alpa Coachbuilt

ALPA		A 6820-2	A 7820-2	A 9820-2
Chassis type		Fiat AL-KO low platform	Fiat AL-KO low platform 3 axis	Iveco Daily ladderframe
Diesel tank/AdBlue tank	I	90 / 19	90 / 19	90 / 20
Emission class		Euro 6d temp	Euro VI D	Euro VI D
Length	cm	733	858	886
Width	cm	233	233	235
Height	cm	327	327	345
Internal height	cm	209	209	211
Towing weight braked/unbraked	kg	1750 <sup>1</sup> / 750	1800 <sup>1</sup> / 750	3500 <sup>2</sup> / 750
Tyres		225/75R 16C	225/75R 16C	225/75R 16C
Wheel base	cm	407	460 / 80	475
Beds pull-down/ overcab	cm	205x80/ 195x80	205x80/195x80	2x(210x80)
Bed mid	cm	-	-	-
Bed rear	cm	210x170	210x150	210x150
Alternative	cm	210x155	210x155	210x150
Sleeping berths		4	4	4
Basic engine		2,3 MJET MAXI	2,3 MJET MAXI	3,0 JTD
kw (BHP)		103 (140)	96 (130)	132 (180)
Weight net	kg	3440	3870	4680
Mass in running order (MIRO)	kg	3630	4060	5050
Payload	kg	1170	940	1650
Maximum authorised weight	kg	4800	5000	6700
Designated passenger seats (standard weig	ht)	4	4	4
Designated passenger seats (max. weight u	pgrade)	4	4	4
Heating		ALDE WW	ALDE WW	ALDE WW
Fridge/ thereof freezer compartment	1	190 / 35	190 / 35	190 / 35
Water tank incl. boiler (red. volume)	1	140 (20)	140 (20)	230 (20)
Waste water tank volume	1	140	140	222
Awning size	m	5,0	6,0	6,0
Dimensions through-opening right stand./o	pt. cm	95x105 / -	105x105 / -	105x105 / -
Dimensions through-opening left stand./op	t. cm	95x105 / -	105x105 / -	105x105 / -
Battery/ charging device	Ah/A	95 / 18	95 / 18	150 / 18
Power outlets 230V/	12V/USB	6 / 1 / 2	7 / 1 / 2	7 / 1 / 2

 $<sup>^{\</sup>rm 1}$  Considering the total towing weight of 6 t  $^{\rm 2}$  Considering the total towing weight of 10.2 t

# Packages

Style Package	ca. 24 kg	ca. 16 kg
Package components	Alpa, Grand Alpa	Grand Alpa Plus
Panoramic skylight 70x50 cm in overcab	✓	-
High-level rear moulding incl. roof rails	✓	✓
Styling Package (overcab design elements)	✓	✓

Electric package II	ca. 114 kg
Package components	Overcab and A Class
Electric package (2x 150 Ah battery instead 1x 95 Ah battery (A6820, A7820) or 1x 150 Ah battery (A9820) as per standard spec, Victron Energy MultiPlus charging/ inverter combination 3000/120, Victron PowerAssist and PowerControl, Victron operation panel over entrance door, EBL 111, HighCurrent electro unit)	<b>~</b>

# Dethleffs world of colours

For the ALPA smooth side variants you can choose from the following colour combinations (some at extra charge).

#### Coachbuilt

Chassis colour		Conversion colour		
		White	Titansilver Metallic	
White	Code	standard	-	
Silver	Code	-	option 9580	

#### A Class

Chassis colour		Conversion colour		
		White	Titansilver Metallic	
White	Code	standard	<b>option</b> 511	

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

Options	Additional		7820-2	A 6820-2	A 7820-2	A 9820-2
	weight (kg)	Code	178	A 68	A 78	A 98
Chassis/Base						
Fiat Ducato MultiJet 160 (2,3l / 160 hp) incl. start-stop function	0	0	-	0	-	-
Fiat Ducato MultiJet 160 (2,3 l / 160 hp) incl. start-stop function	0	0	0	_	0	_
Fiat Ducato MultiJet 180 (2,3 l / 180 hp) incl. start-stop function	U.f.	0	-	0	-	-
Iveco Daily 3,0   JTD (210 bhp)(only in comb. with option "Torque converter automatic gearbox")	U.f.	0	-	-	-	0
9-gear converter automatic transmission (possible as from 140 hp engine; for 140 hp engine addit. costs for start-stop function)	18	10736	0	0	0	-
Weight upgrade 5.400 kg	25	7497	0	-	0	-
Weight upgrade 7.200kg	U.f.	1636	-	-	-	0
Alloy wheels 16"	0	8045	-	0	-	-
Alloy wheels Dethleffs 16" for 3-axle	0	8045	0	-	0	-
Tow bar (please consider the total towing weight)	49	273	0	0	0	0
LED headlights (Iveco)	2	10626	-	-	-	0
LED headlights	1	7152	-	0	-	-
Air suspension rear axle	35	1658	0	-	0	-
Air suspension front and rear axle	85	1796	0	-	0	-
Converter automatic gearbox (ZF)	17	7706	-	-	-	0
Retarder (also available in comb. with converter; tank reduced to 701)	125	1400		-	-	0
Bodywork exterior						
Cassette awning Omnistor 5.0 m (manual)	54	697	-	0	-	-
Cassette awning Omnistor 6.0 m (manual)	61	560	-	_	0	0
Cassette awning Omnistor 6.0 m (electr.)	64	519	0	_	0	0
Alarm system for doors with central locking	4	322	0	0	0	0
Skylight (above large bathroom)	1	7507	0	0	0	0
Opening window in overcab	2	622	-	0	0	0
Storage access in the rear	17	1732	0	0	0	0
Bodywork interior						
Fire extinguisher 2 kg	4	1878	0	0	0	0
Safe mounted	13	323	0	0	0	0
Double floor for rear garage	5	1890	0	0	0	0
	J	1070	0	O	O	O
Furniture layouts						_
Alternative overhead locker doors	0	1969	0	0	0	0
Upholstery						
Real leather Skylight	12	8032	0	0	0	0
Electrics/Installation						
Solar system (2 x 60 W)	15	922	0	0	0	0
2nd leisure battery 95 Ah	27	830	0	0	0	_
2nd leisure battery 150 Ah	27	830	-	-	-	0
Gas/Installation						
Exterior socket for gas 30mbar	1	878	0	0	0	0
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg aluminium gas bottle)	13	1577	0	0	0	0
Water supply/Installation						
Switch for water pump	1	397	0	•	•	•
Exterior shower supply (cold water)	1	793	-	0	0	0
Heating/Air-conditioning						
Roof A/C	34	609	0	0	0	0
Electrically heated overcab bed	3	1740	-	0	0	0
Cab warm water heating (only in comb. with warm water heating - cab carpets not possible)	10	6709	0	0	0	-
Warm water heating by smartphone app	0	7512	0	0	0	0
Heat exchanger	7	565	0	0	0	0
Bathroom						
Toilet ventilation	2	1681	0	0	0	0
Macerator toilet with waste-holding tank	22	1625	0	-	-	0

	Additional weight (kg)	Code	1 7820-2	A 6820-2	A 7820-2	A 9820-2
Multimedia systems						
SAT system Flatsat 85 Twin	15	1637	0	0	0	0
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	0	0	0	0
Rear view camera (single camera) (only in comb. with option 9582 Dethleffs Naviceiver)	2	1642	0	0	0	0
Reversing camera (double camera) (only in comb. with option 9582 Dethleffs Naviceiver)	2	1641	0	0	0	•
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	0	0	0	0
Additional flatscreen TV 22" (incl. DVB-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle)	4	7490	0	0	0	0
32" TV (incl. bracket, DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) and Soundboard	15	9127	0	0	0	0
Dethleffs Naviceiver incl. DAB+,truck navigation and bord control panel linking	U.f.	9582	0	0	0	•
Miscellaneous						
Registration documents	U.ſ.	0	+	+	•	•

# Alpa Plus factors interior



Spacious, illuminated wardrobes with drawers (pic. Coachbuilt). Cab can be separated with a sliding door for additional cold and light protection.



Feel like at home: modern vitrine (not for A 6820-2)



Much elbow room provided by the separate shower cubicle with Plexiglass doors.



Large 32" TV (option)



Leather steering wheel and gear knob in dashboard with chrome rings (multi-functional steering wheel)(not A9820).



Huge U-shape lounge and much elbow room



Generous kitchen with 3-burner gas stove, rail system and central locking for the kitchen drawers



Your spa with daylight and great comfort.

# Alpa Plus factors exterior



Roomy: large rear garge for transportation of bulky holiday luggage. All models are equipped with two garage doors as standard



The left and right side overcab windows are standard.



Frost-protection: high, heated double floor with a lot of storage space.



Garage door in the rear (option) for transportation of long items.



Well-insulating and safe: automotive frame windows.



Automotive roof skirt with integrated awning (option for A Class).



Long-lasting Lifetime Plus conversion technology



Robust: A 9820-2 based on Iveco chassis.

# Globetrotter XLi Edition 90



## Globetrotter XLi plus factors

- + Winter-proof: Heated double floor with freezeprotected water installations
- + Premium broad gauge low platform chassis
- + Ergonomic SKA captain seats (optional air-driven seats)
- + Large seating lounge with panoramic window
- + Double locked door (extra wide 70 cm) with window, electrical closing aid and flyscreen
- + Warm water heating with heat exchanger for engine pre-heating



Our most exclusive anniversary offer: Only 90 vehicles are built of this unique edition. It convinces with excellent design and a sensational equipment: powerful 160 BHP engine, 9-gear torque converter automatic gearbox, ergonomic air-swing seats and everything that makes caravanning comfortable - the XLI 90 Edition offers luxury at the highest level.

<sup>1</sup> on the next page you will find a list of the individual options































#### Standard UK specification which is above standard European specification\*

- · Right hand drive chassis
- Radio pre-wiring with Sound Package
- · Cab door left
- Reversing cam
- Dethleffs Naviceiver incl. DAB+, Truck Navigation and connection to the on-board control panel
- · Central locking for habitation door, cab door, garage doors
- Automatic gas bottle switch-over
- · Panoramic skylight 75x105 cm in living area
- · Ambience illumination

- · Full UK specification incl. UK gas and UK electrics
- · Smoke detector
- · TecTower incl. oven
- · Pre-wiring solar system
- · Pre-wiring SAT system
- · Carpets for cab and living room
- \* Please note: From technical point of view there are components which are not possible for some of model types and layouts.

# Globetrotter XLi 90

#### Anniversary equipment "90 Years Package" (included in the base price) Alloy wheels 16" anthracity polished Front lights alternative (LED low beam lights) SKA air-swing seat Exterior design Premium White Edition 90 Heki III in sleeping area Central locking by Fiat Lateral sun shades Dashboard with aluminium applications Rear corner steadies (2 pieces) Cab door left Heki III in living room Front window roller shutters (electrical) Cab carpet Carpet loose indirect ambience illumination Duocontrol CS gas switch change-over device Roof A/C Radio preparation with Sound Package Dethleffs Naviceiver incl. DAB+, truck navigation and link to onboard control panel Fiat Ducato Multijet 160 (2,3 l/160 BHP) incl. start-stop function Weight upgrade to 5.400 kg authorised total weight 9-gear torque converter automatic gearbox Ceramics toilet Toilet ventilation via roof Fridge (190I) with integrated oven and grill Exterior shower, installed in rear garage (warm and cold water) Electric Package 1 (2x95 Ah batteries instead of standard battery, Victron Energy MultiPlus charger/inverter combination 1600/70, Victron PowerAssist and PowerControl, Victron control panel above habitation door, EBL 111, high-current module)

## Standard specification

# Chassis (in addition to standard equipment, see p. 3)

- · Radiator grill offers additional protection
- Low-vibration, electric and heated cab mirrors in bus style (two-piece)
- Multi-functional leather steering wheel and leather shift knob
- · Cup holder in cab dashboard
- · Driver and passenger airbags
- · Cab air-conditioning (automatic)
- · Cruise control
- · Dashboard with chrome rings
- Leather steering wheel and shift knob with leather sleeve

#### Conversion

- Skylight 40 x 40cm above the lounge
- Cab blinds for best insulation and privacy protection
- Captain seats: integrated headrest, two upholstered arm rests, rotating
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens
- Floor thickness 43 mm, intermediate floor 20 mm, sidewall thickness 34 mm, roof thickness 35
- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator which is part of the fully-insulated GRP rear
- Automotive roof skirts optionally available with integrated awning
- Panoramic skylight 70x50 cm with flyscreen and blind over the pull-down bed
- · Electric pull-down bed
- Double floor with through-loading facility; width, double floor height 300 mm
- · Windscreen blind (horizontally adjustable)
- Habitation door: 70 cm, flyscreen, awning light, window, electric closing aid
- Rear garage: two garage doors, drop chassis extension (250 kg loading capacity), heated, incl. fixing loops, LED illumination, 1x 230 V power outlet, GRP antislip floor cover, one-hand operation, non-woven covered walls

#### On-board technology / Installations

- · Gas bottle locker for 2 x 11kg bottles
- Starter battery and leisure battery with automatic switch-over (also for fridge)
- · LED illumination for the interior
- Illuminated roof lining above the habitation door
- · EBL with overvoltage protection
- Fresh water/waste water tank installed in double floor (insulated area)
- Warm water heating with automatic drain valve, shut-off valve for the sleeping area and engine heat exchange

#### Kitchen

- Large fridge with freezer compartment and auto energy selection (AES)
- · MultiFlex rail system
- Gourmet kitchen: 3-flame cooker, spacious drawers with softclose function, cutting board, apothecary pull-out, waste bin and central locking
- Kitchen overhead locker with illuminated roof lining
- · Extractor fan (exhaust air)

#### **Bathroom**

- · Shower grid
- Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder

#### Living area

- Large mirror
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- AirPlus ventilation system for an optimised ventilation of the interior
- · Wardrobe left and right of the King bed
- · No steps in living room
- Seat chest enlargement, fold-away with storage space
- Overhead lockers with doors in the rear (only for I 7850-2 EB)
- Single beds can be converted to a large double bed

 Wardrobes floor-to-ceiling left and right infront of the single beds with adjustable or removable shelves (only for I 7850-2 EB)

#### Interior

 Wood décor Almeria Ash White with real leather upholstery Neapolitan





# Globetrotter XLi Edition 90

GLOBETROTTER XL			I 7850-2 DBM	I 7850-2 EB
Chassis type			Fiat AL-KO low platform 3 axis	Fiat AL-KO low platform 3 axis
Diesel tank/AdBlue tank		I	90 / 19	90 / 19
Emission class			Euro VI D	Euro VI D
Length		cm	865	865
Width		cm	233	233
Height		cm	304	304
Internal height		cm	208	208
Towing weight braked/unl	braked	kg	1800 <sup>1</sup> / 750	1800 <sup>1</sup> / 750
Tyres			225/75R 16C	225/75R 16C
Wheel base		cm	445/80	445/80
Beds pull-down/ overcab		cm	200x150	200x150
	Bed mid	cm	-	-
	Bed rear	cm	200x150	2x 200x82
	Alternative	cm	-	210x200/145
Sleeping berths			4	4
Basic engine			2,3 MJET MAXI	2,3 MJET MAXI
kW (BHP)			117 (160)	117 (160)
Weight net		kg	4185	4185
Mass in running order (MI	R0)	kg	4375	4375
Payload		kg	1025	1025
Maximum authorised weig	ght	kg	5400	5400
Designated passenger sea	ts (standard weight)		4	4
Designated passenger sea	ts (max. weight upg	rade)	4	4
Heating			ALDE WW	ALDE WW
Fridge/ thereof freezer co	mpartment	- 1	190 / 15	190 / 15
Water tank incl. boiler (red	d. volume)	I	166 (20)	166 (20)
Waste water tank volume		- 1	156	156
Awning size		m	6,0	6,0
Dimensions through-open	ing right stand./opt.	cm	105x120 / 105x85	105x120 / -
Dimensions through-open	ing left stand./opt.	cm	105x120 / 105x85	105x120 / -
Battery/ charging device		Ah/A	190 / 18	190 / 18
Power outlets	230V/12	V/USB	9 / 2 / 2	9 / 2 / 2

 $<sup>^{\</sup>rm 1}$  Considering the total towing weight of 6 t

# Packages

✓ included

# Elektric Package II (Code 9997) Package components A Class Electric package 2 (2x 150 Ah battery instead of 1x 95 Ah battery. Victron Energy MultiPlus charging/inverter combination 3000/120, Victron PowerAssist and Power Control, Victron operation above habitation door, EBL 111, high current module)

- not included

Standard specification

			DBM	EB
Options	Additional weight (kg)	Code	I 7850-2 DBM	I 7850-2 EB
Chassis/Base				
Alloy wheels 16"	0	8045	0	0
Tow bar (please consider the total towing weight)	49	273	0	0
Air suspension rear axle	35	1658	0	0
Air suspension front and rear axle	85	1796	0	0
Mud flaps front	2	298	0	0
Hydraulic lifting jacks with automatic levelling and weighing function	80	9663	0	0
Bodywork exterior				
Cassette awning Omnistor 6.0 m (electr.)	64	519	0	0
Alarm system for doors with central locking	4	322	0	0
Skylight (above large bathroom)	1	7507	0	0
Bodywork interior				
Fire extinguisher 2 kg	4	1878	0	0
Safe mounted	13	323	0	0
Furniture layouts				
Overhead lockers in cab	U.ſ.	679	0	0
Electrics/Installation				
Solar system (2 x 60 W)	15	922	0	0
Gas/Installation				
Exterior socket for gas 30mbar	1	878	0	0
Heating/Air-conditioning				
Cab warm water heating (only in comb. with warm water heating - cab carpets not possible)	10	6709	0	0
Warm water heating by smartphone app	0	7512	0	0
Kitchen				
Fridge vent	1	282	0	0
Bathroom				
Macerator toilet with waste-holding tank	22	1625	0	0
Multimedia systems				
SAT system Flatsat 85 Twin	15	1637	0	0
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	0	0
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	0	0
Additional flatscreen TV 22" (incl. DVB-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle)	4	7490	0	0
Sound Package Plus	8	8082	0	0
Miscellaneous				
Registration documents	U.f.	0	*	+





The GoumetPlus kitchen combines everything that the heart's desires. Maximum freedom of movement and much more storage space



Full of sound: perfectly tuned sound system (option)



Exclusive entrance area with many high-quality details such as a large apothecary's pullout incl. bottles and glasses mounting



There is plenty of space in a total of four clothes or linen cupboards with LED lighting



Real leather anniversary upholstery
Neapolitan



For cell phone & Co.: Two USB sockets



The practical drawers under the bed with the double bed layout offer lots of storage space



Comfortable and convenient: Standard SKA air-swing seat in chic anniversary real leather upholstery

# Globetrotter XLI Edition 90 Plus factors exterior



Electric windscreen roller shutter and window defrosting



Premium wide gauge low frame chassis with tandem axle



Two-piece GRP front with LED daytime running light



Easy to repair: two-piece GRP rear



Double floor with through-loading possibility



Extra wide habitation door with electric closing aid



Large, LED-illuminated rear garage



Victron energy Digital MultiControl with control panel above the habitation door (optional)




Alloy wheels



Panoramic skylight



# Globetrotter XXL



## Globetrotter XXL Pluspunkte

- + Modern 3,0 | Euro VI D engine (132 kW/ 180 bhp)
- + IVECO chassis with rear wheel drive, twin tyres, different driving assistance systems, upgraded cockpit and heated cab seats
- + Heated double floor with 360 mm of height for freezeprotected installation of hoses, pipes and water tanks. The radiant heat is used as floor heating
- + Warm water heating with heat exchanger for engine pre-heating
- + Long-lasting Lifetime Plus conversion technology with 45 mm thick body construction
- + Master of autarky with powerful 150 Ah battery and 230 l water tank





























#### Standard UK specification which is above standard European specification\*

- Right hand drive chassis
- Radio pre-wiring with Sound Package
- · Multifunctional leather steering wheel
- · Wheel trims in chrome
- · Twin reversing cam
- Dethleffs Naviceiver incl. DAB+, Truck Navigation and connection to the on-board control panel
- ullet Central locking for habitation door, cab door, garage doors
- Panoramic skylight 75x105 cm incl. illuminated roof lining in living area
- · Ambience illumination

- Full UK specification incl. UK gas and UK electrics
- Smoke detector
- TecTower incl. oven
- Pre-wiring solar system
- Pre-wiring SAT system
- Safety package: 3-point seatbelt for seat opposite driving direction
- · Carpets for cab and living room
- \* Please note: From technical point of view there are components which are not possible for some of model types and layouts.

## Standard specification

#### Conversion

- Skylight 40 x 40cm above the lounge
- Floor thickness 43 mm, intermediate floor 20 mm, sidewalls 44 mm, roof 45 mm
- Habitation door: 70 cm, flyscreen, awning light, window, electric closing aid
- Rear garage: two garage doors, drop chassis extension (250 kg loading capacity), heated, incl. fixing loops, LED illumination, 1x 230 V power outlet, GRP antislip floor cover, one-hand operation, non-woven covered walls
- Double floor storage, to be loaded almost through the complete vehicle width, double floor height: 360 mm
- Rear moulding: 3rd brake light, LED rear lights, dynamic indicator, high-level moulding
- Stable, double glazed flush fitting windows with integrated blinds and flyscreens (Privacy Black)
- Captain seats: headrest, two upholstered arm rests, height-inclination adjustment, hydraulic
- · Overcab bed fold-away
- · Windows for overcab left and right side

#### On-board technology / Installations

- Starter battery and leisure battery with automatic switch-over (also for fridge)
- · LED illumination for the interior
- Illuminated roof lining above the habitation door
- EBL with overvoltage protection
- Fresh water/waste water tank installed in double floor (insulated area)
- Warm water heating with automatic drain valve, shut-off valve for the sleeping area and engine heat exchange
- Gas bottle locker with easy pull-out function for quick change of the gas bottles (2 x 11 kg)

#### Kitchen

- Large fridge with freezer compartment and auto energy selection (AES)
- · MultiFlex rail system

- Gourmet kitchen: 3-flame cooker, spacious drawers with softclose function, cutting board, apothecary pull-out, waste bin and central locking
- Kitchen overhead locker with illuminated roof lining
- · Extractor fan (exhaust air)

#### **Bathroom**


- · Shower grid
- Equipped with cabinets, storage compartments, large mirrors, toothbrush mug and toilet paper holder

#### Living area

- Large mirror (only for A 9050-2 DBM)
- Fixed beds with wooden frame and 7-zone mattresses made of climate-regulating material
- AirPlus ventilation system for an optimised ventilation of the interior
- Wardrobe left and right of the King bed
- · No steps in living room
- Seat chest enlargement, fold-away with storage space
- · Overhead lockers with doors in the rear
- Single beds can be converted to a large double bed

#### Interior

 Wood décor Almeria Ash White with upholsteries Bozen or Platinum





# Globetrotter XXL Coachbuilt

GLOBETROTTER XXL			A 9050-2 DBM	A 9000-2 EB
Chassis type			Iveco Daily ladderframe	Iveco Daily ladderframe
Diesel tank/AdBlue tank	(	1	90 / 20	90 / 20
Emission class			Euro VI D	Euro VI D
Length		cm	886	886
Width		cm	235	235
Height		cm	345	345
Internal height		cm	211	211
Towing weight braked/u	ınbraked	kg	3500 <sup>1</sup> / 750	3500 <sup>1</sup> / 750
Tyres			225/75R 16C	225/75R 16C
Wheel base		cm	475	475
Beds pull-down/ overca	b	cm	215x150	215x150
	Bed mid	cm	210/130x195/130	210/130x195/130
	Bed rear	cm	200x150	200x80 / 195x80
	Alternative	cm	-	210x200/160
Sleeping berths			6	6
Basic engine			3,0 JTD	3,0 JTD
kW (BHP)			132 (180)	132 (180)
Weight net		kg	4700	4700
Mass in running order (M	MIRO)	kg	5070	5070
Payload		kg	1630	1630
Maximum authorised wo	eight	kg	6700	6700
Designated passenger s	eats (standard weight)		6	6
Designated passenger s	eats (max. weight upg	rade)	6	6
Heating			ALDE WW	ALDE WW
Fridge/ thereof freezer	compartment	- 1	190 / 35	190 / 35
Water tank incl. boiler (r	ed. volume)	I	230 (20)	230 (20)
Waste water tank volum	ie	- 1	222	222
Awning size		m	6,0	6,0
Dimensions through-ope	ening right stand./opt.	cm	105x120 / -	105x120 / -
Dimensions through-ope	ening left stand./opt.	cm	105x120 / -	105x120 / -
Battery/ charging device	2	Ah/A	150 / 18	150 / 18
Power outlets	230V/12	V/USB	7 / 2 / 3	7 / 2 / 3

 $<sup>^{\</sup>mathrm{1}}$  Considering the total towing weight of 10.2 t

# Packages

Package components	Coachbuilt
Light Assist	✓
Crosswind Assist	✓
Hill Descent Control	✓
Active Brake Assist with City Emergency Brake Function	✓
Tire pressure sensors	✓
Adaptive cruise control	✓
Electric handbrake	✓
Active Lane Keep Assist	✓
High Beam Assist	✓
Rain sensor	✓

Elektric Package II (Code 9997)	ca. 50 kg
Package components	Coachbuilt
Electric package 2 (2x 150 Ah pattery instead of 1x 95 Ah pattery. Victron Energy MultiPlus charging/inverter combination 8000/120, Victron PowerAssist and Power Control, Victron peration above habitation door, EBL 111, high current module)	<b>✓</b>

# Dethleffs world of colours

For the GLOBETROTTER XXL smooth side variants you can choose from the following colour combinations (some at extra charge).

#### Coachbuilt

Chassis colour		Conversion colour		
		White	Titansilver Metallic	
White	Code	standard	-	
Silver	Code	-	option 9580	

Please note that the roof as well as all skirts and other mounted parts will remain white. Conversion design partly with varnished graphics.

			DBM	88
Options	Additional weight (kg)	Code	A 9050-2 DBM	A 9000-2 EB
Chassis/Base				
Iveco Daily 3,0 I JTD (210 bhp)(only in comb. with option "Torque converter automatic gearbox")	u.r.	0	0	0
Weight upgrade 7.200kg	U.ſ.	1636	0	0
Tow bar	35	273	0	0
LED headlights (Iveco)	2	10626	0	0
Air suspension for driving axle (original Iveco)	30	41	0	0
Converter automatic gearbox (ZF)	17	7706	0	0
Retarder (also available in comb. with converter; tank reduced to 70l)	125	1400	0	0
Bodywork exterior				
Cassette awning Omnistor 6.0 m (manual)	61	560	0	0
Cassette awning Omnistor 6.0 m (electr.)	64	519	0	0
Alarm system for doors with central locking	4	322	0	0
Panoramic skylight 75x105 cm incl.illuminated roof lining in sleeping area	12	442	0	0
Skylight (above large bathroom) Storage access in the rear	1 17	7507 1732	0	0
Roof ladder and cross elements for railing	16	1754	0	0
, and the second	10	1751		
Bodywork interior		4070	0	
Fire extinguisher 2 kg Safe mounted	13	1878 323	0	0
Double floor for rear garage	5	1890	0	0
	J	1070	O	0
Furniture layouts				
Isofix - child seat bracket	5	8125	0	0
Alternative overhead locker doors	0	1969	0	0
U-shaped lounge	5	1870	0	0
Upholstery				
Real leather Meran	12	9543	0	0
Electrics/Installation				
Solar system (2 x 60 W)	15	922	0	0
Indirect illumination behind the curtains	3	9119	0	0
2nd leisure battery 150 Ah	27	830	0	0
Gas/Installation				
Exterior socket for gas 30mbar	1	878	0	0
Automatic gas bottle switch-over incl. crash sensor and EisEx (weight incl. optional 11 kg	42	4577		
aluminium gas bottle)	13	1577	0	0
Water supply/Installation				
Installed exterior shower (cold/hot water)	U.f.	1574	0	0
Heating/Air-conditioning				
Roof A/C	2.4	600	0	
Electrically heated overcab bed	34	609 1740	0	0
Warm water heating by smartphone app	0	7512	0	0
3 7 1 11		1012		
Kitchen  Dra wising compressor fridge (so standard fridge installation)	u c	0500	0	
Pre-wiring compressor fridge (no standard fridge installation)	U.f.	9598	0	0
Bathroom				
Toilet ventilation	2	1681	0	0
Macerator toilet with waste-holding tank	22	1625	0	0
Ceramic toilet	25	7243	0	0
Multimedia systems				
SAT system Flatsat Classic 65 Twin	13	7670	0	-
SAT system Flatsat 85 Twin	15	1637	0	0
Top View 360° camera (only in comb. with option 9582 Dethleffs Naviceiver)	6	7173	0	0
Flatscreen TV 22" (incl. bracket, DVB-T, DVB-S receiver, DVD)	4	1799	0	0
32" TV (incl. bracket, DBV-T 2 HD/T, DVB-S2 receiver, DVD, HDMI, wide-angle) and Soundboard	15	9127	0	0

			2 DBM	2 EB
	Additional weight (kg)	Code	A 9050-2	A 9000-2
Miscellaneous				
Registration documents	U.f.	0	•	•

# Globetrotter XXLA Plus factors interior







Driver's cab separable by wooden sliding



Anti-theft safe



Extensively equipped driver's cab



Multimedia: Dethleffs Naviceiver incl. DAB+



Large kitchen worktop with extra space for the coffee machine




Table top extension



Sound system (option)

# Globetrotter XXLA Plus factors exterior







Huge rear garage accessible from three sides on request



Large overcab with 200 x 155 cm lying surface



Powerful roof air conditioner (option)



GRP covered underfloor



Comfortable gas bottle drawer



Storage space in the double floor



# Winter Comfort Packages

## Winterised and weatherproof, winterisation with Dethleffs

More and more caravanning enthusiasts are discovering winter camping for themselves. No problem with a Dethleffs. Because every Dethleffs motorhome is designed from its basic construction to offer an optimal interior climate, i.e. good ventilation and an even heating of the whole living space. With regular cold chamber tests we ensure this high standard.

But the most important test subjects are our customers in Scandinavia and here Dethleffs has been at the top of the popularity scale for years.

In order to be able to enjoy the full Dethleffs comfort even in hard winter conditions, we offer the optional warm air or warm water Winter Comfort Packages.

Winter Comfort Package warm air heating		(ca. 26 kg)
Package components	Just 90	Globebus, Trend (außer A 7877-2), Pulse, Globeline,, Pulse Classic 90
Warm air heating	•	•
Electrical element 230 V for warm air heating	✓	✓
Electr. heating for waste water tank + pipes	✓	✓
Switch for water pump	✓	✓
XPS insulation	✓	✓

Winter Comfort Package warm water heating	(ca. 73 kg)
Package components	Trend T/I, Pulse, Globeline
Warm water heating	✓
Warm water heating for cab***	✓
Electr. heating for waste water tank + pipes	✓
Switch for water pump	✓
XPS insulation	✓

Winter Comfort Package Luxus	Warm air heating* (ca. 39 kg)	Warm water heating** (ca. 40 kg)
Package components	Globebus, Pulse	Pulse
Additional battery (95 AH)	✓	-
Warm water floor heating	✓	✓
Electrical floor heating	✓	✓

<sup>\*</sup> only in conj. with Winter Comfort Package warm air heating

<sup>\*\*</sup> only in conj. with Winter Comfort Package warm water heating

<sup>\*\*\*</sup> not for Globeline T 6613 EB

# Dethleffs - long-lasting quality

All Dethleffs motorhomes come with a 6-year water ingress warranty as standard.\*

Also standard is the Dethleffs Lifetime Plus body construction on all models starting the ESPRIT range.

Using the latest findings, this new type of design combines an absolutely rot-proof and thus long-lasting wall construction for a healthy interior climate:



- Walls, roof and floor are constructed entirely without cold spots or wood inserts. Instead, rigid
  polyurethane struts ensure a high torsional stiffness.
- Strong GRP panels (glass-fiber reinforced plastic) on the roof and floor protect against damage from outside from hail, stones, salt water, etc.
- An extra thick layer of high density, hydrophobic, i.e. water-repellent XPS foam ensures
  excellent insulation properties.
- A 3 mm (floor 6 mm) thick plywood panel leading to the living area is both moisture-balancing and sound-absorbing.

Our ranges Trend (T/I), Pulse and Globeline come as standard with the clever and rot-proof floor construction. We install PU struts instead of wooden inserts and cover the floor with thick GRP plate for high protection values.



<sup>\*</sup> provided that annual inspections are undertaken by a Dethleffs authorised workshop.

### General Information

Mass in running order according to VO (EU) 1230/2012 includes the unladen weight of the vehicle (tare weight of the vehicle incl. driver (75 kg) and tank filled 90 %) and the following basic equipment: filled water tank (with reduced water tank volume for driving, see technical data), a 100% filled aluminium gas cylinder with 11 kg filling and a cable drum.

The technically permissible maximum mass and the axle loads must not be exceeded by personal items, luggage and optional equipment. For your information we also indicate the net weight of the vehicle. This refers to the tare weight of the vehicle in series production without any filling, special accessories and persons.

The installation of optional equipment increases the weight of the vehicle and reduces the payload by the specified weight values. If you order your vehicle with additional equipment and/or you are travelling with several persons, you should check whether it makes sense to get a weight upgrade.

The towing weights stated in this brochure are technically maximum data based on the chassis. The actual towing weigh can vary due to the retrofitted or ex works equipment and can vary greatly depending on the individual loading situation. The decisive factor is the effective weight of the towing vehicle and trailer.

The information on the scope of delivery, appearance, performance, dimensions and weights of the vehicles correspond to those available at the time of going to press and the European homologation regulations. Until the vehicle purchase or until delivery, these can change. All weight values are approximate. Deviations within the factory tolerances (+/- 5 % max.) are possible and permissible. Technical changes in construction and equipment as well as errors excepted.

This brochure is valid from 01.08.2020.

Vehicle illustrations in this document can include options with extra costs. We expressly reserve the right to make changes. With appearance of this brochure all previous brochures lose their validity.

