

HYMER MOTOR CARAVANS 2023

Price list valid from 01.08.2022 - UK & Ireland





CONTENT



	Oserul information regarding the selection of your motornome	
	HYMER Exsis t / i	4
Special edition	HYMER Exsis T / I 580	11
	HYMER T-Class S	17
	HYMER ML-T	24
Special edition	HYMER ML-T CrossOver	32
	prints.	
	HYMER B-Class ModernComfort T	37
		THE RESIDENCE OF THE PARTY OF T
Special edition	HYMER B-Class ModernComfort T WhiteLine	46
Special edition	HYMER B-Class ModernComfort T WhiteLine	46
Special edition	HYMER B-Class ModernComfort T WhiteLine HYMER B-Class ModernComfort I	
Special edition		52
Special edition Special edition	HYMER B-Class ModernComfort I	52
	HYMER B-Class ModernComfort I	52
	HYMER B-Class ModernComfort I	52
	HYMER B-Class ModernComfort I WhiteLine	52
	HYMER B-Class ModernComfort I WhiteLine	60
	HYMER B-Class ModernComfort I WhiteLine HYMER B-Class ModernComfort I WhiteLine HYMER B-Class MasterLine T	60
	HYMER B-Class ModernComfort I WhiteLine HYMER B-Class ModernComfort I WhiteLine HYMER B-Class MasterLine T	52 60 66

Important notes _____8

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. HYMER specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.

	ML-T 570	ML-T 580
Standard chassis	Mercedes-Benz Sprinter 415 CDI	Mercedes-Benz Sprinter 415 CDI
Drive	Rear Wheel Drive / All Wheel Drive O	Rear Wheel Drive / All Wheel Drive O
kW (hp)	110 (150)	110 (150)
Length / Width / Height (cm)	674 / 222 / 290 ¹⁾	698 / 222 / 290 ¹⁾
Body width / Internal width (cm)	212/205	212 / 205
Standing height in living area (cm)	198	198
Wheelbase (mm)	3665	3665
Mass in running order (kg)*	2960 (2812 - 3108)*	2980 (2831 - 3129)*
Manufacturer-specified mass for optional equipment (kg)*	182	160
Technically permissible maximum laden mass (kg)*	3500	3500
Technically permissible maximum towable mass (kg)*	2000 2)	2000 2)
Permitted number of seats (including driver)*	4 ³⁾	4 ³⁾

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is \pm 5 %. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, HYMER weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.

Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

IMPORTANT INFORMATION REGARDING THE SELECTION OF YOUR MOTORHOME

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information"

	ML-T 570	ML-T 580
Standard chassis	Mercedes-Benz Sprinter 415 CDI	Mercedes-Benz Sprinter 415 CDI
Drive	Rear Wheel Drive / All Wheel Drive O	Rear Wheel Drive / All Wheel Drive O
kW (hp)	110 (150)	110 (150)
Length / Width / Height (cm)	674 / 222 / 290 ¹⁾	698 / 222 / 290 1)
Body width / Internal width (cm)	212/205	212 / 205
Standing height in living area (cm)	198	198
Wheelbase (mm)	3665	3665
Mass in running order (kg)*	2960 (2812 - 3108)*	2980 (2831 - 3129)*
Manufacturer-specified mass for optional equipment (kg)*	182	160
Technically permissible maximum laden mass (kg)*	3500	3500
Technically permissible maximum towable mass (kg)*	2000 2)	2000 2)
Permitted number of seats (including driver)*	4 ³⁾	4 ³⁾

4. The manufacturer-specified mass for optional equipment...

... is a value set by HYMER per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle.

Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

		Price €	ML-T 570	ML-T 580	Excess weight (kg)
Chassis	Mercedes-Benz Sprinter 3.5 t - 417 CDI - 125 KW/170 hp - Euro VI-E	990	0	0	0
	Mercedes-Benz Sprinter 3.5 t - 419 CDI - 140 KW/190 hp - Euro VI-E 4)	4.990,-	0	0	14
V201103880	Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 / 419 CDI only)	260,-	0	0	0
V201104100	Weight variant 4,100 kg (Mercedes-Benz Sprinter 415 / 417 / 419 CDI only)	260,-	0	0	0
Style package			F	rice	£
Chrome grill					350,-
Bumper, attacl	hment parts and grill frame painted in vehicle color				790,-
Fog lights with	cornering light			-	290,-
Package price				1	.430,-
Special price				1	.190,-
You save					240,-
Excess weight	(kg)*				2

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.

PRICES AND TECHNICAL DATA HYMER EXSIS T / I





	Exsis-t 474	Exsis-i 474
Price ^{a)} £	79,430	94,850
Standard chassis	Fiat Ducato	Fiat Ducato
Drive	Front Wheel Drive	Front Wheel Drive
kW (hp)	103 (140)	130 (180)
Length / Width / Height (cm)	659 / 222 / 277 ¹⁾	664 / 222 / 277 ¹⁾
Body width / Internal width (cm)	212 / 205	212 / 205
Standing height in living area (cm)	198	198
Wheelbase (mm)	3550	3550
Mass in running order (kg)*	2770 (2632 - 2909)*	2910 (2765 - 3056)*
Manufacturer-specified mass for optional equipment (kg)*	379	303
Technically permissible maximum laden mass (kg)*	3500	3500
Technically permissible maximum towable mass (kg)*	2000 ²⁾	2000 ²⁾
Permitted number of seats (including driver)*	4 ³⁾	4 ³⁾
Insulation Floor / Wall / Roof (mm)	41/34/34	41/34/34
Overall clearance storage- / garage door resp. flap W x H (cm)	99 x 108	99 x 108
Bed dimension: Pull-down bed L x W (cm)		188 x 150
Bed dimension: Rear bed L x W (cm)	2x 190 x 80	2x 190 x 80
Bed dimension: Central bed L x W (cm)	165 x 78 O	165 x 78 O
Berths	2-30	4-50
Bathroom W x D (cm)	105 x 83	105 x 83
Wardrobe W x D x H (cm)	42 x 54 x 190	42 x 54 x 190
Kitchen, W x D x H, approx. cm	92 x 60 x 93	92 x 60 x 93
Fridge volume (of which freezer compartment) (I)	96 / 142 🔿	96 / 142 🔾
Standard heating	Gas warm air, 6 kW	Gas warm air, 6 kW
Gas bottle storage (Filling weight)	2x 11kg	2x 11kg
Total fresh water tank capacity (I)	115	115
Fresh water tank in driving filling level (I)	20	20
Waste water tank (I)	105	105
Standard habitation battery (Ah)	95 AGM	95 AGM
Sockets: 230 V/12 V/USB	5/2/2	5/2/2

Standard
On request (no extra cost)

 ${\color{red} \underline{\wedge}}$ Not yet known at the time of publication



* INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER EXSIS T / I

	Exsis-t 474 Exsis-i 474
	:Xsis
Chassis	шш
Fiat Ducato 3.5 t - 2.2 MultiJet - 103 KW/140 hp - Euro 6e ⁴⁾	• -
Fiat Ducato 3.5 t - 2.2 MultiJet - 130 KW/180 hp - Euro 6e ³⁵⁾	- •
Basis	
Exterior cab colour: Lanzarote grey (Pastel)	• -
Exterior body colour: White	• •
AL-KO frame	• •
6-speed transmission	• -
75 I fuel tank	• •
19 I AdBlue tank	• •
Exterior mirror, middle arm version	• -
Electrically adjustable and heated exterior mirrors	• -
Mud flaps, rear axle	• -
Daytime Running Light integrated in headlights	• -
15" steel rims	
1x Twin USB socket in cab	
Dashboard tray instead of tablet holder Driver and passanger girbag	
Driver and passenger airbag Manual AirCon with pollen filter	
Start-Stop-System incl. intelligent alternator	
Reinforced alternator incl. charging booster (up to 70 A)	
Electric cab windows and central locking for cab	• -
ABS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution)	• •
ESP incl. ASR, Traction Plus and Hill Holder	• •
Post-collision brake control ⁵⁾	• •
Crosswind Assist	• •
Fiat Cruise Control	• •
LED Daytime running light and LED indicator integrated in HYMER headlights	- •
Exterior mirrors suspended, in vehicle colour, electrically heated and adjustable, incl. wide-angle mirror	- •
Mud flaps, front and rear axle	- •
Special spiral sprung for front axle	- •
Cupholder driver and passenger seat	- ●
Body	
Comfort habitation door with window, blackout blind and integrated waste bin	• •
Window in habitation door incl. blackout blind and integrated waste bin	• •
Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness)	• •
Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾	• •
Electric entrance step, 1-step	• •
Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology	
Garage load up to 350 kg (optional 450 kg). Please note the axle load.	
GRP lightweight floor with XPS insulation	
Large garage doors, LH and RH side	
Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	• •
Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm	
Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm	
Cab curtain made of high-quality pleated fabric	• -
Cab door with electric power windows and entry lighting	- •
Outfitting	
Cab seats, upholstered in living area fabric, height- and tilt adjustable, swivelling, with 2 armrests	• -
Cab blinds	• -
Mosquito net on habitation door	• •
Front seating group with 2 integrated 3-point belts	• -
Cab seats, upholstered in living area fabric, swivelling, with 2 armrests	- •
Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts	-
Luxury table: 360° rotatable, longitudinally and transversably displaceable	- •
Cab blinds made of high-quality pleated fabric	-
Ladder for pull-down bed	
Living and bedroom + lighting	
Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear	• •
Complete LED interior lighting	• •

	Exsis-t 474	Exsis-i 474
LED worktop lighting	•	•
LED awning light	•	•
Pull-down bed, manual	_	•
Kitchen		
Kitchen drawer with Servo Soft feature	•	•
Freely arrangeable kitchen drawers, extra wide ⁷⁾	•	•
96 I standard fridge	•	•
Installation & Technology		
6 kW gas warm air heating with 10 I warm water boiler	•	•
Gas bottle compartment with access via the external flap / door	•	•
Pedestal at seating group heated by warm air	•	•
LCD keypad for heating	•	•
Warm air heating in the rear bedroom, adjustable separately	•	•
Reinforced battery, 12 V, 95 Ah AGM	•	
Charging booster for safe charging of the habitation battery while driving (up to 70 A)	•	•
115 I fresh water tank, insulated and heated (20 I in driving position)	•	
105 I waste water tank, insulated and heated	•	•
Cab heating concept with increased warm air heating incl. heated dashboard in the living condition		•
Multimedia		
Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna	•	_
Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear bedroom, radio and DVB-T2 antenna	_	•
Fabrics & Furniture finishes		
Furniture finish: Sauvignon Oak in combination with Tip Printed	•	•
Fabric combination: Denver	•	

PACKAGES HYMER EXSIS T/I

Style package for semi-integrated FIAT models	Price £
Grill frame, glossy black	130
Headlights with black frame	30
Skid plate, glossy black	40
LED Daytime Running Light	300
Special price	500
Excess weight (kg)*	0

Living Comfort package Low profile models	Price £
Ambient lighting	510
Fitted sheets made to measure for rear beds individually adapted to mattress contours	210
4 pillows	170
Wooden shower slats	140
Additional sockets: 5 x 230 V / 3 x 12 V / 2 x Twin-USB (incl. kitchen wall panelling)	420
Package price	1,450
Special price	1,140
You save	310
Excess weight (kg)*	10

Style package for integrated FIAT models	Price £
Chrome trim strip for grill	230
Glossy grill	230
Additional graphics Exsis-I (fog light housing, window skirts, side skirts)	420
Package price	880
Special price	640
You save	240
Excess weight (kg)*	0

Living Comfort package A-Class models	Price £
Ambient lighting	510
Fitted sheets made to measure for rear beds individually adapted to mattress contours	210
4 pillows	170
Wooden shower slats	140
Additional sockets: 5 x 230 V / 3 x 12 V / 2 x Twin-USB (incl. kitchen wall panelling)	420
Package price	1,450
Special price	1,140
You save	310
Excess weight (kg)*	10

 Δ Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER EXSIS T / I

		Price £	Exsis-t	Exsis-i	Excess
Chassis	Unverting to 2 CE + /First Duranta 2 E + Light apply)	220	$\overline{}$	$\overline{}$	
V201103650 Basis	Uprating to 3.65 t (Fiat Ducato 3.5 t Light only)	220	$\stackrel{\circ}{\blacksquare}$	0	0
V20250110	Exterior cab colour: Black (Metallic)	560		_	0
V20250110 V20250145	Exterior cab colour: Grigio Campovolo (Pastel)	510		_	0
V20250143 V20250164	Exterior cab colour: Artense grey (Metallic)	560		_	0
V3003011	Exterior body colour: Crystal-Silver Metallic 8)	2,560			30
V20420A	9-gear automatic transmission 9) 10) 11)	3,420			55
V20420A V2051090	90 I fuel tank	90		0	
V2031030 V2097011	LED Daytime Running Light	300		_	14 0
					_
V2077113	LED headlights ¹²⁾	770	-	_	0
V2062111	Fog lights with cornering light	190		_	2
V3051010	Bumper painted in vehicle colour	330			0
V2021016	16" steel rims ¹³⁾	250			14
V2021030	16" alloy wheels with 225/75 R16 tyres ¹³⁾¹⁴⁾	730	0	0	10
V2021030	16" alloy wheels with 225/75 R16 tyres (Fiat Ducato Maxi only or in combination with automatic transmission) ¹³⁾	560	0	•	10
V2073512	16" All-Season tyres (with snowflake symbol) 13)	390	0	0	0
V2035116	16" steel spare wheel incl. bracket in the rear storage compartment	300	0	0	25
V2050010	Automatic AirCon with pollen filter	450	0	0	0
V2117011	Shelf for smartphones incl. wireless charging with charge level indicator ¹⁵⁾	210	0	0	0
V2009011	Aluminium applications for ventilation nozzles	100	0	0	0
V20190J	Battery disconnection switch		♦	•	0
V2054512	Leather steering wheel and gear knob lever	210			0
V20610J	Multifunctional steering wheel	250	0	•	0
V20855J	Seat heating and lumbar support for cab seats, adjustable separately ³⁷⁾	620	0	0	0
V2088010	Skid plate, glossy black	40		_	0
V2096512	Fully digital cockpit with integrated 7" display ^{16) 17)}	510	0	0	0
V209108	Driver Assistance System incl. Emergency Brake & Lane Keeping Assist, Traffic sign recognition, High Beam Assist as well as light and rain sensor	930	0	_	1.5
V20640J	Third ignition key with remote control (2nd key mechanical)	100	0	0	0
V3003011	Exterior colour: Crystal-Silver Metallic	3,420	_	0	30
V2077115	HYMER Premium Full-LED headlights	1,450		0	0
V2062110	Halogen fog lights ³⁶⁾	250		0	1
V2052510	Chrome trim strip for grill	230			0
V2052511	Glossy grill	230			0
Body					
V30522150	Awning with adapter, white housing, 400 x 250 cm ¹⁸⁾	1,240	0	_	32
V30522150	Awning with adapter, silver housing, 400 x 250 cm ¹⁸⁾	1,240			32
V2007111	Trailer hitch, detachable ball head (incl. pre-installation) ¹⁹⁾	1,500		0	63
V30330J	GRP roof coating ²⁰⁾	590		0	30
V30020102	Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock ²¹⁾	340		0	2
V20460J	Comfort jacks, rear (2 units)	340		0	9
V20062J	Frame extension incl. 450 kg garage load ¹⁹⁾	420		0	30
V3055010	Security lock for habitation door	260		_	0.5
V7003410	Additional graphics on skirt panel	250	_	_	0
V3023013	Bicycle rack for two bicycles, manually lowerable, max. load 50 kg	930			17
V3023013 V3023012	Bicycle rack for 4 bicycles, max. load: 60 kg	390		0	14
V3029012 V3009011	Electric roof vent with function supply and exhaust air at kitchen ^{22) 23)}	390		0	5
V3003011 V3011016	HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom ²²⁾	510		0	12
V30522160	Awning with adapter, white housing, 450 x 250 cm ¹⁸⁾	1,360		0	35
V30522160 V30522160	Awning with adapter, white housing, 450 x 250 cm. Awning with adapter, silver housing, 450 x 250 cm. Awning with adapter, silver housing, 450 x 250 cm.	1,360		0	35
• JUJZZ100	Amining mini adapter, silver riousing, 700 A 200 cm	1,300		0	33



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

					*(8
		Price £	Exsis-t 474	Exsis-i 474	Excess weight (kg)*
V3020211	Electric entrance step on cab door (when opening the cab door the step automatically extends) 38)	390	_	0	- 8
V3055012	Security lock for cab and habitation door	510	_	0	1
V30480J	Insulating glazing for cab side windows and cab door	850	_	0	5
V3008010	Skylight in the front with blackout blind and mosquito net, 40 x 40 cm ³⁹⁾	170		0	2
Outfitting					
V50100J	External shower, located in garage	250	0	0	1
V2087513	Height- and tilt adjustment for pilot seats	680	_	0	10
V40070J	Front overhead lockers instead of pull-down bed (incl. front skylight) 13)	470	_	0	-16
Living and bed					
V4034011	Sleeping system with cup-slatted bed frame for rear bed(s)	420	0	0	3
V60170J	Fitted sheets made to measure for rear beds individually adapted to mattress contours	210			1
V60280J	Additional cushion for further sleeping possibility including the cab seat	340	0	_	5
V60260J	Additional cushion between the longitudinal single beds with ladder	390	0	0	4
V60030J	4 pillows	170			2
V50290J	Ambient lighting	510			1
V60285J	Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat			0	5
Kitchen					
V40310112	142 Smart-Tower fridge instead of floor-to-ceiling wardrobe ¹³⁾	640	0	0	6
Bathroom					
V40210J	Wooden shower slats	140			3
Installation & T	echnology				
V5028013	6 kW gas warm air heating with 10 l warm water boiler and 1,800 W electric bar heater	510	0	0	1
V5026013	Automatic gas bottle changeover system with crash sensor and IceEx ²⁴⁾	320	0	0	3
V50250J	Gas filter for automatic gas bottle changeover ²⁵⁾	170		0	0
V50230J	External gas socket with shut-off valve	170	_	0	1
V30325J	Gas bottle slide out	600		0	15
V5012511	Second habitation battery (95 Ah AGM) incl. additional 18 A charger ²⁶⁾	420		0	30
V5012512	HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer ^{27) 28)}	2,480	-	0	25
V5047029	Solar panel with MPPT controller and display, 2 x 95 W	1,450		0	16
V80288J	Additional sockets: 5 x 230 V / 3 x 12 V / 2 x Twin-USB (incl. kitchen wall panelling)	420			3
V5020010	Electric floor tempering in habitation area and central walkway ²⁹⁾	590		0	10
V5033014	Roof AirCon, 2.400 W ^{22) 23)}	1,960	_	0	33
V3064012	Toilet vent	250	_		1
V5073212	Pre-wiring kit (Camos reversing camera, solar panel, GPS rod antenna)	250		0	1
V5005010	Alarm system for cab-, habitation- as well as 2 garage doors / flaps	600			1
Multimedia	Maint System for eas , masterior as wereas 2 garage accors / maps	000.	Ğ	ŭ	
V50400115	Multimedia SatNav System with 9" Touchscreen incl. motorhome software, DAB+, Apple Car Play, Google Android Auto, reversing-/ service camera, rear-view mirror function, HYMER Smart Control 30) 31)	2,730	0	0	6
	22" or 32" TV bracket	320	0	0	4
V5054513	22" Smart LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2) incl. receiver $^{32)}$	1,110	0	0	7
V5054514	32" LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2) incl. receiver ³²⁾	1,530	0	0	10
V5055011	Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVD drive, DVB-T / C, DVB-S2, wiring as well as wall bracket ³³⁾	1,230		0	13
V50440116	Digital flat antenna, without receiver	2,310		0	17
V50440123	Digital satellite dish, 80 cm, without receiver	2,480	0	0	14.5
Fabrics & Furn					
V100704097	Fabric combination: Corfu		•	•	0
V100904011	Furniture finish: Chiavenna Nut		•	•	0
V100704131	Fabric combination: Jandia	300		0	0
V100704091	Textile leather-/ fabric combination: Dalana	850		0	4
V100704125	Textile leather-/ fabric combination: Marquis	850	0	0	4



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

		Price £	Exsis-t 474	Exsis-i 474	Excess weight (kg
V602104009	Carpet: Samona	340	0	0	7
V602104011	Carpet: Laguna	340	0	0	7
Packages					
V8028916	Style package for semi-integrated FIAT models ³⁴⁾	500	0	_	0
V8039013	Living Comfort package Low profile models	1,140	0	_	10
V8028915	Style package for integrated FIAT models	640	_	0	0
V8039016	Living Comfort package A-Class models	1,140	_	0	10

● Standard O Optional extra ▲ Mandatory ▲ Not yet known at the time of publication Please note the information on page 85 ◆ On request (no extra cost) — Not possible □ Available in package



* INIE()

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PRICES AND TECHNICAL DATA HYMER EXSIS T / I 580





	Exsis-t 580 Pure	Exsis-i 580 Pure
Price ^{a)} £	79,960	91,180
Standard chassis	Fiat Ducato	Fiat Ducato
Drive	Front Wheel Drive	Front Wheel Drive
kW (hp)	103 (140)	103 (140)
Length / Width / Height (cm)	694 / 222 / 277 ¹⁾	699 / 222 / 277 ¹⁾
Body width / Internal width (cm)	212 / 205	212 / 205
Standing height in living area (cm)	198	198
Wheelbase (mm)	3800	3800
Mass in running order (kg)*	2993 (2843 - 3143)*	3056 (2903 - 3209)* ⁴⁰⁾
Manufacturer-specified mass for optional equipment (kg)*	157	89
Technically permissible maximum laden mass (kg)*	3500	3500
Technically permissible maximum towable mass (kg)*	2000 ²⁾	2000 ²⁾
Permitted number of seats (including driver)*	4 ³⁾	4 ³⁾
Insulation Floor / Wall / Roof (mm)	41/34/34	41/34/34
Overall clearance storage- / garage door resp. flap W x H (cm)	85 x 109 / 75 x 85	85 x 109 / 75 x 85
Bed dimension: Pull-down bed L x W (cm)		188 x 150
Bed dimension: Rear bed L x W (cm)	195 x 80 / 191 x 80 / 218 x 80 O / 191 x 80 O	195 x 80 / 191 x 80 / 218 x 80 O / 191 x 80 O
Bed dimension: Central bed L x W (cm)		165 x 78
Berths	2-30	4-50
Bathroom W x D (cm)	125 x 85	125 x 85
Wardrobe W x D x H (cm)	27 x 54 x 160	27 x 54 x 160
Kitchen, W x D x H, approx. cm	90 x 60 x 93	90 x 60 x 93
Fridge volume (of which freezer compartment) (I)	142	142
Standard heating	Gas warm air, 6 kW	Gas warm air, 6 kW
Gas bottle storage (Filling weight)	2x 11kg	2x 11kg
Total fresh water tank capacity (I)	120	120
Fresh water tank in driving filling level (I)	20	20
Waste water tank (I)	90	90
Standard habitation battery (Ah)	95 AGM	95 AGM
Sockets: 230 V/12 V/USB	4/2/4	4/2/4

Standard
 O Optional extra
 Mandatory
 Not yet known at the time of publication
 Available in package



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER EXSIS T / I 580

	Exsis-t 58	Exsis-i 58
Chassis	ш	ш
Fiat Ducato 3.5 t - 2.2 MultiJet - 103 KW/140 hp - Euro 6e ⁴⁾	•	→
Basis		
Exterior body colour: White	•	_
Exterior cab colour: Lanzarote grey (Pastel)	•	_
Fiat Ducato low-frame chassis	•	•
6-speed transmission	•	•
90 I fuel tank	•	•
19 I AdBlue tank	•	
Electrically adjustable and heated exterior mirrors	•	_
Grill frame, glossy black	•	_
Headlights with black frame	•	_
Mud flaps, rear axle		_
Bumper painted in vehicle colour	•	_
LED Daytime Running Light		_
16" alloy wheels with 225/75 R16 tyres ¹³⁾¹⁴⁾		
1x Twin USB socket in cab		
Dashboard tray instead of tablet holder		
Electric cab windows and central locking for cab		
Driver and passenger airbag		
Rear axle stabiliser Leather steering wheel and gear knob lever		
Manual AirCon with pollen filter		
ABS (Anti-lock Brake System) / EBD (Electric Brake Force Distribution)		
ESP incl. ASR, Traction Plus and Hill Holder		
Post-collision brake control ⁵⁾		
Crosswind Assist		
Start-Stop-System incl. intelligent alternator		
Fiat Cruise Control		•
Skid plate, glossy black	•	_
Smooth aluminium skin, Colour: Carrara white	_	
Exterior mirrors suspended, in vehicle colour, electrically heated and adjustable, incl. wide-angle mirror	_	•
Exterior mirrors suspended, in vehicle colour, electrically heated and adjustable, incl. wide-angle mirror LED Daytime running light and LED indicator integrated in HYMER headlights	_	
Exterior mirrors suspended, in vehicle colour, electrically heated and adjustable, incl. wide-angle mirror LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle	_ - 	•
LED Daytime running light and LED indicator integrated in HYMER headlights		•
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle		
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat	_ _ _ _	•
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body	_ _ _ _ _	• • •
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾		-
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin	-	-
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step	-	-
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology	-	- - •
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side	-	-
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side	-	-
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged	-	-
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness)	-	-
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side		
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾		-
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾ Window in habitation door incl. blackout blind and integrated waste bin		-
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾ Window in habitation door incl. blackout blind and integrated waste bin Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm		-
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg), Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾ Window in habitation door incl. blackout blind and integrated waste bin Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm		-
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾ Window in habitation door incl. blackout blind and integrated waste bin Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room		
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm 18) Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾ Window in habitation door incl. blackout blind and integrated waste bin Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Awning with adapter, white or silver housing, 450 x 250 cm 18)		
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾ Window in habitation door incl. blackout blind and integrated waste bin Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Awning with adapter, white or silver housing, 450 x 250 cm ¹⁸⁾ Cab door with electric power windows and entry lighting		
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Body Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾ Window in habitation door incl. blackout blind and integrated waste bin Skylight (frosted glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Awning with adapter, white or silver housing, 450 x 250 cm ¹⁸⁾ Cab door with electric power windows and entry lighting Outfitting		
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat 3ody Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾ Window in habitation door incl. blackout blind and integrated waste bin Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Awning with adapter, white or silver housing, 450 x 250 cm ¹⁸⁾ Cab door with electric power windows and entry lighting Outfitting Cab seats, upholstered in living area fabric, height- and tilt adjustable, swivelling, with 2 armrests		
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Bady Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾ Window in habitation door incl. blackout blind and integrated waste bin Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Awning with adapter, white or silver housing, 450 x 250 cm ¹⁸⁾ Cab door with electric power windows and entry lighting Outfitting Cab seats, upholstered in living area fabric, height- and tilt adjustable, swivelling, with 2 armrests Cab blinds		
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Sody Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾ Window in habitation door incl. blackout blind and integrated waste bin Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Awning with adapter, white or silver housing, 450 x 250 cm ¹⁸⁾ Cab door with electric power windows and entry lighting Outfitting Cab seats, upholstered in living area fabric, height- and tilt adjustable, swivelling, with 2 armrests Cab blinds Mosquito net on habitation door		
LED Daytime running light and LED indicator integrated in HYMER headlights Mud flaps, front and rear axle Cupholder driver and passenger seat Bady Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾ Comfort habitation door with window, blackout blind and integrated waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology External storage flap, 75 x 85 cm, LH side Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage door, RH side Panoramic skylight above cab, manually hinged Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Service flap for convenient access to the board electronics on the LH side Opening windows with blackout blind and mosquito net, LH and RH side, rear ⁶⁾ Window in habitation door incl. blackout blind and integrated waste bin Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Awning with adapter, white or silver housing, 450 x 250 cm ¹⁸⁾ Cab door with electric power windows and entry lighting Outfitting Cab seats, upholstered in living area fabric, height- and tilt adjustable, swivelling, with 2 armrests Cab blinds		

Living and bedroom + lighting	
Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts	• •
Function integration into furniture elements	• •
Modern, linear interior design	• •
Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat	• •
Cold foam mattress incl. high-quality mattress pad (knitted fabric) for better ventilation in the rear	• •
Additional cushion between the longitudinal single beds incl. integrated comfort access	• •
Ambient lighting	• •
Complete LED interior lighting	• •
LED worktop lighting	• •
LED awning light	• •
Pull-down bed, manual	- •
Kitchen	
Kitchen drawer with Servo Soft feature	• •
Freely arrangeable kitchen drawers, extra wide	• •
142 Smart-Tower fridge	• •
Bathroom	
Wooden shower slats	• •
Installation & Technology	
6 kW gas warm air heating with 10 I warm water boiler	• •
LCD keypad for heating	• •
Warm air heating in the rear bedroom, adjustable separately	• •
Automatic gas bottle changeover system with crash sensor and IceEx ²⁵⁾	• •
Gas filter for automatic gas bottle changeover	• •
Gas bottle compartment with access via the external flap / door	• •
Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling)	• •
Charging booster for safe charging of the habitation battery while driving (up to 70 A)	• •
Reinforced battery, 12 V, 95 Ah AGM	• •
120 I fresh water tank, insulated and heated (20 I in driving position)	• •
90 I waste water tank, insulated and heated	• •
Cab heating concept with increased warm air heating incl. heated dashboard in the living condition	- •
Pre-wiring kit (Camos reversing camera, solar panel, GPS rod antenna)	- •
Multimedia	
Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab as well as the alcove, radio and DVB-T2 antenna	• –
Reversing camera	• •
32" TV bracket	• •
32" Smart LED-TV with built-in speakers, remote control, DVD drive, (DVB-T / C, DVB-S2) incl. receiver	• •
Digital satellite dish, 65 cm	• •
Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed, radio and DVB-T2 antenna	- •
Fabrics & Furniture finishes	
Furniture finish: Sauvignon Oak in combination with Tip Printed	• •
Fabric combination: Corfu	• •

PACKAGES HYMER EXSIS T / I 580

Style package for integrated FIAT models	Price £
Chrome trim strip for grill	230
Glossy grill	230
Additional graphics Exsis-I (fog light housing, window skirts, side skirts)	420
Package price	880
Special price	640
You save	240
Excess weight (kg)*	0

 \triangle Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER EXSIS T / I 580

Excess weight (kg)* Exsis-t 580 Pure Exsis-i 580 Pure Price £ Fiat Ducato 3.5 t - 2.2 MultiJet - 130 KW/180 hp - Euro 6e 35) 4) 4,620.-0 0 0 V201103650 Uprating to 3.65 t (Fiat Ducato 3.5 t Light only) 0 220.-0 0 Basis V20250145 Exterior cab colour: Grigio Campovolo (Pastel) 510.-0 0 V20250110 560.-0 Exterior cab colour: Black (Metallic) 0 V20250164 560.-0 Exterior cab colour: Artense grey (Metallic) 0 V3003011 Exterior body colour: Crystal-Silver Metallic 8) 2,560.-30 0 V20420A 9-gear automatic transmission 9) 3,420.-0 55 0 V2077113 770.-0 LED headlights 0 V2062111 2 Fog lights with cornering light 190.- 0 16" alloy wheels with 225/75 R16 tyres (Fiat Ducato Maxi only or in combination with automatic V2021030 10 transmission) 13) 16" All-Season tyres (with snowflake symbol) 13) 0 V2073512 390.-0 0 Shelf for smartphones incl. wireless charging with charge level indicator ¹⁵⁾ V2117011 210.-0 0 V2009011 Aluminium applications for ventilation nozzles 100.-0 0 0 V2050010 Automatic AirCon with pollen filter 450.-0 0 V2064511 Electric parking brake 390.-0 0 9 V20610J Multifunctional steering wheel 250.-0 0 Seat heating and lumbar support for cab seats, adjustable separately ³⁷⁾ V20855J 620.-0 0 0 Fully digital cockpit with integrated 7" display 16) 17) V2096512 510.-0 0 0 Driver Assistance System incl. Emergency Brake & Lane Keeping Assist, Traffic sign recognition, High Beam V209108 930.- 0 1.5 Assist as well as light and rain sensor V206401 100.- 0 0 Third ignition key with remote control (2nd key mechanical) 0 V3003011 Exterior colour: Crystal-Silver Metallic 3,420.- -0 30 V2052510 Chrome trim strip for grill 230.-0 V2062110 Halogen fog lights 36) 250.- -0 1 **HYMER Premium Full-LED headlights** V2077115 1.450.-0 \cap 230.- -V2052511 0 Glossy grill Body V2007111 Trailer hitch, detachable ball head (incl. pre-installation) 19) 63 1,500.- 0 0 GRP roof coating 20) V303301 590.- O 30 \cap 340.- O V30020102 Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock 21 2 0 V20460J 340.- O 9 Comfort jacks, rear (2 units) \cap V20062J Frame extension incl. 450 kg garage load 19) 420.- O 30 0 V3055010 260.- O 0.5 Security lock for habitation door Bicycle rack for two bicycles, manually lowerable, max. load 50 kg V3023013 930.- 0 17 0 Bicycle rack for 4 bicycles, max. load: 60 kg V3023012 390.- O 14 \cap Electric roof vent with function supply and exhaust air at kitchen 23) 22) V3009011 390.- O 5 0 V3011016 12 HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom 510.- 0 0 V3020211 Electric entrance step on cab door (when opening the cab door the step automatically extends) 390.-8 0 V3055012 Security lock for cab and habitation door 510.-0 1 170.- — Skylight in the front with blackout blind and mosquito net, $40 \times 40 \text{ cm}^{39)}$ V3008010 2 \circ Outfitting V501001 External shower, located in garage 250.- O 0 1 V400701 Front overhead lockers instead of pull-down bed (incl. front skylight) 470.--16 0 680.- -V2087513 Height- and tilt adjustment for pilot seats 10 0 Living and bedroom + lighting V4036612 Overhead lockers above rear beds instead of open shelves 300.- 0 4 0 4 pillows 2 V600301 170.- 0 0 V4034011 Sleeping system with cup-slatted bed frame for rear bed(s) 420.- O 3 0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

		Price £	Exsis-t 580 Pure	Exsis-i 580 Pure	Excess weight (kg
V60170J	Fitted sheets made to measure for rear beds individually adapted to mattress contours	210	0	0	1
V4006110	XXL bed, extra long mattress incl. semi-high wardrobe (instead of floor-to-ceiling wardrobe)	300	0	0	2.5
Kitchen					
V4020012	Cooker-/oven combination	760	0	0	29
Installation & T	echnology				
V5028013	6 kW gas warm air heating with 10 l warm water boiler and 1,800 W electric bar heater	510	0	0	1
V30325J	Gas bottle slide out	600	0	0	15
V50230J	External gas socket with shut-off valve	170	0	0	1
V5012511	Second habitation battery (95 Ah AGM) incl. additional 18 A charger ²⁶⁾	420	0	0	30
V5012513	HYMER Smart Battery System (50 Ah Lithium) incl. additional 18 A charger and battery computer 41) 28)	1,020	0	0	10
V5012512	HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer ^{28) 27)}	2,480	0	0	25
V5047029	Solar panel with MPPT controller and display, 2 x 95 W	1,450	0	0	16
V5033014	Roof AirCon, 2,400 W ²²⁾	1,960	0	0	33
V5020010	Electric floor tempering in habitation area and central walkway ²⁹⁾	590	0	0	10
V3064012	Toilet vent	250	0	0	1
Multimedia					
V50400115	Multimedia SatNav System with 9" Touchscreen incl. motorhome software, DAB+, Apple Car Play, Google Android Auto as well as rear-view mirror function 31)30)42)	1,970	0	0	3
V5055011	Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVD drive, DVB-T / C, DVB-S2, wiring as well as wall bracket	1,230	0	0	13
Fabrics & Furni	ture finishes				
V100904011	Furniture finish: Chiavenna Nut		•	•	0
V100704096	Fabric combination: Denver	250	0	0	0
V100704131	Fabric combination: Jandia	300	0	0	0
V100704091	Textile leather-/ fabric combination: Dalana	850	0	0	4
V100704125	Textile leather-/ fabric combination: Marquis	850	0	0	4
V602104011	Carpet: Laguna	340	0	0	7
V602104009	Carpet: Samona	340	0	0	7
Packages					
V8028915	Style package for integrated FIAT models	640	_	0	0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

* 60

PRICES AND TECHNICAL DATA HYMER T-CLASS S









	T-Class S 585	T-Class S 680	T-Class S 685	T-Class S 695
Price a)£	81,030	81,030	81,030	81,030
Standard chassis	Mercedes-Benz Sprinter 315 CDI	Mercedes-Benz Sprinter 315 CDI	Mercedes-Benz Sprinter 315 CDI	Mercedes-Benz Sprinter 315 CDI
Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive
kW (hp)	110 (150)	110 (150)	110 (150)	110 (150)
Length / Width / Height (cm)	709 / 229 / 296 ¹⁾	739 / 229 / 296 1)	739 / 229 / 296 1)	739 / 229 / 296 1)
Body width / Internal width (cm)	219 / 212	219 / 212	219 / 212	219 / 212
Standing height in living area (cm)	204	204	204	204
Wheelbase (mm)	3924	3924	3924	3924
Mass in running order (kg)*	3003 (2853 - 3153)*	3023 (2872 - 3174)*	3013 (2862 - 3164)*	3013 (2862 - 3164)*
Manufacturer-specified mass for optional equipment (kg)*	119	96	66	81
Technically permissible maximum laden mass (kg)*	3500	3500	3500	3500
Technically permissible maximum towable mass (kg)*	2000 ²⁾	2000 ²⁾	2000 ²⁾	2000 ²⁾
Permitted number of seats (including driver)*	4 - 5 O ³⁾	4-50 ³⁾	3-40 ³⁾	3-40 ³⁾
Insulation Floor / Wall / Roof (mm)	41/34/34	41/34/34	41/34/34	41/34/34
Overall clearance storage- / garage door resp. flap W x H (cm)	80 x 116 / 75 x 85 O	93 x 116 / 75 x 85 O	93 x 116 / 75 x 85 O	93 x 100 / 65 x 65 O
Bed dimension: Pull-down bed L x W (cm)	188 x 130 - 105	188 x 130 - 105	188 x 130 - 105	188 x 130 - 105
Bed dimension: Rear bed L x W (cm)	193 x 83 / 187 x 83 / 209 x 83 O	200 x 83 / 196 x 83	202 x 83 / 205 x 83	190 x 150
Bed dimension: Central bed L x W (cm)	195 x 125 - 40 O	195 x 125 - 40 O	195 x 91 O	195 x 91 O
Berths	2-50	2-50	2-50	2-50
Bathroom W x D (cm)	105 x 85	90 x 81	90 x 81	90 x 81
Separate shower W x D (cm)		73 x 68	73 x 68	73 x 68
Kitchen, W x D x H, approx. cm	89 x 78 x 93	90 x 86 x 93	97 x 78 x 93	97 x 78 x 93
Fridge volume (of which freezer compartment) (I)	152/1420	152/1420	152/1420	152/1420
Standard heating	Diesel warm air, 6 kW	Diesel warm air, 6 kW	Diesel warm air, 6 kW	Diesel warm air, 6 kW
Gas bottle storage (Filling weight)	2x 2.75kg 2x 11kg ()	2x 2.75kg 2x 11kg ()	2x 2.75kg 2x 11kg O	2x 2.75kg 2x 11kg ()
Total fresh water tank capacity (I)	110	110	110	110
Fresh water tank in driving filling level (I)	20	20	20	20
Waste water tank (I)	100	100	100	100
Standard habitation battery (Ah)	95 AGM	95 AGM	95 AGM	95 AGM
Sockets: 230 V/12 V/ USB	4/2/4	4/2/4	4/2/4	4/2/4

△ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factoryfitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER T-CLASS S

	T-Class	T-Class	r-Class	T-Class
Chassis				
Mercedes-Benz Sprinter 3.5 t - 315 CDI - 110 KW/150 hp - Euro VI-E ⁴³⁾	•	•	•	玊
Basis	_	_	_	Ļ
Exterior colours: White cab / White body	•			•
Exterior body colour: White				•
Mercedes-Benz Original ladder-type frame 6-speed transmission				
65 fuel tank				
22 I AdBlue tank	•	•	•	•
Broad gauge, rear axle	•	•	•	•
Electrically adjustable and heated exterior mirrors	•		•	•
Mercedes-Benz noise reduction: Engine compartment insulation and underbody panelling	•	•	•	•
Daytime Running Light integrated in headlights	•		•	•
Mud flaps, rear axle	•	•	•	•
Reinforced front axle	•		•	•
16" steel rims with wheel hub cover and all season tyres	•	•	•	•
ECO Start-Stop feature	•	•	•	•
Electric cab windows and central locking for cab	•	•	•	•
Electric parking brake	•			•
Driver and passenger airbag				
Cupholder driver and passenger seat Keyless Start (start-stop button for comfortable engine start)				
Hinged lid for central storage compartment on the dashboard				
Multifunctional steering wheel	•		•	•
ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program)	•	•	•	•
Automatic headlight control	•	•	•	•
Crosswind Assist	•	•	•	•
Cruise Control incl. steering wheel multifunction buttons	•	•	•	•
Semi-automatic climate control TEMPMATIK				
Body				
Electric entrance step on habitation door, 2 steps	•	•	•	•
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology	•	•	•	•
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load.	•	•	•	•
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side	•	•	•	•
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness)	•	•	•	•
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin	•	•	•	•
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin	•	•	•	•
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin	•	•	•	•
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation	•	•	•	•
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm	•	•	•	
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm	•	•	•	•
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged				•
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear			•	• • • • • • • • • • • • • • • • • • • •
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45)				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt	•		• • • • • • • • • • • • • • • • • • •	
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt Foldable and movable table				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm Skylight ganoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt Foldable and movable table Cab blinds				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt Foldable and movable table				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt Foldable and movable table Cab blinds Mosquito net on habitation door				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt Foldable and movable table Cab blinds Mosquito net on habitation door Living and bedroom + lighting				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt Foldable and movable table Cab blinds Mosquito net on habitation door Living and bedroom + lighting Pleated blind between living room and bedroom in textile finish				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight ffrosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt foldable and movable table Cab blinds Mosquito net on habitation door Living and bedroom * lighting Pleated blind between living room and bedroom in textile finish Cold foam mattress incl. high-quality mattress pad (knitted fabric) for better ventilation in the rear				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt Foldable and movable table Cab blinds Mosquito net on habitation door Living and bedroom + lighting Pleated blind between living room and bedroom in textile finish Cold foam mattress incl. high-quality mattress pad (knitted fabric) for better ventilation in the rear Modern, linear interior design Optimal space and generous sense of space Complete LED interior lighting				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt Foldable and movable table Cab blinds Mosquito net on habitation door Living and bedroom * lighting Pleated blind between living room and bedroom in textile finish Cold foam mattress incl. high-quality mattress pad (knitted fabric) for better ventilation in the rear Modern, linear interior design Optimal space and generous sense of space Complete LED interior lighting LED worktop lighting				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt Foldable and movable table Cab blinds Mosquito net on habitation door Living and bedroom # lighting Pleated blind between living room and bedroom in textile finish Cold foam mattress incl. high-quality mattress pad (knitted fabric) for better ventilation in the rear Modern, linear interior design Optimal space and generous sense of space Complete LED interior lighting LED worktop lighting LED waning light				
Electric entrance step on habitation door, 2 steps Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage door, RH side Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Comfort habitation door with window, blackout blind and integrated waste bin Window in habitation door incl. blackout blind and integrated waste bin GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight above cab, manually hinged Opening windows with blackout blind and mosquito net, LH and RH side, rear Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 44) 45) Front seating group with 2 integrated 3-point belts Front couch/couch seating incl. 3rd seat (integrated folding seat) on the LH side as well as 3-point seat belt Foldable and movable table Cab blinds Mosquito net on habitation door Living and bedroom + lighting Pleated blind between living room and bedroom in textile finish Cold foam mattress incl. high-quality mattress pad (knitted fabric) for better ventilation in the rear Modern, linear interior design Optimal space and generous sense of space Complete LED interior lighting LED worktop lighting				

	T-Class S 585	T-Class S 680	T-Class S 685	T-Class S 695
Freely arrangeable kitchen drawers, extra wide	•	•	•	•
152 l compressor fridge	•	•	•	•
Extra deep sink with tight-fitting chopping board and high water tap	•	•	•	•
Bathroom				
Insertable shower base for optimal passage	_	•	•	•
Installation & Technology				
6 kW diesel warm air heating with warm water boiler as well as altitude kit	•	•	•	•
Gas bottle compartment with access via the external flap / door	•	•		•
LCD keypad for heating	•	•	•	•
110 I fresh water tank, insulated and heated (20 I in driving position)	•	•	•	•
100 I waste water tank, insulated and heated	•	•	•	•
Charging booster for safe charging of the habitation battery while driving (up to 70 A)	•	•	•	•
Reinforced battery, 12 V, 95 Ah AGM	•	•	•	•
Multimedia				
DAB Radio pre-installation	•	•	•	•
Fabrics & Furniture finishes				
Furniture finish: Sauvignon Oak in combination with Tip Printed	•	lacktriangle	lacktriangle	lacktriangle
Fabric combination: Palm Black	•		•	•
Packages				
Extended standard equipment without surcharge	•	•	•	•

EQUIPMENT LINES HYMER T-CLASS S

	Extended standard equipment without surcharge	Equipment Line Plus	Equipment Line Premium
Semi-automatic climate control TEMPMATIK	•	•	-
Cruise Control incl. steering wheel multifunction buttons	•	•	•
Electric parking brake	•	•	•
Multifunctional steering wheel	•	•	•
Reinforced front axle	•	•	•
DAB Radio pre-installation	•	•	•
9G-TRONIC automatic transmission incl. Hold function	-	•	•
10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera	-	•	•
Leather steering wheel (automatic transmission only)	-	•	•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons	_	•	•
Instrument cluster with colour display	-	•	•
Mercedes-Benz acoustics package	_	•	•
LED High-Performance headlights	_	_	•
Shelf for smartphones incl. wireless charging with charge level indicator	_	_	•
Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)	-	-	•
Fully automatic climate control THERMOTRONIC incl. rain sensor	_	_	•
Excess weight Equipment line (kg)*	0	36	41
Package price £		6,570	9,150
Special price £		6,160	8,550
You save £		410	600

 \triangle Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKAGES HYMER T-CLASS S

Driver Assistance package	Price £
Active Lane Keeping Assist	510
Attention Assist	80
High Beam Assist	330
Traffic Sign Assist	330
Heated windscreen	390
Heat-insulating glass with band filter on windscreen	250
Package price	1,890
Special price	1,710
You save	180
Excess weight (kg)*	0

Style package	Price £
Chrome grill	300
Bumper, attachment parts and grill frame painted in vehicle colour	680
Fog lights with cornering light	250
Package price	1,230
Special price	900
You save	330
Excess weight (kg)*	2

Living Comfort package T-Class S 585, 680, 685	Price £
Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB	340
4 pillows	170
Ambient lighting	510
Fitted sheets made to measure for rear beds individually adapted to mattress contours	210
External storage flap, 75 x 85 cm, LH side	250
Package price	1,480
Special price	930
You save	550
Excess weight (kg)*	10

Living Comfort package T-Class S 695	Price £
Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB	340
4 pillows	170
Ambient lighting	510
Fitted sheets made to measure for rear beds individually adapted to mattress contours	210
External storage flap, 65 x 65 cm, LH side	250
Package price	1,480
Special price	930
You save	550
Excess weight (kg)*	10

 \triangle Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER T-CLASS S

		Price £	T-Class S 585	T-Class S 680	T-Class S 685	T-Class S 695	Excess weight
Chassis	25(42)						
	Mercedes-Benz Sprinter 3.5 t - 317 CDI - 125 KW/170 hp - Euro VI-E 35) 43)	1,710		0	0	0	0
	Mercedes-Benz Sprinter 4.2 t - 415 CDI - 110 KW/150 hp - Euro VI-E 46)	1,190		0	0	0	13
	Mercedes-Benz Sprinter 4.2 t - 417 CDI - 125 KW/170 hp - Euro VI-E 46) 35)	2,900	0	0	0	0	13
V201103500	Downplating to 3.5 t (Mercedes-Benz Sprinter 415 / 417 CDI only)			•	•	•	0
V201103880	Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 CDI only)		_	<u> </u>			0
Basis V20250115	Exterior cab colour: Black / Grey	330		0	0	0	0
V20250115 V20250119	Exterior cab colour: Obsidian black (Metallic)	1,240		0		0	0
V20250113 V20250144	Exterior cab colour: Tenorite grey (Metallic)	1,240		0	0	0	0
V20250144 V20250146	Exterior cab colour: Iridium silver (Metallic)	1,240		0	0	0	0
V20230140 V2051092	92 I fuel tank	330		0	0	0	22
V2031032 V2023010	GRP leaf spring instead of steel leaf spring ⁴⁷⁾	330		0	0	0	-16
V2052020	Chrome grill ⁴⁸⁾	300					2
V2062111	Fog lights with cornering light	250					0
V3051019	Bumper, attachment parts and grill frame painted in vehicle colour 48) 49)	680					0
V2007112	Trailer hitch pre-installation ⁵⁰⁾	130		0	0	0	0
V2113010	Wet Wiper System (windscreen wiper with integrated spray nozzles) 51)	90		0	0	0	0
V2021027	16" alloy wheels (black) with all season tyres ¹³⁾	1,020		0	0	0	0
V2021041	17" alloy wheels (silver) with summer tyres ¹³⁾	1,240		0	0	0	4
V2054512	Leather steering wheel and gear knob lever (manual transmission only)	250		0	0	0	0
V2049813	Open shelf cockpit passenger side	120		0	0	0	0
V20855J	Seat heating and lumbar support for Original Mercedes-Benz seats	620			0	0	0
Body							
V7003213	Design graphics: Tenorite grey ⁵²⁾	420	0	0		_	0
V30522150	Awning with adapter, white housing, 400 x 250 cm ¹⁸⁾	1,240		0	0	0	32
V30522160	Awning with adapter, white housing, 450 x 250 cm ¹⁸⁾	1,360	0	0	0	0	35
V2007111	Trailer hitch, detachable ball head (incl. pre-installation) 19)50)	1,590	0	0	0	0	63
V30590114	External storage flap, 65 x 65 cm, LH side	250	_	_	_		3
V30590117	External storage flap, 75 x 85 cm, LH side	250				_	3
V30330J	GRP roof coating ²⁰⁾	590	0	0	0	0	30
V30020102	Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock 21)	340	0	0	0	0	2
V20460J	Comfort jacks, rear (2 units)	340	0	0	0	0	9
V3055010	Security lock for habitation door	260	0	0	0	0	0.5
V3023012	Bicycle rack for 4 bicycles, max. load: 60 kg	390	0	0	0	0	14
V3023013	Bicycle rack for two bicycles, manually lowerable, max. load 50 kg	930	0	0	0	0	17
V3009011	Electric roof vent with function supply and exhaust air at kitchen ^{22) 23)}	390		0	0	0	5
V3011016	HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom	510	0	0	0	0	12
Outfitting							
V40460J	4th seat on the right incl. integrated folding seat with 3-point belt		_	_	•	•	15
V4062010	5th seat with lap belt on seat bench, RH side against direction of travel	510	0	0	_	_	38
V60230J	Partitioning curtain in the rear	170		0	0	_	0
V60240J	Insulated partitioning curtain for cab, double-layered sewn	300	0	0	0	0	2
V50100J	External shower, located in garage	250	0	0	0	0	1
Living and bed							
V40220E	Lowerable double bed above the seating group with cold foam mattress, electric ⁵³⁾	1,710		0	0	0	40
V60285J	Bed conversion for L-shaped seating group incl. lowerable table	390		0		_	5
V60280J	Bed conversion for seating group incl. additional cushion and lowerable table	390		0	0	0	5
V4036612	Overhead lockers above rear beds instead of open shelves	300	0	0	0	0	4
V4044017	Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts	420	_	0	_	_	10
V4040012	Wooden sliding doors between living room and bedroom ¹³⁾	250	-	_	_	0	9.5



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

		Price £	T-Class S 585	T-Class S 680	T-Class S 685	T-Class S 695	Excess weight (kg
V4006110	XXL bed with extra long lying surface (+22 cm) incl. medium-height wardrobe instead of floor-to-ceiling wardrobe $^{13)}$	300	0	_	_	_	2.5
V60260J	Additional cushion between the longitudinal single beds incl. integrated comfort access	390	0	0	0	_	4
V50290J	Ambient lighting	510					1
Kitchen							
V40020J	Separate oven above fridge ⁵⁴⁾	570	_	0	0	0	10.5
Bathroom							
V40210J	Wooden shower slats	140	0				3
Installation & T	echnology						
V5028021	$6kW$ Diesel warm air heating with $10l$ warm water boiler, altitude kit and $1,\!800W$ electric bar heater	500	0	0	0	0	2
V5028012	6 kW gas warm air heating with 10 I warm water boiler and 142 I absorber refrigerator ^{55) 13)}	250	0	0	0	0	16.5
V5028013	6 kW gas warm air heating with warm water boiler, 1,800 W electric bar heater and 142 l absorber refrigerator $^{55)13)}$	750	0	0	0	0	18
V5026013	Automatic gas bottle changeover system with crash sensor and IceEx ^{24) 25) 54)}	320	0	0	0	0	3
V50250J	Gas filter for automatic gas bottle changeover ⁵⁴⁾	170	0	0	0	0	0
V50230J	External gas socket with shut-off valve ⁵⁴⁾	170	0	0	0	0	1
V5012511	Second habitation battery (95 Ah AGM) incl. additional 18 A charger ²⁸⁾	420	0	0	0	0	30
V5012513	HYMER Smart Battery System (50 Ah Lithium) incl. additional 18 A charger and battery computer 28) 41)	1,020	0	0	0	0	10
V5012512	HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer 28) 27)	2,480	0	0	0	0	25
V5047029	Solar panel with MPPT controller and display, 2 x 95 W	1,450	0	0	0	0	16
V80288J	Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB	340					3
V5033014	Roof AirCon, 2,400 W ²²⁾	1,960	0	0	0	0	33
Multimedia							
V5054610	22" TV bracket	320	0	0	0	0	4
V5054513	22" Smart LED-TV with built-in speakers, remote control, DVD drive 32)	830	0	0	0	0	9
V50440126	Digital satellite dish, 65 cm	2,220	0	0	0	0	14.5
V50440116	Digital flat antenna, without receiver	2,310	0	0	0	0	17
V50440123	Digital satellite dish, 80 cm, without receiver	2,480	0	0	0	0	14.5
Fabrics & Furn							
	Fabric combination: Corfu ^{56) 45)}	850	0	0	0	0	0
V100704123	Fabric combination: Gomera ^{56) 45)}	850	0	0	0	0	0
V100704091	Textile leather-/ fabric combination: Dalana 45) 56)	1,710	-	0	0	0	4
V100704125	Textile leather-/ fabric combination: Marquis ^{56) 45)}	1,710		0	0	0	4
V602104009	Carpet: Samona	340	-	0		0	7
V602104011	Carpet: Laguna	340	0	0	0	0	7
Packages	- · · · · · - · · · · · · · · · · · · ·			_			
V8011615	Equipment Line Plus ⁵⁷⁾	6,160		0	0	0	36
V8011715	Equipment Line Premium ⁵⁷⁾	8,550		0	0	0	41
V8011514	Driver Assistance package ⁵⁸⁾	1,710		0	0	0	0
V8028914	Style package ⁴⁹⁾	900	_	0	0	0	10
V8039017 V8039017	Living Comfort package T-Class S 585, 680, 685	930		0	0	_	10
A0023011	Living Comfort package T-Class S 695	930	_			0	10



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

*(g)

PRICES AND TECHNICAL DATA HYMER ML-T





Price ^{a)} £	86,760	87,610
Standard chassis	Mercedes-Benz Sprinter 415 CDI	Mercedes-Benz Sprinter 415 CDI
Drive	Rear Wheel Drive / All Wheel Drive O	Rear Wheel Drive / All Wheel Drive O
kW (hp)	110 (150)	110 (150)
Length / Width / Height (cm)	674 / 222 / 290 ¹⁾	698 / 222 / 290 ¹⁾
Body width / Internal width (cm)	212 / 205	212 / 205
Standing height in living area (cm)	198	198
Wheelbase (mm)	3665	3665
Mass in running order (kg)*	2960 (2812 - 3108)*	2980 (2831 - 3129)*
Manufacturer-specified mass for optional equipment (kg)*	182	160
Technically permissible maximum laden mass (kg)*	3500	3500
Technically permissible maximum towable mass (kg)*	2000 ²⁾	2000 ²⁾
Permitted number of seats (including driver)*	4 3)	4 3)
Insulation Floor / Wall / Roof (mm)	41/34/34	41/34/34
Overall clearance storage- / garage door resp. flap W x H (cm)	75 x 121	100 x 121
Bed dimension: Rear bed L x W (cm)	189 x 80 / 179 x 80	190 x 80 / 184 x 80 / 210 x 80 O
Bed dimension: Central bed L x W (cm)	175 x 79 O	175 x 79 O
Berths	2-30	2-30
Bathroom W x D (cm)	105 x 83	125 x 86
Wardrobe W x D x H (cm)	90 x 71 x 85	21 x 55 x 180 / 67 x 71 x 85
Kitchen, W x D x H, approx. cm	94 x 58 x 93	94 x 58 x 93
Fridge volume (of which freezer compartment) (I)	142 / 152 O	142/152 🔿
Standard heating	Gas warm air, 6 kW	Gas warm air, 6 kW
Gas bottle storage (Filling weight)	2x 11kg	2x 11kg
Total fresh water tank capacity (I)	120	120
Fresh water tank in driving filling level (I)	20	20
Waste water tank (I)	100	100
Standard habitation battery (Ah)	95 AGM	95 AGM
Sockets: 230 V/12 V/USB	4/1/3	4/1/3

△ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturerspecified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory. fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER ML-T

Chassis Mercedes-Benz Sprinter 3.5 t - 415 CDI - 110 KW/150 hp - Euro VI-E Exterior colours: White cab / White body Exterior body colour: White Mercedes-Benz Original ladder-type frame 6-speed transmission 71 I fuel tank (93 I if ordered with optional All Wheel Drive) 22 I AdBlue tank ECO Start-Stop feature 59) Electric parking brake Electrically adjustable and heated exterior mirrors Driver and passenger airbag Daytime Running Light integrated in headlights Mud flaps, rear axle Reinforced front axle Trailer hitch pre-installation 16" steel rims with wheel hub cover and all season tyres Electric cab windows and central locking for cab Semi-automatic climate control TEMPMATIK Keyless Start (start-stop button for comfortable engine start) Hinged lid for central storage compartment on the dashboard Steering wheel, height and tilt adjustable Multifunctional steering wheel Open shelf cockpit passenger side Heat-insulating glass with band filter on windscreen ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Brake Assist Automatic headlight control Hill Start Assist Crosswind Assist Cruise Control incl. steering wheel multifunction buttons Body 60 cm Maxi habitation door with inner shell, window with blackout blind and waste bin Exterior flap to load the L-shaped seating group from outside, LH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Large garage doors, LH and RH side Rear design graphics Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Outfitting Cab blinds Mosquito net on habitation door Original Mercedes-Benz Comfort seat, upholstered in living area fabric 45) 44) Front seating group with 2 integrated 3-point belts Flyscreen and blackout blinds on all windows Living and bedroom + lighting Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Complete LED interior lighting LED awning light Partitioning curtain between bed- and living room Kitchen Kitchen drawer with Servo Soft feature Freely arrangeable kitchen drawers, extra wide 142 | Smart-Tower fridge

	2	2
Installation & Technology		
6 kW gas warm air heating with 10 I warm water boiler	•	•
Gas bottle compartment with access via the external flap / door	•	•
LCD keypad for heating	•	•
Warm air heating in the rear bedroom, adjustable separately	•	•
120 I fresh water tank, insulated and heated (20 I in driving position)	•	•
100 I waste water tank, insulated and heated	•	•
Electric waste water drainage		•
Charging booster for safe charging of the habitation battery while driving (up to 70 A)	•	•
Reinforced battery, 12 V, 95 Ah AGM	•	•
Multimedia		
Radio / TV pre-installation at sideboard incl. 12 V and 230 V socket, 2 speakers in the cab, low-profile bonnet as well as rear bedroom, radio and DVB-T2 antenna	•	•
DAB Radio pre-installation	•	•
Fabrics & Furniture finishes		
Furniture finish: Chiavenna Nut	•	•
Fabric combination: Janeiro	•	•
Packages		
Extended standard equipment without surcharge	•	•

EQUIPMENT LINES HYMER ML-T

	Extended standard equipment without surcharge	Equipment Line Plus	Equipment Line Premium
Semi-automatic climate control TEMPMATIK	•	•	_
Cruise Control incl. steering wheel multifunction buttons	•	•	•
Multifunctional steering wheel	•	•	•
Electric parking brake	•	•	•
Reinforced front axle	•	•	•
DAB Radio pre-installation	•	•	•
9G-TRONIC automatic transmission incl. Hold function	_	•	•
10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera	-	•	•
Leather steering wheel (automatic transmission only)	-	•	•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons	_	•	•
Instrument cluster with colour display	_	•	•
Mercedes-Benz acoustics package	_	•	•
Weight saving with x19 engine and automatic transmission (- 9 kg)	_	•	•
Fully automatic climate control THERMOTRONIC incl. rain sensor	_	-	•
Shelf for smartphones incl. wireless charging with charge level indicator	-	-	•
Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)	_	-	•
LED High-Performance headlights			•
Excess weight Equipment line (kg)*	0	46	51
Package price £		6,570	9,150
Special price £		6,160	8,550
You save £		410	600

 \triangle Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKAGES HYMER ML-T

Package	Autonomy package XL	Autonomy package Lithium
HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer	v	х
Third habitation battery (95 Ah AGM)	x	
Inverter 12 V to 230 V, 1,800 W with network priority circuit	x	x
Third habitation battery HYMER Smart Battery System (150 Ah Lithium)		x
Package price £	4,350	6,410
Special price £	4,040	5,730
You save £	310	680
Excess weight (kg)*	62	57

Driver Assistance package	Price £
Active Lane Keeping Assist	510
Attention Assist	80
High Beam Assist	330
Traffic Sign Assist	330
Heated windscreen	390
Special price	1,710
Excess weight (kg)*	0

Style package	Price £
Chrome grill	300
Bumper, attachment parts and grill frame painted in vehicle colour	680
Fog lights with cornering light	250
Package price	1,230
Special price	1,020
You save	210
Excess weight (kg)*	2

Living Comfort package 4	Price £
Wooden shower slats	140
Fitted sheets made to measure for rear beds individually adapted to mattress contours	210
4 pillows	170
Ambient lighting	510
Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling	420
Package price	1,450
Special price	1,190
You save	260
Excess weight (kg)*	10

Arctic package	Price £
Warm water heating	2,480
Heat exchanger for warm water heating	850
Heat exchanger pre-installation, Mercedes-Benz	340
Warm water floor heating	850
Warm water garage floor heating	420
Insulated partitioning curtain for cab, double-layered sewn	300
Insulating mat for cab footwell, supplied loose	140
Auxiliary heating (supports heating when heating up the vehicle)	730
Checker plate floor as well as felt trim in the rear garage	340
Package price	6,450
Special price	4,950
You save	1,500
Excess weight (kg)*	111.5

 \triangle Not yet known at the time of publication



* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER ML-T

Chassis		Price £	ML-T 570	ML-T 580	Excess weig
Ondoors	Mercedes-Benz Sprinter 3.5 t - 417 CDI - 125 KW/170 hp - Euro VI-E	850	0	0	0
	Mercedes-Benz Sprinter 3.5 t - 419 CDI - 140 KW/190 hp - Euro VI-E 59)	4,280	0	0	14
V201103880	Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 / 419 CDI only)	220	0	0	0
V201104100	Weight variant 4,100 kg (Mercedes-Benz Sprinter 415 / 417 / 419 CDI only)	220	0	0	0
Basis					
V20250115	Exterior cab colour: Black / Grey	330	0	0	0
V20250119	Exterior cab colour: Obsidian black (Metallic)	1,240		0	0
V20250144	Exterior cab colour: Tenorite grey (Metallic)	1,240		0	0
V20250146	Exterior cab colour: Iridium silver (Metallic)	1,240		0	0
V3003011	Exterior body colour: Crystal-Silver Metallic	2,560		0	30
V2006810	Permanent All Wheel Drive incl. 93 I fuel tank 60) 61) 62) 63) 59) 64) 65)	5,990	0	0	163
V20420A	Weight saving with x19 engine and automatic transmission (- 9 kg)		•	•	-9
V2051093	93 I fuel tank	330		0	24
V2052020	Chrome grill ⁴⁸⁾	300			2
V2077113	LED High-Performance headlights ⁶⁵⁾	1,710		0	2
V2115010	Mercedes-Benz engine compartment insulation for noise reduction ⁶⁶⁾	250		0	10
V2062111	Fog lights with cornering light	250			0
V3051019	Bumper, attachment parts and grill frame painted in vehicle colour ^{48) 49)}	680			0
V2113010	Wet Wiper System (windscreen wiper with integrated spray nozzles) 51)	90 420		0	0
V3071010	Central locking for cab, habitation as well as garage doors ⁶⁷⁾ 16" allov wheels (silver) with all season tyres ¹³⁾			0	0
V2021027 V2021041	17" alloy wheels (silver) with all season tyres ¹³⁾ 68)	1,020 1,240		0	4
V2021041 V2021032	16" steel rim (black) with studded tyres (All Terrain) 69) 70) 71) 72)	1,710		0	16
V2021032 V2035116	16" steel spare wheel incl. bracket in the rear storage compartment ⁷³⁾	300		0	25
V2035116 V2035115	16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall ^{74) 73)}	510		0	32
V2035113	16" steel spare wheel with studded tyres (All Terrain) incl. mounting bracket on the outside of the rear wall 74) 69) 75)	680	_	0	39
V2017810	Illuminated driver and passenger exit	120	0	0	0
V20410J	Cupholder instead of storage compartment	60		0	0
V2054512	Leather steering wheel and gear knob lever (manual transmission only)	250	-	0	0
V2074010	Tyre pressure sensors ^{76) 70)}	420		0	0
V20855J	Seat heating and lumbar support for cab seats, adjustable separately	620	-	0	0
Body			Š	Š	
V30522150	Awning with adapter, white or silver housing, 400 x 250 cm ¹⁸⁾	1,240	0	0	32
V2007111	Trailer hitch, detachable ball head (incl. pre-installation) ¹⁹⁾	1,500	0	0	63
V3014014	Roof rack with rear ladder and checker plate roof panel 77,78,79)	590	0	0	15
V3014012	Roof rack with rear ladder without checker plate roof panel ⁷⁹⁾	510	0	0	8
V30330J	GRP roof coating ^{20) 77)}	590	0	0	30
V30020102	Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock 21)	340	0	0	2
V20460J	Comfort jacks, rear (2 units)	340	0	0	9
V20062J	Frame extension incl. 450 kg garage load ¹⁹⁾	420	0	0	30
V3055010	Security lock for habitation door	260	0	0	0.5
V2100610	Engine / Underride protection ^{69) 66)}	250		0	15.5
V3023013	Bicycle rack for two bicycles, manually lowerable, max. load 50 kg 80)	930		0	17
V3023012	Bicycle rack for 4 bicycles, max. load: 60 kg 80)	390		0	14
V3009011	Electric roof vent with function supply and exhaust air at kitchen ^{22) 23)}	390	_	0	5
V3011016	HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom ⁸¹⁾	510	0	0	12
Outfitting					
V2082013	Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests	680			10
V30310J	Checker plate floor as well as felt trim in the rear garage	340			18.5
V50100J	External shower, located in garage	250	O	0	1



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

		Price £	ML-T 570	ML-T 580	Excess we
Living and bed					
V4044017	Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts	420	0	0	10
V60285J	Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat	340	0	0	5
V4034011	Sleeping system with cup-slatted bed frame for rear bed(s)	420	0	0	3
V60170J	Fitted sheets made to measure for rear beds individually adapted to mattress contours	210			1
V4006110	XXL bed, extra long mattress incl. semi-high wardrobe (instead of floor-to-ceiling wardrobe)	300	_	0	2.5
V60280J	Additional cushion for further sleeping possibility including the cab seat	340	0	0	5
V60260J	Additional cushion between the longitudinal single beds with ladder	390	0	0	4
V60030J	4 pillows	170			2
V50290J	Ambient lighting	510			1
Kitchen					
V4020012	Cooker- / oven combination	760		0	29
V40310130	152 I compressor fridge	340	0	0	0
Bathroom					
V40210J	Wooden shower slats	140	므		3
Installation & T	· ·				
V5028013	6 kW gas warm air heating with 10 l warm water boiler and 1,800 W electric bar heater	510		0	1
V5028021	6 kW Diesel warm air heating with 10 l warm water boiler, altitude kit and 1,800 W electric bar heater 82)	1,710			2
V5028014	Warm water heating 83)	2,480			55
V30325J	Gas bottle slide out	600		0	15
V5026013	Automatic gas bottle changeover system with crash sensor and IceEx ^{25) 24)}	320		0	3
V50250J	Gas filter for automatic gas bottle changeover ²⁵⁾	170		0	0
V50230J	External gas socket with shut-off valve	170		0	1
V5012511	Second habitation battery (95 Ah AGM) incl. additional 18 A charger ²⁶⁾	420		0	30
V5012512	HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer ^{27) 26)}	2,480			25
V5012612	Third habitation battery HYMER Smart Battery System (150 Ah Lithium) 27)	2,480			25
V5047029 V80288J	Solar panel with MPPT controller and display, $2 \times 95 \text{ W}^{-81/78}$ Additional sockets: $4 \times 230 \text{ V} / 1 \times 12 \text{ V} / 2 \times \text{Twin-USB}$ (USB-A/C) incl. kitchen wall panelling	1,450 420		0	16
	Electric floor tempering in habitation area and central walkway ^{84) 29) 82)}				10
V5020010 V5033014	Roof AirCon, 2,400 W	590		0	10 33
V3053014 V3064012	Toilet vent	1,960 250	_	0	1
Multimedia	Tollet Verit	250		_	
Widitiffedia	22" or 32" TV bracket	320		0	4
	22" Smart LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system				
V5054513	(DVB-T / C, DVB-S2) incl. receiver ³²⁾	1,110	0	0	7
V5054514	32" Smart LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system (DVB-T / C, DVB-S2) incl. receiver ³²⁾	1,530	0	0	10
V5055011	Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVD drive, DVB-T / C, DVB-S2, wiring as well as wall bracket 33)	1,230	0	0	13
V50440116	Digital flat antenna, without receiver	2,310	0	0	17
V50440123	Digital satellite dish, 80 cm, without receiver	2,480	0	0	14.5
V50440124	Digital satellite dish, 80 cm, Twin LNB	2,730	0	0	15.5
Fabrics & Furn	iture finishes				
V100904014	Furniture finish: Noce Cognac		•	•	0
V100704132	Fabric combination: Lorane		•	•	0
V100704131	Fabric combination: Jandia		•	•	0
V100704076	Fabric combination: Grazia (Eco Tech Material)	850	0	0	0
V100704091	Textile leather-/ fabric combination: Dalana	850	0	0	4
V100704125	Textile leather-/ fabric combination: Marquis	850	0	0	4
V100704090	Leather: Grigio	2,560	0	0	6.5
V100704067	Leather: Napoli	2,560		0	6.5
V602104011	Carpet: Laguna	340	0	0	7



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

					weight (kg)*
		Price £	ML-T570	ML-T580	Excess weig
V602104009	Carpet: Samona	340	0	0	7
Packages					
Line2	Equipment Line Plus ^{57) 85)}	6,160	0	0	46
Line3	Equipment Line Premium 57) 85)	8,550	0	0	51
V8011512	Driver Assistance package ^{58) 57)}	1,710	0	0	0
V8028914	Style package	1,020	0	0	2
V8039012	Living Comfort package 4	1,190	0	0	10
V8007113	Autonomy package XL	4,040	0	0	62
V8007112	Autonomy package Lithium	5,730	0	0	57
V8005015	Arctic package ⁸⁶⁾	4,950	0	0	111.5

● Standard O Optional extra ▲ Mandatory
◆ On request (no extra cost) — Not possible □ Available in package Δ Not yet known at the time of publication $\,$ Please note the information on page 85 $\,$



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PRICES AND TECHNICAL DATA HYMER ML-T CROSSOVER



	ML-T 570 CrossOver
Price ^{a)} £	123,840
Standard chassis	Mercedes-Benz Sprinter 419 CDI
Drive	All Wheel Drive
kW (hp)	140 (190)
Length / Width / Height (cm)	689 / 222 / 305 ⁸⁷⁾
Body length (exterior), approx. cm	674
Body width / Internal width (cm)	212 / 205
Standing height in living area (cm)	198
Wheelbase (mm)	3665
Mass in running order (kg)*	3463 (3290 - 3636)* ⁸⁸⁾
Manufacturer-specified mass for optional equipment (kg)*	284
Technically permissible maximum laden mass (kg)*	4100
Technically permissible maximum towable mass (kg)*	1780 ⁸⁹⁾
Permitted number of seats (including driver)*	4 90)
Insulation Floor / Wall / Roof (mm)	41/34/34
Overall clearance storage- / garage door resp. flap W x H (cm)	75×121
Bed dimension: Rear bed L x W (cm)	189 x 80 / 179 x 80
Bed dimension: Central bed L x W (cm)	175 x 79
Berths	3
Bathroom W x D (cm)	105 x 83
Wardrobe W x D x H (cm)	90 x 71 x 85
Kitchen, W x D x H, approx. cm	94 x 58 x 93
Fridge volume (of which freezer compartment) (I)	152
Standard heating	Diesel warm air, 6 kW
Gas bottle storage (Filling weight)	2x 5kg
Total fresh water tank capacity (I)	120
Fresh water tank in driving filling level (I)	20
Waste water tank (I)	100
Standard habitation battery (Ah)	95 AGM
Additional habitation batteries (Ah)	2 x 150 Ah Lithium
Sockets: 230 V/12 V/USB	8/3/6

● Standard O Optional extra
♦ On request (no extra cost) — Not possible ☐ Available in package

 ${\color{red} \underline{\wedge}}$ Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER ML-T CROSSOVER

ML-T 570 CrossOver

Mercedes-Benz Sprinter 4.11-4.19 CDI - 140 KW/190 hp - Euro VI-E Bests Pormanent All Whoel Drive incl. 93 If uel tank Exterior coto colour: Tenorite grey (Metallic) Exterior body colour: Crystal-Siner Metallic Mercedes-Benz Original ladder-type frame Mercedes-Benz Original ladder-ty		Σ
Besies Permanent All Wheel Drive Incl. 92 I fuel tank Exterior code colour Tenoritie grey Metallic) Exterior code colour Crystal Silver Metallic Microdes Benz Original addoct type frame 9.0 FRONIC automatic transmission incl. Hold function (x19 CDI) 22 I AdBibe tank Adaptive Brake Light Electrically addistable and headed exterior mirrors Chrome grill Bilmper, attachment parts and grill frame painted in vehicle colour Fore lights with comerning light Mind Tangs, sear axile Bellings, sear axile Bellings, sear axile Renforcer front axile Taller hitch pre-installation Hard-insalating glass with band filter on windscreen Windscreen made of laminated glass Hard-insalating glass with band filter on windscreen Windscreen made of laminated glass Hard-insalating glass with band filter on windscreen Windscreen made of laminated glass Hard-insalating glass with band filter on windscreen Windscreen made of laminated glass Hard-insalating glass with band filter on windscreen Windscreen made of laminated glass Hard-insalating glass with band filter on windscreen United the search of the search of the search glass with band filter on windscreen United the search glass with band filter on windscreen United the search glass with band filter on windscreen United the search glass with band filter on windscreen United the search glass with band filter on windscreen United the search glass with band filter on windscreen United the search glass with band filter on windscreen United the search glass with band glass glass with band glass glass glass	Chassis The Control of the Control o	المراجع المراجع
Permanent All Wheel Drive incl. 93 Hout tank Exterior cab colour. Forstal-Silver Metallic Mercedes-Bero (figinal ladder-specified) 29. TRONIC automatic transmission incl. Hold function (x19 CDI) 22. J AlBibe tank Adaptive Brake Light Electrically adjustable and heated exterior mirrors Chrome grill Bumper, attachment parts and grill frame painted in vehicle colour For lighth with comming light Much flaps, rear axie Renforced Tront axie Trailer hitch pre-installation 10. Trailer hitch pre-		<u> </u>
Exterior abs colour. Tenorite grey (Metallic) Exterior body colour. Crystal Silver Motalic Marcades-Bera Original ladder-type frame 9-1 TRONIC automatic transmission incl. Hold function (x19 CDI) 22 I AdBiue tank Adaptive Brake Light Ada		
Exterior body colour: Crystal Silver Metallic Mercedes-Benz Criginal ladder-Sypt Frame 90-TRONIC automatic transmission incl. Hold function (x19 CDI) 221 AdBibe tank Adaptive Brake Light Electrically adjustable and heated exterior mirrors Chromoe grill Bumper, attachment parts and grill frame painted in vehicle colour For glights with comering light Mud flaps, rear axide Reinforced front axide Trailer hitch pre-installation Frailer hitch pre-installation Windscreen made of laminated glass Heated vindscreen Windscreen made of laminated glass Heated vindscreen 10-** steel mire black with studded tyres (All Terrain) Shelf for smartphones incl. wieless charging with charge level indicator Outside temperature display Electric cab windows and central locking for cab Electric parking braike Orber and passenger airbag Corter and passenger airbag Corter and passenger airbag Orber and passenger airbag Frailer steeling wheel (automatic transmission only) Storing whoel height and till adjustable Open shelf cockpit passenger side Brackdown kit (air compressor with additional valve) Power steering Light Journal Collinate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System) / ASR (Anti-Silo Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Darkane Assist Leuther steering wheel multifunction buttons (surcharge on Cruise Control) Active Darkane Assist Leuther Journal Collinate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System) / ASR (Anti-Silo Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Darkane Assist Leuther steering wheel multifunction buttons (surcharge on Cruise Control) Active Darkane Assist Leuther in the passent wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control i		
Mercedes-Benz Original ladder-type frame 9-0-TRONIC automatic transmission incl. Hold function (x19 CDI) 221 Adible trank Adaptive Brake Light Electrically adjustable and heated exterior mirrors Chrome grill Bumper, attachment parts and grill frame painted in vehicle colour Fog lights with cornering light Mund riags, rear size Reinforced front axie Trailer hich pric pristabilation Heat-insulating glass with band filter on windscreen Heat-insulating glass with band filter on windscreen Heat-insulating glass with studded tyres (All Terrain) Trailer hich pric pric instabilation Heat-insulating glass with studded tyres (All Terrain) Shelf for smartphones incl. wireless charging with charge level indicator Outside temperature display Lecture of the price		
90-TRONIC automatic transmission incl. Hold function (s19 CDI) 22 I AdBlue tank Adaptive Brake Light Electrically adjustable and heated exterior mirrors Chrome grill Bumper, attachment parts and grill frame painted in vehicle colour For lights with cornering light Mod flaps, rear axia Reinforced front axia Trailier hitch pre-installation Heat-insulating glass with band filter on windscreen Windscreen made of laminated glass Heat-insulating glass with band filter on windscreen Windscreen made of laminated glass Heat-deside windscreen 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel spare are are 16' steel spare with steel with studded tyres incl. bracket, exterior, fitted on rear wall 16' steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16' steel spare wheel with studded tyr		
221 Adultio tank Adaptive Brake Light Electrically adjustable and heated exterior mirrors Chrome grill Electrically adjustable and heated exterior mirrors Chrome grill Electrically adjustable and heated exterior mirrors Chrome grill Electric swith cornering light Outside the swith cornering light Outside the swith cornering light Outside the swith shand filter on windscreen Heat-insulating glass with band filter on windscreen Description of the properties of the propert		
Adaptive Brake Light Electrically adjustable and heated exterior mirrors Chrome grill Bumper, attachment parts and grill frame painted in vehicle colour Fog lights with cornering light Mud flaps, rear axie Reinforced front axie Trailer hitch pre-installation Heat-insulating glass with band filter on windscreen Windscreen made of laminated glass Heat insulating glass with band filter on windscreen Windscreen made of laminated glass Heat insulating glass with band filter on windscreen Windscreen made of laminated glass Heat insulating glass with band filter on windscreen Windscreen made of laminated glass Heat insulating glass with band filter on windscreen Windscreen made of laminated glass Heat insulating glass with band filter on windscreen Windscreen made of laminated glass Heat insulating glass with band filter on windscreen Windscreen made of laminated glass Heat insulating glass with band filter on windscreen Windscreen made of laminated glass Heat insulating glass with band glass with that glass with glas		
Electrically adjustable and heated exterior mirrors Chrome grill Bumper, attachment parts and grill frame painted in vehicle colour Fog lights with cornering light Wind flaps, rear ave Rolinforced front axle Trailer hitch pre-installation Heat-insulating glass with band filter on windscreen Windscreen made of laminated glass Hoated windscreen Frailer hitch pre-installation Fall state pre-i		
Chrome grill Bumper, attachment parts and grill frame painted in vehicle colour Fog lights with cornering light Mud flaps, rear axie Ronforced front axie Trailer hitch pre-installation Heat-insulating lass with band filter on windscreen Windscreen made of laminated glass Heat-dinable glass with the mainsted glass Heat-dinable glass with the mainsted glass Heat-dinable glass with the studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres (All Terrain) 16' steel rim (black) with studded tyres incl. bracket, exterior, fitted on rear wall 16' steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16' steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16' steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16' steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16' steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16' steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16' steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16' steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16' steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16' steel spare wheel with studded tyres incl. bracket in	, ,	
Bumper, attachment parts and grill frame painted in vehicle colour Fog lights with cornering light Mud flaps, rear axie Reinforced front axie Trailer hitch pre-installation Heat-insulating glass with band filter on windscreen Windscreen made of laminated glass Heated windscreen Heat windscreen Heat windscreen He's teol rim (black) with studded tyres (All Terrain) Shelf for smartphones incl. wireless charging with charge level indicator Outside temperature display Electric cab windows and central locking for cab Electric parking brake Driver and passes ger airbag Keyless Start (start-stop button for comfortable engine start) Leather steering wheel (automatic transmission only) Steering wheel (automatic transmission only) Steering wheel, height and tilt adjustable Open shelf cockpit passenger side Pensekdown kit (air compressor with additional valve) Power steering Will automatic climate control THERMOTRONIC incl. rain sensor ABS (Antt-lock Brake System) / ASR (Antt-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Hill Start Assist Active Lane Keeping Assist Lectric ame Keeping Assist Lectric immobilizer High Beam Assist 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons 16" steel spare wheel with studded byres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons 16" steel spare wheel with studded byres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons 16" steel spare wheel with studded byres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons 16" steel spare wheel with studded byres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons 16" steel spare wheel with stud		
Fog lights with cornering light Mult flasp, rear ariel Reinforced front axle Trailer hitch pre-installation Heat-insulating glass with band filter on windscreen Windscreen made of laminated glass Heat-insulating glass with band filter on windscreen Windscreen made of laminated glass Heat-disulating glass with band filter on windscreen 16" steel rim (black) with studded tyres (All Terrain) 16" steel rim (black) with studded tyres (All Terrain) 16" steel rim (black) with studded tyres (All Terrain) 16" steel rim (black) with studded tyres (All Terrain) 16" steel rim (black) with studded tyres (All Terrain) 16" steel rim (black) with studded tyres (All Terrain) 16" steel rim (black) with studded tyres (All Terrain) 16" steel rim (black) with studded tyres (All Terrain) 16" steel rim (black) with studded tyres (All Terrain) 16" steel rim (black) 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall 16" steel spare wheel with studded steel spane seating group from	•	
Mud flaps, rear axie Freiler hitch pre-installation Heat-insulating glass with band filter on windscreen Windscreen made of laminated glass Heated windscreen Steel mit plack with studded tyres (All Terrain) Shelf for smartphones inct. wireless charging with charge level indicator Outside temperature display Electric cab windows and central locking for cab Electric parking brake Outside temperature display Electric cab windows and central locking for cab Electric parking brake Outside temperature display Electric marking brake Outside temperature display Electric parking brake Open shelf cockpit passenger side Open shelf cockpit passe		
Reinforced front avide Trailer hitch pre-installation Heat-insulating glass with band filter on windscreen Windscreen made of laminated glass Heat-devindscreen 16' steel rim (black) with studded tyres (All Terrain) Shelf for smartphones incl. wireless charging with charge level indicator Outside temperature display Clectric cab windows and central locking for cab Electric cab windows and central locking for cab Electric parking brake Driver and passenger airbag Keyless Start (start-stop button for comfortable engine start) Leather steering wheel (automatic transmission only) Steering wheel, height and tilt adjustable Open shelf cockipt passenger side Breakdown kit fair compressor with additional valve) Power steering Fully automatic climate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System) / ASR (Anti-Sipi Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC* incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Distance Assist DISTRONIC* incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Distance Assist DISTRONIC* incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Distance Assist DISTRONIC* incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Distance adjustment Traffic Steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control Incl. steering wheel multifunction buttons Halogen H7 headlight is clear glass technology Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg), Please note the axie load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, L H side Lectric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout bilind and mosquito net, 40 x 40 cm H		
Trailer hitch pre-installation Hoat-insulating glass with band filter on windscreen Windscreen made of faminated glass Heated windscreen Shelf or smartphones incl. wireless charging with charge level indicator Outside temperature display Electric cab windows and central locking for cab Electric parking brake Priver and passenger airbag Keyless Start (start-stop button for comfortable engine start) Leather steering wheel quatomatic transmission only) Steering wheel, height and till adjustable Open shelf cockpit passenger side Breakdown kit (pir compressor with additional valve) Power steering Fully automatic climate control THERMOTRONIC incl. rain sensor ASS (Anti-lock Parke System) / ASR (Anti-Silp Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Lane Keeping Assist Automatic headlight control High Beam Assist Automatic headlight control High Beam Assist Control incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active I range adjustment Traffic Sign Assist Crises Control incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active I range adjustment Traffic Sign Assist Crises Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Body	• •	
Heat-insulating glass with band filter on windscreen Windscreen made of laminated glass Heated windscreen 16" steel rim (black) with studded tyres (All Terrain) 16" steel rim (black) with studded tyres (All Terrain) Outside temperature display Electric cab windows and central locking for cab Electric parking brake Oriver and passenger airbag Keyless Start (start-stop button for comfortable engine start) Leather steering wheel (automatic transmission only) Steering wheel, height and tilt adjustable Open shelf cockpit passenger side Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Open shelf cockpit passenger with additional valve) Power steering Fully automatic climate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System), ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Lane Keeping Assist Active Lane Keeping Assist Automatic headlight control High Beam Assist Electric immobilizer High Beam Assist Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (potional 450 kg), Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped sesating group from outside, LH side Lexterior flap to load the L-shaped sesating group from outside, LH side Electric entrance step, 1-step Exclusive H7MRF Multifunctional Fast kgl, belazed with LED Elighten, living room The Control of the Steel Step Step Step Step Step Step Step Step		
Windscreen made of laminated glass Heated windscreen 16" steel rim (black) with studded tyres (All Terrain) Shelf for smartphones incl. wireless charging with charge level indicator Outside temperature display Electric cab windows and central locking for cab Electric parking brake Pitiver and passenger airbag Keyless Start (start-stop button for comfortable engine start) Leather steering wheel (automatic transmission only) Steering wheel, height and tilt adjustable Open shelf cockpit passenger side Breakdown kit (dir compressor with additional valve) Power steering Fully automatic cilmate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Active Lane Keeping Assist Automatic headlight control Hill Start Assist Electric immobilizer High Beam Assist Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg), Please note the axle load. GRP lightweight floor with XPS insulation Electric entrance step. 1-step Electric entrance step. 1-step Electric entrances step. 1-step E	·	•
Heated windscreen 16" steel rim (black) with studded tyres (All Terrain) 16" steel rim (black) with studded tyres (All Terrain) 5Nelf for smartphones incl. wireless charging with charge level indicator Outside temperature display Electric cash windows and central locking for cab Electric parking brake Driver and passenger airbag Keyless Start (start-stop button for comfortable engine start) Leather steering wheel (automatic transmission only) Steering wheel, height and tilt adjustable Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Power steering Fully automatic climate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System) / ASR (Anti-Silp Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Brake Assist to Start Stability Program) Active Brake Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Automatic headilght control Hill Start Assist Electric immobilizer High Beam Assist Beadlight range adjustment Traiffic Sign Assist 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control Incl. steering wheel multifunction buttons Headilight range adjustment Traiffic Sign Assist 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control Incl. steering wheel multifunction buttons Headilight range adjustment Traiffic Sign Assist GRP lightweight floor with XPS insulation Exterior Flap to Jod the Lshaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1step Exterior Flap to Jod the Lshaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1step Exterior Flap to Jod the Lshaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1step Exterior Flap to Jod the Lshaped seating group from outside, LH si		
16" steel rim (black) with studded tyres (All Terrain)	•	•
Shelf for smartphones incl. wireless charging with charge level indicator Outside temperature display Electric parking brake Driver and passenger airbag Keyless Start (start-stop button for comfortable engine start) Leather steering wheel (automatic transmission only) Steering wheel, height and till adjustable Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Open shelf cockpit passenger side Open shelf cockpit passenger shelf shelf additional valve) Open shelf cockpit passenger shelf shelf additional valve) Open shelf cockpit passenger shelf shelf additional valve) Open shelf cockpit passenger shelf shelf additional diversional valve shelf shelf additional additional additional additional additional additional		•
Outside temperature display Electric cab windows and central locking for cab		•
Electric cab windows and central locking for cab Electric parking brake Driver and passenger airbag Keyless Start (start-stop button for comfortable engine start) Leather steering wheel (automatic transmission only) Steering wheel, height and tilt adjustable Open shelf cockpit passenger side Breakdown kit (alir compressor with additional valve) Power steering Fully automatic climate control THERMOTRONIC incl. rain sensor ABIS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Active Lane Keeping Assist Automatic headlight control Illi Start Assist Electric immobilizer Illi Start Assist Electric immobilizer If 's teel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons Body Doptmal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior ligh to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (floera glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Electric entrance skylight 80 x 50 cm, double-glazed with LED lighting, living room Electric entrance skylight 80 x 50 cm, double-glazed with LED lighting, living room		•
Electric parking brake Driver and passenger airbag Revjess Start (start-stop button for comfortable engine start) Leather steering wheel (automatic transmission only) Steering wheel, height and tilt adjustable Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Power steering Ully automatic climate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Active Lane Keeping Assist Automatic headlight control High Beam Assist Electric immobilizer Heigh Beam Assist Bea		•
Driver and passenger airbag Keyless Start (start-stop button for comfortable engine start) Lether steering wheel (automatic transmission only) Steering wheel, height and tilt adjustable Open shelf cockpit passenger side Preakdown kif (air compressor with additional valve) Power steering Fully automatic climate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System) / ASR (Anti-Silp Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Active Lane Keeping Assist Automatic headlight control Hill Start Assist Electric immobilizer High Beam Assist Headlight range adjustment Traffic Sign Assist Fraffic France adjustment Fraffic Sign Assist Fraffic Sign Assist Fraffic France adjustment Fraffic Sign Assist Fraffic France adjustment Fraffic Sign Assist Fraffic France adjustment Fraffic Sign Assist Fraffic France Assist France Assist France		•
Keyless Start (start-stop button for comfortable engine start) Leather steering wheel (automatic transmission only) Steering wheel, height and tilt adjustable Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Power steering Fully automatic climate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System) / ASR (Anti-Siip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) ABS (Anti-lock Brake System) / ASR (Anti-Siip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) ACtive Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Active Lane Keeping Assist Active Lane Keeping Assist Automatic headlight control Hill Start Assist Electric immobilizer High Beam Assist Headlight range adjustment Traffic Sign Assist Cruise Control incl. steering wheel multifunction buttons Traffic Sign Assist Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Doptimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightwentone step. 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lightling, living room HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lightling, living room		•
Leather steering wheel (automatic transmission only) Steering wheel, height and tilt adjustable Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Power steering Fully automatic climate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Active Lane Keeping Assist Automatic headlight control Hill Start Assist Electric immobilizer Headlight range adjustment Traffic Sign Assist 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control Incl. steering wheel multifunction buttons 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control Incl. steering wheel multifunction buttons 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control Incl. steering wheel multifunction buttons 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control Incl. steering wheel multifunction buttons 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control Incl. steering wheel multifunction buttons 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control Incl. steering wheel multifunction buttons 16" steel spare wheel with studded tyres incl. bracket,		•
Steering wheel, height and tilt adjustable Open shelf cockpit passenger side Power steering Fully automatic climate control THERMOTRONIC incl. rain sensor BIS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Active Lane Keeping Assist Active Lane Keeping Assist Active Lane Keeping Assist Electric immobilizer Hill Start Assist Electric immobilizer High Beam Assist Headlight range adjustment Traffic Sign Assist 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room		•
Open shelf cockpit passenger side Breakdown kit (air compressor with additional valve) Ower steering Fully automatic climate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Active Lane Keeping Assist Automatic headlight control Hill Start Assist Electric immobilizer Electric immobilizer High Beam Assist Electric immobilizer If "steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control Incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room		•
Power steering Fully automatic climate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Active Lane Keeping Assist Automatic headlight control Hill Start Assist Electric immobilizer Hilg Start Assist Electric immobilizer Headlight range adjustment Traffic Sign Assist 6 Traffic Sign Assist Further Assist Furt	Open shelf cockpit passenger side	•
Fully automatic climate control THERMOTRONIC incl. rain sensor ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Active Lane Keeping Assist Automatic headlight control Illi Start Assist Electric immobilizer High Beam Assist Electric immobilizer Headlight range adjustment Traffic Sign Assist 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Breakdown kit (air compressor with additional valve)	•
ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Active Lane Keeping Assist Automatic headlight control Hill Start Assist Electric immobilizer High Beam Assist Headlight range adjustment Traffic Sign Assist 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (Icear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Power steering	•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control) Active Brake Assist Active Lane Keeping Assist Automatic headlight control Hill Start Assist Electric immobilizer High Beam Assist Electric immobilizer Headlight range adjustment Traffic Sign Assist Er steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Fully automatic climate control THERMOTRONIC incl. rain sensor	•
Active Brake Assist Active Lane Keeping Assist Automatic headlight control Bill Start Assist Electric immobilizer High Beam Assist Headlight range adjustment Traffic Sign Assist Beadlight range adjustment Traffic Sign Assist Beadlight range adjustment Traffic Sign Assist Beadlight range adjustment Beadlight range adj	ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program)	•
Active Lane Keeping Assist Automatic headlight control Hill Start Assist Electric immobilizer Heigh Beam Assist Headlight range adjustment Traffic Sign Assist Ender Sign Assist	Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control)	•
Automatic headlight control Hill Start Assist Electric immobilizer High Beam Assist Headlight range adjustment Traffic Sign Assist Enditor Sign Assist Enditor Sign Assist Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm BYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Active Brake Assist	•
Hill Start Assist Electric immobilizer High Beam Assist Headlight range adjustment Traffic Sign Assist 6 Traffic Sign Assist 6 Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Active Lane Keeping Assist	•
Electric immobilizer High Beam Assist Headlight range adjustment Traffic Sign Assist 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Automatic headlight control	•
High Beam Assist Headlight range adjustment Traffic Sign Assist 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Hill Start Assist	•
Headlight range adjustment Traffic Sign Assist 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Electric immobilizer	•
Traffic Sign Assist 16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	High Beam Assist	•
16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Headlight range adjustment	•
Cruise Control incl. steering wheel multifunction buttons Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Traffic Sign Assist	•
Halogen H7 headlights in clear glass technology Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall	•
Body Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Cruise Control incl. steering wheel multifunction buttons	•
Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Halogen H7 headlights in clear glass technology	•
Garage load up to 350 kg (optional 450 kg). Please note the axle load. GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room		
GRP lightweight floor with XPS insulation Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room		•
Exterior flap to load the L-shaped seating group from outside, LH side Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room		•
Large garage doors, LH and RH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	GRP lightweight floor with XPS insulation	•
Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room		•
Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	Large garage doors, LH and RH side	•
Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room		
Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room		•
HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room		•
		•
Roof rack with rear ladder without checker plate roof panel		
	KOOT FACK WITH FEAR LADGER WITHOUT CHECKER PLATE FOOT PANEL	•

	ML-T 570 Cros
LED Lightbar 11"	•
Electric roof vent with function supply and exhaust air at kitchen	•
Design graphics: CrossOver	•
Panoramic skylight above cab, manually hinged	•
Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Engine / unterride protection	
Outfitting	
Original Mercedes-Benz Comfort seat, upholstered in living area fabric	•
Front seating group with 2 integrated 3-point belts	•
Mosquito net on habitation door	•
Cab blinds	•
Flyscreen and blackout blinds on all windows	•
Checker plate floor as well as felt trim in the rear garage	•
External shower, located in garage Tool set (folding angle, avg.) in year storage comportment	•
Tool set (folding spade, axe) in rear storage compartment Living and bedroom + lighting	
Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts	
Bed conversion for L-shaped seating group incl. lowerable table	•
Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s)	•
Additional cushion between the longitudinal single beds with ladder	•
Fitted sheets made to measure for rear beds individually adapted to mattress contours	•
4 pillows	•
Partitioning curtain between bed- and living room	•
Ambient lighting	•
Complete LED interior lighting	
LED awning light Kitchen	
Kitchen drawer with Servo Soft feature	-
Freely arrangeable kitchen drawers, extra wide	•
Freely arrangeable kitchen drawers, extra wide 3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover	•
	•
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover	•
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment	•
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats	•
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology	•
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater	•
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 230 V external connection with earth leakage circuit breaker for 230 V & 12 V	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Charging booster for safe charging of the habitation battery while driving (up to 70 A) Reinforced battery, 12 V, 95 Ah AGM Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling	•
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Charging booster for safe charging of the habitation battery while driving (up to 70 A) Reinforced battery, 12 V, 95 Ah AGM Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Charging booster for safe charging of the habitation battery while driving (up to 70 A) Reinforced battery, 12 V, 95 Ah AGM Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer Third habitation battery HYMER Smart Battery System (150 Ah Lithium)	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Charging booster for safe charging of the habitation battery while driving (up to 70 A) Reinforced battery, 12 V, 95 Ah AGM Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer Third habitation battery HYMER Smart Battery System (150 Ah Lithium) Solar panel with MPPT controller and display, 2 x 95 W	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Charging booster for safe charging of the habitation battery while driving (up to 70 A) Reinforced battery, 12 V, 95 Ah AGM Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer Third habitation battery HYMER Smart Battery System (150 Ah Lithium) Solar panel with MPPT controller and display, 2 x 95 W Inverter 12 V to 230 V, 1,800 W with network priority circuit	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Charging booster for safe charging of the habitation battery while driving (up to 70 A) Reinforced battery, 12 V, 95 Ah AGM Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer Third habitation battery HYMER Smart Battery System (150 Ah Lithium) Solar panel with MPPT controller and display, 2 x 95 W Inverter 12 V to 230 V, 1,800 W with network priority circuit 120 I fresh water tank, insulated and heated (20 I in driving position)	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Charging booster for safe charging of the habitation battery while driving (up to 70 A) Reinforced battery, 12 V, 95 Ah AGM Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer Third habitation battery HYMER Smart Battery System (150 Ah Lithium) Solar panel with MPPT controller and display, 2 x 95 W Inverter 12 V to 230 V, 1,800 W with network priority circuit	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Charging booster for safe charging of the habitation battery while driving (up to 70 A) Reinforced battery, 12 V, 95 Ah AGM Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer Third habitation battery HYMER Smart Battery System (150 Ah Lithium) Solar panel with MPPT controller and display, 2 x 95 W Inverter 12 V to 230 V, 1,800 W with network priority circuit 120 I fresh water tank, insulated and heated (20 I in driving position) 100 I waste water tank, insulated and heated Electric waste water drainage Multimedia	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Charging booster for safe charging of the habitation battery while driving (up to 70 A) Reinforced battery, 12 V, 95 Ah AGM Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer Third habitation battery HYMER Smart Battery System (150 Ah Lithium) Solar panel with MPPT controller and display, 2 x 95 W Inverter 12 V to 230 V, 1,800 W with network priority circuit 120 I fresh water tank, insulated and heated (20 I in driving position) 100 I waste water tank, insulated and heated Electric waste water drainage Multimedia 10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Charging booster for safe charging of the habitation battery while driving (up to 70 A) Reinforced battery, 12 V, 95 Ah AGM Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer Third habitation battery HYMER Smart Battery System (150 Ah Lithium) Solar panel with MPPT controller and display, 2 x 95 W Inverter 12 V to 230 V, 1,800 W with network priority circuit 120 I fresh water tank, insulated and heated (20 I in driving position) 100 I waste water tank, insulated and heated Electric waste water drainage Multimedia 10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera Radio / TV pre-installation at sideboard incl. 12 V and 230 V socket, 2 speakers in the cab, low-profile bonnet as well as rear bedroom, radio and DVB-T2 antenna	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 152 I compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 330 V external connection with earth leakage circuit breaker for 230 V & 12 V Charging booster for safe charging of the habitation battery while driving (up to 70 A) Reinforced battery, 12 V, 95 Ah AGM Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer Third habitation battery HYMER Smart Battery System (150 Ah Lithium) Solar panel with MPPT controller and display, 2 x 95 W Inverter 12 V to 230 V, 1,900 W with network priority circuit 120 I fresh water tank, insulated and heated (20 I in driving position) 100 I waste water tank, insulated and heated Electric waste water drainage Multimedia 10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera Radio / TV pre-installation at sideboard incl. 12 V and 230 V socket, 2 speakers in the cab, low-profile bonnet as well as rear bedroom, radio and	
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover 1521 compressor fridge Bathroom Second toilet cassette incl. bracket located in gas bottle compartment Wooden shower slats Installation & Technology 6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater Gas bottle compartment with access via the external flap / door LCD keypad for heating 230 V external connection with earth leakage circuit breaker for 230 V & 12 V Charging booster for safe charging of the habitation battery while driving (up to 70 A) Reinforced battery, 12 V, 95 Ah AGM Additional sockets: 4 x 230 V / 1x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer Third habitation battery HYMER Smart Battery System (150 Ah Lithium) Solar panel with MPPT controller and display, 2 x 95 W Inverter 12 V to 230 V, 1,800 W with network priority circuit 120 I fresh water tank, insulated and heated (20 I in driving position) 100 I waste water tank, insulated and heated (20 I in driving position) 100 I waste water drainage Multimedia 10.25° MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera Radio / TV pre-installation at sideboard incl. 12 V and 230 V socket, 2 speakers in the cab, low-profile bonnet as well as rear bedroom, radio and DVB-T2 antenna Fabrics & Furniture finishes	

Standard
 O Optional extra
 Mandatory
 Not yet known at the time of publication
 Available in package

PACKAGES HYMER ML-T CROSSOVER

	D : C
CrossOver package ML-T	Price £
Mercedes-Benz Sprinter 4.1 t - 419 CDI - 140 KW/190 hp - Euro VI-E	F 000
Permanent All Wheel Drive incl. 93 I fuel tank	5,990
9G-TRONIC automatic transmission incl. Hold function (x19 CDI)	
Fully automatic climate control THERMOTRONIC incl. rain sensor	
10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera	3,210
Cruise Control incl. steering wheel multifunction buttons	340
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control)	0.10.
Attention Assist	80
Exterior body colour: Crystal-Silver Metallic	2,390
Exterior cab colour: (Metallic) Tenorite grey	1,240
Leather steering wheel (automatic transmission only)	210
16" steel rim (black) with studded tyres (All Terrain)	1,710
Roof rack with rear ladder without checker plate roof panel	590
LED Lightbar 11"	
Checker plate floor as well as felt trim in the rear garage	340
Chrome grill	250
Fog lights with cornering light	250
Bumper, attachment parts and grill frame painted in vehicle colour	680
Heated windscreen	390
Engine / unterride protection	
16" steel spare wheel with studded tyres incl. bracket, exterior, fitted on rear wall	680
Active Lane Keeping Assist	510
Traffic Sign Assist	
High Beam Assist	330
Heat-insulating glass with band filter on windscreen	250
Shelf for smartphones incl. wireless charging with charge level indicator	
Additional sockets: 4 x 230 V / 1 x 12 V / 2 x Twin-USB (USB-A/C) incl. kitchen wall panelling	
Awning with adapter, silver housing, 400 x 250 cm	1,240
Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock	340
Electric roof vent with function supply and exhaust air at kitchen	390
Panoramic skylight above cab, manually hinged	1,020
Original Mercedes-Benz Comfort seat, upholstered in living area fabric Cab blinds	510
Mosquito net on habitation door	320
External shower, located in garage	250
Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts	420
Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s)	420.
Additional cushion between the longitudinal single beds with ladder	340
Bed conversion for L-shaped seating group incl. lowerable table	390
Fitted sheets made to measure for rear beds individually adapted to mattress contours	210
4 pillows	170
Ambient lighting	
Wooden shower slats	140
152 I compressor fridge	340
Solar panel with MPPT controller and display, 2 x 95 W	1,450
6 kW Diesel warm air heating with 10 I warm water boiler, altitude kit and 1,800 W electric bar heater	
Inverter 12 V to 230 V, 1,800 W with network priority circuit	
Design graphics: CrossOver	
Tool set (folding spade, axe) in rear storage compartment	
Reinforced front axle	340
HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer	2,310
Third habitation battery HYMER Smart Battery System (150 Ah Lithium)	2,310
Second toilet cassette incl. bracket located in gas bottle compartment	
Special price	
Excess weight (kg)*	487

 \triangle Not yet known at the time of publication



* INFC

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER ML-T CROSSOVER

		Price £	ML-T 570 CrossOver	Excess weight (kg)*
Chassis V201103880	Weight variout 2 000 kg (Marcados Dans Christon 415 / 417 / 410 CDI only)	220	$\overline{}$	0
Basis	Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 / 419 CDI only)	220	$\stackrel{\circ}{-}$	
V3071010	Central locking for cab, habitation as well as garage doors	420		Δ
V20855J	Seat heating and lumbar support for Original Mercedes-Benz seats			0
Body	South Country and the country of the	020.	Ŭ	
V2007111	Trailer hitch, detachable ball head (incl. pre-installation)	1,500	0	63
V20062J	Frame extension incl. 450 kg garage load	420	0	30
V3055010	Security lock for habitation door	260	0	0.5
Installation & T	echnology			
V3064012	Toilet vent	250	0	1
Multimedia				
V5054611	32" TV bracket	320	0	4
V5054514	32" Smart LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system (DVB-T / C, DVB-S2) incl. receiver	1,530	0	10
V50440123	Digital satellite dish, 80 cm, without receiver	2,480	0	14.5
Fabrics & Furni	ture finishes			
V100704090	Leather: Grigio	2,560	0	6.5



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PRICES AND TECHNICAL DATA **HYMER B-CLASS MODERNCOMFORT T**











	B-MC T 550	B-MC T 580	B-MC T 600	B-MC T 680	B-MC T 690
Price ^{a)} £	90,170	90,170	92,650	94,700	94,700
Standard chassis	Mercedes-Benz Sprinter 315 CDI	Mercedes-Benz Sprinter 315 CDI	Mercedes-Benz Sprinter 315 CDI	Mercedes-Benz Sprinter 315 CDI	Mercedes-Benz Sprinter 315 CDI
Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive
kW (hp)	110 (150)	110 (150)	110 (150)	110 (150)	110 (150)
Length / Width / Height (cm)	699 / 229 / 296 ¹⁾	699 / 229 / 296 ¹⁾	719 / 229 / 296 1)	739 / 229 / 296 ¹⁾	739 / 229 / 296 1)
Body width / Internal width (cm)	219 / 212	219 / 212	219 / 212	219 / 212	219 / 212
Standing height in living area (cm)	198	198	198	198	198
Wheelbase (mm)	3900	3900	4000	4200	4200
Mass in running order (kg)*	2992 (2842 - 3142)* 40)	2957 (2809 - 3105)* 40)	3022 (2871 - 3173)* 40)	3037 (2885 - 3189)* 40)	3072 (2918 - 3226)* 40)
Manufacturer-specified mass for optional equipment (kg)*	148	183	116	99	64
Technically permissible maximum laden mass (kg)*	3500	3500	3500	3500	3500
Technically permissible maximum towable mass (kg)*	2000 2)	2000 2)	2000 2)	2000 ²⁾	2000 2)
Permitted number of seats (including driver)*	4-50 ³⁾	4 3)	4-50 ³⁾	4-50 ³⁾	4-50 ³⁾
Insulation Floor / Wall / Roof (mm)	41/34/34	41/34/34	41/34/34	41/34/34	41/34/34
Overall clearance storage- / garage door resp. flap $\mathbf{W} \times \mathbf{H}$ (cm)	90 x 123	90 x 123	99 x 123 / 99 x 99 O	99 x 123 / 99 x 99 O	90 x 115 / 90 x 94
Bed dimension: Pull-down bed L x W (cm)	188 x 130 - 105		188 x 130 - 105	188 x 130 - 105	188 x 130 - 105
Bed dimension: Rear bed L x W (cm)	205 x 142	2x 192 x 86 / 215 x 86 O / 192 x 86 O	197 x 86 / 189 x 86	202 x 86 / 190 x 86	185 - 195 x 150
Bed dimension: Central bed L x W (cm)	200 x 110 - 72	172 x 72 O	200 x 110 - 40	200 x 110 - 40	200 x 110 - 40
Berths	2-50	2-30	2-50	2-50	2-50
Bathroom W x D (cm)	125 x 85	125 x 85	125 x 85	90 x 80	90 x 80
Separate shower W x D (cm)				73 x 77	73 x 77
Wardrobe W x D x H (cm)	35 x 55 x 188	22 x 55 x 188	56 x 80 x 83 / 51 x 74 x 67	71 x 70 x 83 / 51 x 74 x 67	23 x 60 x 115 / 23 x 60 x 115
Kitchen, W x D x H, approx. cm	93 x 98 x 93	94 x 59 x 93	93 x 98 x 93	93 x 98 x 93	93 x 98 x 93
Fridge volume (of which freezer compartment) (I)	142	142	142	142	142
Standard heating	Gas warm air, 6 kW	Gas warm air, 6 kW	Gas warm air, 6 kW	Gas warm air, 6 kW	Gas warm air, 6 kW
Gas bottle storage (Filling weight)	2x 11kg	2x 11kg	2x 11kg	2x 11kg	2x 11kg
Total fresh water tank capacity (I)	180	180	180	180	180
Fresh water tank in driving filling level (I)	20	20	20	20	20
Waste water tank (I)	150	150	150	150	150
Standard habitation battery (Ah)	95 AGM	95 AGM	95 AGM	95 AGM	95 AGM
Sockets: 230 V/12 V/ USB	4/2/4	4/2/4	4/2/4	4/2/4	4/2/4

 \triangle Not yet known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturerspecified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER B-CLASS MODERNCOMFORT T

	550	580	00	089
	T 55	T 55	B-MC T 600	1 68
	B-MCT	B-MCT	2	B-MCT
	B-B	B-N	B-B	- B
Chassis				
Mercedes-Benz Sprinter 3.5 t - 315 CDI - 110 KW/150 hp - Euro VI-E ⁴³⁾	•	•	•	•
Basis				
Exterior colours: White cab / White body	•	•	•	•
Exterior body colour: White	•	•	•	•
SLC Chassis (Super Light Chassis / Super lightweight chassis)	•	•	•	•
6-speed transmission	•	•	•	•
65 I fuel tank	•	•	•	• •
22 I AdBlue tank		•	•	• (
Electrically adjustable and heated exterior mirrors	•	•	•	• •
Electric parking brake	•	•	•	•
Mercedes-Benz noise reduction: Engine compartment insulation and underbody panelling	•	•	•	• •
Comfort suspension chassis		•		
Mud flaps, rear axle				•
Daytime Running Light integrated in headlights				
Reinforced front axle				
Trailer hitch pre-installation 16" steel rims with full wheel cover and all season tyres				
Electric cab windows and central locking for cab				
Driver and passenger airbag ⁹¹⁾				
Cupholder driver and passenger seat				
Semi-automatic climate control TEMPMATIK				
Keyless Start (start-stop button for comfortable engine start)		•		
Multifunctional steering wheel	•	•	•	
Warm air auxiliary heating, electric	•	•	•	•
ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability		_		
Program)	•	•	•	•
Automatic headlight control	•	•	•	•
ECO Start-Stop feature	•	•	•	•
Crosswind Assist	•	•	•	•
Cruise Control incl. steering wheel multifunction buttons	•	•	•	•
Body				
Exterior flap to load the L-shaped seating group from outside, LH side	_	•	_	
Electric entrance step, 1-step		•		
Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology		•		
Garage load up to 350 kg (optional 450 kg). Please note the axle load.				
Large garage doors, LH and RH side				
Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock				
Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness)				
Heated double floor includellar compartments		•		
Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation		_	•	
GRP lightweight floor with XPS insulation			•	•
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric	•	•		
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged	•	•	•	•
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾	•	•	•	•
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾ Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm	•	•	•	• •
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾	•	•	•	• •
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾ Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm	•	•	•	• •
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾ Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm	•	•	•	
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾ Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Outfitting	•	• • •	• • •	
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾ Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric ^{45) 44)}	• • • • • • • • • • • • • • • • • • •	• • • •	• • • • •	
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾ Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric ^{45) 44)} Front seating group with 2 integrated 3-point belts	• • • • • • • • • • • • • • • • • • •	• • • • •	• • • • •	
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾ Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric ^{45) 44)} Front seating group with 2 integrated 3-point belts Cab blinds		• • • • •	• • • • • • • • • • • • • • • • • • •	
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾ Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric ^{45) 44)} Front seating group with 2 integrated 3-point belts Cab blinds Mosquito net on habitation door	•	• • • • •	• • • • •	
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾ Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric ^{45) 44)} Front seating group with 2 integrated 3-point belts Cab blinds Mosquito net on habitation door Living and bedroom + lighting Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear	•	•	• • • • • • • • • • • • • • • • • • •	
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾ Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric ^{45) 44)} Front seating group with 2 integrated 3-point belts Cab blinds Mosquito net on habitation door Living and bedroom + lighting Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design		•	• • • • • • • • • • • • • • • • • • •	
GRP lightweight floor with XPS insulation Cab curtain made of high-quality pleated fabric Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾ Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric ^{45) 44)} Front seating group with 2 integrated 3-point belts Cab blinds Mosquito net on habitation door Living and bedroom + lighting Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear			• • • • • • • • • • • • • • • • • • •	

	0	00	009	000	069
	- 550	- 580)9_	T 680	59_
	<u> </u>	<u> </u>	<u> </u>	[]	<u> </u>
	B-MC T	B-MC T	B-MC	B-MC	B-MCT
Lighting dimmable (via push button)	•	•	•	•	•
LED worktop lighting	•	•	•	•	•
LED awning light			•		
Kitchen					
Kitchen drawer with Servo Soft feature	•	•	•	•	•
Freely arrangeable kitchen drawers, extra wide	•	•	•	•	•
142 I Smart-Tower fridge	•	•	•	•	
Extra deep sink with tight-fitting chopping board and high water tap	•	_	•	•	•
Large cooker with glass cover and front panel operation	•	_	•	•	
Installation & Technology					
6 kW gas warm air heating with 10 I warm water boiler	•	•	•	•	•
LCD keypad for heating	•	•	•	•	•
Warm air heating in the rear bedroom, adjustable separately	•		•	•	_
Extra low gas bottle compartment for easy gas bottle change with comfy access via external door	•	_	•	•	•
7" touch display for convenient control and monitoring of important vehicle features and components	•	•	•	•	•
Twin USB at seating group	•	•	•	•	•
HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app - anytime, anywhere. ⁹³⁾	•	•	•	•	•
Charging booster for safe charging of the habitation battery while driving (up to 70 A)	•	•	•	•	•
Reinforced battery, 12 V, 95 Ah AGM	•	•	•	•	
180 I fresh water tank, insulated and heated (20 I in driving position)	•	•	•	•	•
150 I waste water tank, insulated and heated	•	•	•	•	
Electric waste water drainage with dashboard switch	•	•	•	•	•
Multimedia					
Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2					
antenna	_	_	_	_	
DAB Radio pre-installation	•	•	•	•	•
Fabrics & Furniture finishes					
Furniture finish: Grand Oak	•	•	•	•	
Fabric combination: Janeiro	•	•	•	•	•
Packages					
Extended standard equipment without surcharge	•	•	•	•	•

EQUIPMENT LINES HYMER B-CLASS MODERNCOMFORT T

	Extended standard equipment without surcharge	Equipment Line Plus	Equipment Line Premium
Semi-automatic climate control TEMPMATIK	•	•	-
Cruise Control incl. steering wheel multifunction buttons	•	•	•
Electric parking brake	•	•	•
Multifunctional steering wheel	•	•	•
Reinforced front axle	•	•	•
DAB Radio pre-installation	•	•	•
9G-TRONIC automatic transmission incl. Hold function	-	•	•
10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera	-	•	•
Leather steering wheel (automatic transmission only)	-	•	•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons	_	•	•
Instrument cluster with colour display	-	•	•
Mercedes-Benz acoustics package	_	•	•
LED High-Performance headlights	_	_	•
Shelf for smartphones incl. wireless charging with charge level indicator	_	_	•
Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)	-	-	•
Fully automatic climate control THERMOTRONIC incl. rain sensor	_	_	•
Excess weight Equipment line (kg)*	0	36	41
Package price £		6,570	9,150
Special price £		6,160	8,550
You save £		410	600

 \triangle Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKAGES HYMER B-CLASS MODERNCOMFORT T

Package	Autonomy package XL	Autonomy package Lithium
HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer	v	х
Third habitation battery (95 Ah AGM)	x	
Inverter 12 V to 230 V, 1,800 W with network priority circuit	x	x
Third habitation battery HYMER Smart Battery System (150 Ah Lithium)		х
Package price £	4,230	6,410
Special price £	4,040	5,730
You save £	190	680
Excess weight (kg)*	62	57

Driver Assistance package	Price £
Active Lane Keeping Assist	510
Attention Assist	80
High Beam Assist	330
Traffic Sign Assist	330
Heated windscreen	390
Heat-insulating glass with band filter on windscreen	250
Package price	1,890
Special price	1,710
You save	180
Excess weight (kg)*	0

Style package	Price £
Chrome grill	300
Bumper, attachment parts and grill frame painted in vehicle colour	680
Fog lights with cornering light	250
Package price	1,230
Special price	1,020
You save	210
Excess weight (kg)*	2

Arctic package	Price £
Heat exchanger for warm water heating	850
Heat exchanger pre-installation, Mercedes-Benz	340
Warm water garage floor heating	420
Checker plate floor as well as felt trim in the rear garage	340
Insulated partitioning curtain for cab, double-layered sewn	300
Insulating mat for cab footwell, supplied loose	140
Auxiliary heating (supports heating when heating up the vehicle)	730
Warm water heating	2,480
Package price	5,600
Special price	4,180
You save	1,420
Excess weight (kg)*	89.5



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

Living Comfort package 4	Price £
Wooden shower slats	140.
Fitted sheets made to measure for rear beds individually adapted to mattress contours	210.
4 pillows	170.
Ambient light system : 4-level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination	590.
Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling)	420
Package price	1,530.
Special price	1,190.
You save	340.
Excess weight (kg)*	10

 \triangle Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER B-CLASS MODERNCOMFORT T

		Price £	B-MCT 550	B-MCT 580	B-MCT 600	B-MCT 680	B-MCT 690	Excess weigh
Chassis	35,43							
	Mercedes-Benz Sprinter 3.5 t - 317 CDI - 125 KW/170 hp - Euro VI-E 35) 43)	1,710		0	0	0	0	0
	Mercedes-Benz Sprinter 4.43 t - 415 CDI - 110 KW/150 hp - Euro VI-E 46) 94)	1,190		0	0	0	0	13
	Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E 46) 94) 35)	2,900	0	0	0	0	0	13
V201103500	Downplating to 3.5 t (Mercedes-Benz Sprinter 415 / 417 CDI only)		•	•	•	•	•	0
V201103880	Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 CDI only)		•	•	•	•	•	0
V201104500	Weight variant 4,500 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) 95)		♦	*	•	*	♦	0
Basis		220						
V20250115	Exterior cab colour: Black / Grey	330	0	0	0	0	0	0
V20250119	Exterior cab colour: Obsidian black (Metallic)	1,240		0	0	0	0	0
V20250144	Exterior cab colour: Tenorite grey (Metallic)	1,240		0	0	0	0	0
V20250146	Exterior cab colour: Iridium silver (Metallic)	1,240		0	0	0	0	0
V3003011	Exterior body colour: Crystal-Silver Metallic	2,560	0	0	0	0	0	30
V2051092	92 I fuel tank	330		0	0	0	0	22
V2052020	Chrome grill ⁴⁸⁾	300						2
V2062111	Fog lights with cornering light	250						0
V3051019	Bumper, attachment parts and grill frame painted in vehicle colour ^{49) 48)}	680						0
V2113010	Wet Wiper System (windscreen wiper with integrated spray nozzles) 51)	90		0	0	0	0	0
V3071010	Central locking for cab, habitation as well as garage doors ⁶⁷⁾	420	-	0	0	0	0	Δ
V2021027	16" alloy wheels (black) with all season tyres ^{94) 13)}	1,020		0	0	0	0	0
V2021027	16" alloy wheels (silver) with all season tyres ⁹⁴⁾¹³⁾	1,020	0	0	0	0	0	0
V2021041	17" alloy wheels (silver) with summer tyres ¹³⁾	1,240		0	0	0	0	4
V20410J	Cupholder instead of storage compartment	60	-	0	0	0	0	0
V2049813 V20855J	Open shelf cockpit passenger side	120 620		0	0	0	0	0
Body	Seat heating and lumbar support for Original Mercedes-Benz seats	020	0	0	0	0	0	U
V30522150	Awning with adapter, white housing, 400 x 250 cm ^{96)18) 97)}	1,240	0	0	0	0	0	32
V30522150 V30522150	Awning with adapter, write rousing, 400 x 250 cm ^{96)18) 97)}	1,240	0	0	0	0	0	32
V30522160	Awning with adapter, white housing, 450 x 250 cm ^{97) 18)}	1,360	_	_	_	0	0	35
V30522160	Awning with adapter, white housing, 450 x 250 cm ^{97) 18)}	1,360				0	0	35
V2007111	Trailer hitch, detachable ball head (incl. pre-installation) 98) 19)	1,500	0	0	0	0	0	63
V3014014	Roof rack with rear ladder and checker plate roof panel 77) 78) 79)	590		0	0	0	0	15
V3014012	Roof rack with rear ladder without checker plate roof panel ⁷⁹⁾	510	0	0	0	0	0	8
V30330J	GRP roof coating ^{20) 77)}	590		0	0	0	0	30
V20460J	Comfort jacks, rear (2 units) ⁹⁹⁾	340			0	0	0	9
V20062J	Frame extension incl. 450 kg garage load ¹⁹⁾	420		0	0	0	0	30
V3055010	Security lock for habitation door	260			0	0	0	0.5
V3023012	Bicycle rack for 4 bicycles, max. load: 60 kg	390		0	0	0	0	14
V3023013	Bicycle rack for two bicycles, manually lowerable, max. load 50 kg	930				0	0	17
V3028012	Opening window incl. blackout blind and mosquito net, LH side, rear	360					•	4
V3009011	Electric roof vent with function supply and exhaust air at kitchen ^{22) 23) 100)}	390		0	0	0	0	5
V3011016	HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom ¹⁰¹⁾	510		0	0	0	0	12
V2045012	Hydraulic lift system with automatic front and rear levelling ^{99) 102)}	6,850				0	0	83
Outfitting	, ,	,					_	
V4062010	5th seat with lap belt on seat bench, RH side against direction of travel 103) 104)	510	0	_	0	0	0	38
V2082013	Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests	680		0	0	0	0	10
V20855J	Seat heating and lumbar support for pilot seats	620	0	0	0	0	0	0
V3037510	ISOFIX (child seat fixation for seat bench) 105)106)107)108)	220		0	0	0	0	3.5
V4052016	Premium round table, extendable with real wood surface ¹⁰⁹⁾ 110)	510						6.5



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

								ऋ
			T 550	B-MC T 580	B-MC T 600	B-MC T 680	B-MC T 690	Excess weight (kg
		Price £	B-MC T	3-MC	3-MC	B-MC	B-MC	xces
V4040510	Drawer and insert tray storage space in seating group	250	0	0	0	0	0	3
V50100J	External shower, located in garage	250	0	0	0	0	0	1
V4036611	Sense of space - open shelves in the rear instead of overhead lockers	200.	_	•	•	•	_	-4
V30310J	Checker plate floor as well as felt trim in the rear garage	340						18.5
V2101010	Underfloor storage box incl. pull-out on the RH side	390	_	_	_	0	0	18
Living and bed								
V60280J	Additional cushion for further sleeping possibility including the cab seat	340	_	0				5
V60280J	Bed conversion for seating group incl. additional cushion and lowerable table ¹⁰³⁾	390	0	_	0	0	0	5
V4044017	Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts	420	0	0	0	0	0	10
V60285J	Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable table involving the cab seat $^{111)}$	340	-	0	_	_	_	5
V60285J	Bed conversion for L-shaped seating group incl. lowerable table ¹⁰³⁾ 111)	390	0	_	0	0	0	5
V4034011	Sleeping system with cup-slatted bed frame for rear bed(s)	420	0	0	0	0	_	3
V40220E	Lowerable double bed above the seating group with cold foam mattress, electric incl. roof integration $^{112)}^{97)}^{113)}$	2,390	0	_	0	0	0	40
V40370J	Queensbed in the rear, electrically height adjustable	360	_	_	_	_	0	5
V4006110	XXL bed, extra long mattress incl. semi-high wardrobe (instead of floor-to-ceiling wardrobe)	300	_	0	_	_	_	2.5
V60260J	Additional cushion between the longitudinal single beds incl. integrated comfort access	390	_	0	0	0	_	4
V5029211	Ambient light system : 4-level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination $^{114)}$	590						1
Kitchen								
V4020012	Cooker- / oven combination	760	0	0	0	0	0	29
Installation & T								
V5028013	6 kW gas warm air heating with 10 l warm water boiler and 1,800 W electric bar heater	510		0	0	0	0	1
V5028014	Warm water heating ^{115) 83)}	2,480						55
V5026013	Automatic gas bottle changeover system with crash sensor and IceEx ^{25) 24)}	320		0	0	0	0	3
V30325J	Gas bottle slide out	600		0	_	_	_	15
V50250J	Gas filter for automatic gas bottle changeover ²⁵⁾	170		0	0	0	0	0
V50230J	External gas socket with shut-off valve	170	_	0	0	0	0	1
V5012511	Second habitation battery (95 Ah AGM) incl. additional 18 A charger ²⁶⁾	420	0	0	0	0	0	30
V5012513	HYMER Smart Battery System (50 Ah Lithium) incl. additional 18 A charger and battery computer 41)26)	1,020	0	0	0	0	0	10
V5012512	HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer ^{26) 27)}	2,480						25
V5047029	Solar panel with MPPT controller and display, 2 x 95 W ¹⁰¹⁾ 78) 100)	1,450				0	0	16
V5033014	Roof AirCon, 2,400 W ²²⁾	1,960		0	0	0	0	33
V3064012	Toilet vent ¹¹⁶⁾	250			0	0	0	1
V5069710	Water filter for fresh water system	210		0	0	0	0	1
Multimedia	22" or 32" TV bracket	220	Ž	_	_	_	_	
V5054513	22" Smart LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2) incl. receiver ³²)	320 1,110		0	0	0	0	7
V5054514	32" LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2) incl. receiver ³²⁾	1,530	0	0	0	0	0	10
V5055011	Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVD drive, DVB-T / C, DVB-S2, wiring as well as wall bracket ³³⁾	1,230	0	0	0	0	0	13
V50440116	Digital flat antenna, without receiver	2,310	0	0	0	0	0	17
V50440123	Digital satellite dish, 80 cm, without receiver	2,480			0	0	0	14.5
V50440124	Digital satellite dish, 80 cm, Twin LNB	2,730		0	0	0	0	15.5
Fabrics & Furn		_,,	Ť	Ť	Ť	Ť	Ĭ	-5.0
V100904014	Furniture finish: Noce Cognac		→	+	•	♦	•	0
V100704132	Fabric combination: Lorane		•	•	•	•	•	0
V100704131	Fabric combination: Jandia		•	•	•	•	•	0
	Fabric combination: Grazia (Eco Tech Material)	850	0	0	0	0	0	0



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

*(g)

								- 8
		Price £	B-MC T 550	B-MC T 580	B-MC T 600	B-MC T 680	B-MC T 690	Excess weight (kg
V100704091	Textile leather-/ fabric combination: Dalana	850	0	0	0	0	0	4
V100704125	Textile leather-/ fabric combination: Marquis	850	0	0	0	0	0	4
V100704133	Leather-/ fabric combination: La Paz	2,560	0	0	0	0	0	4
V100704090	Leather: Grigio	2,560	0	0	0	0	0	6.5
V100704067	Leather: Napoli	2,560	0	0	0	0	0	6.5
V602104011	Carpet: Laguna	340	0	0	0	0	0	7
V602104009	Carpet: Samona	340	0	0	0	0	0	7
Packages								
V8011615	Equipment Line Plus	6,160	0	0	0	0	0	36
V8011715	Equipment Line Premium	8,550	0	0	0	0	0	41
V8011513	Driver Assistance package ^{117) 58)}	1,710	0	0	0	0	0	0
V8028914	Style package ⁴⁹⁾	1,020	0	0	0	0	0	2
V8007113	Autonomy package XL	4,040	0	0	0	0	0	62
V8007112	Autonomy package Lithium	5,730	0	0	0	0	0	57
V8005014	Arctic package ^{86) 118)}	4,180	0	0	0	0	0	89.5
V8039011	Living Comfort package 4	1,190	0	0	0	0	0	10



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PRICES AND TECHNICAL DATA HYMER B-CLASS MODERNCOMFORT T WHITELINE





	B-MC T 550 WhiteLine	B-MC T 600 WhiteLine
Price ^{a)} £	102,960	105,440
Standard chassis	Mercedes-Benz Sprinter 417 CDI	Mercedes-Benz Sprinter 417 CDI
Drive	Front Wheel Drive	Front Wheel Drive
kW (hp)	125 (170)	125 (170)
Length / Width / Height (cm)	699/229/296	719 / 229 / 296
Body width / Internal width (cm)	219 / 212	219 / 212
Standing height in living area (cm)	198	198
Wheelbase (mm)	3900	4000
Mass in running order (kg)*	3154 (2996 - 3312)*	3184 (3025 - 3343)*
Manufacturer-specified mass for optional equipment (kg)*	916	884
Technically permissible maximum laden mass (kg)*	4430	4430
Technically permissible maximum towable mass (kg)*	1450 ²⁾	1450 ²⁾
Permitted number of seats (including driver)*	4-50	4-50
Insulation Floor / Wall / Roof (mm)	41/34/34	41/34/34
Overall clearance storage- / garage door resp. flap W x H (cm)	90 x 123	90 x 123
Bed dimension: Front bed, L x W, approx. cm	188 x 130 - 105	188 x 130 - 105
Bed dimension: Pull-down bed L x W (cm)	188 x 130 - 105	188 x 130 - 105
Bed dimension: Rear bed L x W (cm)	205 x 142	197 x 86 / 189 x 86
Bed dimension: Central bed L x W (cm)	200 x 110 - 72	200 x 110 - 40
Berths	2-50	2-50
Bathroom W x D (cm)	125 x 85	125 x 85
Wardrobe W x D x H (cm)	35 x 55 x 188	56 x 80 x 83 / 51 x 74 x 67
Kitchen, W x D x H, approx. cm	93 x 98 x 93	93 x 98 x 93
Fridge volume (of which freezer compartment) (I)	142	142
Standard heating	Gas warm air, 6 kW	Gas warm air, 6 kW
Gas bottle storage (Filling weight)	2x 11kg	2x 11kg
Total fresh water tank capacity (I)	180	180
Fresh water tank in driving filling level (I)	20	20
Waste water tank (I)	150	150
Starter battery, Ah	95	95
Standard habitation battery (Ah)	95 AGM	95 AGM
Sockets: 230 V/12 V/USB	8/3/6	8/3/6

Standard
 O Optional extra
 Mandatory
 Not yet known at the time of publication
 Available in package



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER B-CLASS MODERNCOMFORT T WHITELINE

B-MCT 550 WhiteLine

	<u>-</u>	<u>-</u> -
Chassis		
Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E	•	•
Basis		
Exterior colours: White cab / White body	•	•
Exterior body colour: White	•	•
SLC Chassis (Super Light Chassis / Super lightweight chassis)	•	•
22 I AdBlue tank	•	
Mercedes-Benz noise reduction: Engine compartment insulation and underbody panelling	•	•
Comfort suspension chassis	•	
Mud flaps, rear axle	•	•
Daytime Running Light integrated in headlights	•	•
Automatic headlight control	•	•
Electric parking brake	•	
Electrically adjustable and heated exterior mirrors	•	•
Electric cab windows and central locking for cab	•	•
Driver and passenger airbag ⁹¹⁾	•	•
Cupholder driver and passenger seat	•	•
Keyless Start (start-stop button for comfortable engine start)	•	•
ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program)		
Crosswind Assist		
Trailer hitch pre-installation		•
Warm air auxiliary heating, electric		•
9G-TRONIC automatic transmission incl. Hold function		•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control)		
Leather steering wheel (automatic transmission only)		•
92 I fuel tank		
Bumper, attachment parts and grill frame painted in vehicle colour		•
Chrome grill		
Reinforced front axle		
Semi-automatic climate control TEMPMATIK		
16" alloy wheels (black) with all season tyres		•
Active Brake Assist ⁴⁶⁾		
Cruise Control incl. steering wheel multifunction buttons		•
Body		
Electric entrance step, 1-step		_
Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology		
Garage load up to 350 kg (optional 450 kg). Please note the axle load.		•
Large garage doors, LH and RH side		•
Large loading compartment with external access incl. extra deep cellar compartment and access from the inside		•
Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness)		•
Heated double floor incl. cellar compartments		•
GRP lightweight floor with XPS insulation		•
Cab curtain made of high-quality pleated fabric		
Panoramic skylight above cab, manually hinged		
HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room ⁹²⁾		
Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm		
Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm		
Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm		
Awning with adapter, white housing, 400 x 250 cm		
Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock		
Design graphics: WhiteLine		
Outfitting Prawer and insert tray storage space in seating group		
Drawer and insert tray storage space in seating group Original Marcades Ronz Comfort seat unbeletored in living area fabric		
Original Mercedes-Benz Comfort seat, upholstered in living area fabric Living and bedroom + lighting		Ž
Function integration into furniture elements		<u> </u>
i unotion integration into iurniture elements	•	•

	B-MCT 550 WhiteLine	B-MCT 600 WhiteLine
	Σ.	Σ
Multi-new cold forms mathematical bight quality mathematical and florith of file.	Δ	<u>ш</u>
Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear		
Modern, linear interior design		
Optimal space and generous sense of space		
Complete LED interior lighting		
LED worktop lighting		
LED awning light	•	•
Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts	•	•
Bed conversion for L-shaped seating group incl. lowerable table	•	•
4 pillows	•	•
Fitted sheets made to measure for rear beds individually adapted to mattress contours	•	
Ambient light system: 4-level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination ¹¹⁴⁾	•	•
Kitchen		
Kitchen drawer with Servo Soft feature	•	•
Freely arrangeable kitchen drawers, extra wide	•	•
142 I Smart-Tower fridge	•	•
Extra deep sink with tight-fitting chopping board and high water tap	•	•
3-burner cooker with ignition fuse, electric ignition, flame guard and glass cover	•	•
Bathroom		
Wooden shower slats	•	•
Wooden shower slats Installation & Technology	•	•
	•	•
Installation & Technology	•	•
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately	•	•
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating	•	•
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately	•	•
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app -	•	•
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app - anytime, anywhere.	•	•
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app - anytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door		•
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app - anytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM		•
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app - anytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A)		•
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app - anytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A) 180 I fresh water tank, insulated and heated (20 I in driving position)		•
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect appanytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated		•
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app - anytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water drainage with dashboard switch		
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app - anytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Electric waste water drainage with dashboard switch Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling)		
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app - anytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Electric waste water drainage with dashboard switch Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling) Multimedia		
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect appanytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Electric waste water drainage with dashboard switch Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling) Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera		•
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect appanytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Electric waste water drainage with dashboard switch Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling) Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing		
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect appanytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Electric waste water drainage with dashboard switch Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling) Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera		
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app - anytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Electric waste water drainage with dashboard switch Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling) Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera 32" TV bracket 32" LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2) incl.		
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect appanytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Electric waste water drainage with dashboard switch Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling) Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera 32" TV bracket 32" TV bracket 32" LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2) incl. receiver		
Installation & Technology 6 kW gas warm air heating with 10 l warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect appanytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water drainage with dashboard switch Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling) Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera 32" TV bracket 32" TV bracket 32" TV bracket 32" LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2) incl. receiver Digital satellite dish, 80 cm, without receiver		
Installation & Technology 6 kW gas warm air heating with 10 I warm water boiler LCD keypad for heating Warm air heating in the rear bedroom, adjustable separately 7" touch display for convenient control and monitoring of important vehicle features and components HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect appanytime, anywhere. Extra low gas bottle compartment for easy gas bottle change with comfy access via external door Reinforced battery, 12 V, 95 Ah AGM Charging booster for safe charging of the habitation battery while driving (up to 70 A) 180 I fresh water tank, insulated and heated (20 I in driving position) 150 I waste water tank, insulated and heated Electric waste water drainage with dashboard switch Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling) Multimedia Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna 10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera 32" TV bracket 32" LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2) incl. receiver Digital satellite dish, 80 cm, without receiver Fabrics & Furniture finishes		

PACKAGES HYMER B-CLASS MODERNCOMFORT T WHITELINE

Package	Autonomy package XL	Autonomy package Lithium
HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer	v	х
Third habitation battery (95 Ah AGM)	x	
Inverter 12 V to 230 V, 1,800 W with network priority circuit	x	x
Third habitation battery HYMER Smart Battery System (150 Ah Lithium)		x
Package price £	4,350	6,410
Special price £	4,040	5,730
You save £	310	680
Excess weight (kg)*	62	57

Equipment Line Premium	Price £
LED High-Performance headlights	1,710
Shelf for smartphones incl. wireless charging with charge level indicator	190
Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)	120
Fully automatic climate control THERMOTRONIC incl. rain sensor	560
Package price	2,580
Special price	2,390
You save	190
Excess weight (kg)*	5

Driver Assistance package	Price £
Active Lane Keeping Assist	510
Attention Assist	80
High Beam Assist	330
Traffic Sign Assist	330
Heated windscreen	390
Heat-insulating glass with band filter on windscreen	250
Package price	1,890
Special price	1,710
You save	180
Excess weight (kg)*	0

Arctic package	Price £
Heat exchanger for warm water heating	850
Heat exchanger pre-installation, Mercedes-Benz	340
Warm water garage floor heating	420
Checker plate floor as well as felt trim in the rear garage	340
Insulated partitioning curtain for cab, double-layered sewn	300
Insulating mat for cab footwell, supplied loose	140
Auxiliary heating (supports heating when heating up the vehicle)	730
Warm water heating	2,480
Package price	5,600
Special price	4,180
You save	1,420
Excess weight (kg)*	89.5

 Δ Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER B-CLASS MODERNCOMFORT T WHITELINE

B-MC T 600 WhiteLine B-MC T 550 WhiteLine Excess weight (kg)* Price £ Chassis Weight variant 4,500 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) 95) V201104500 0 V201103880 Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) V201103500 Downplating to 3.5 t (Mercedes-Benz Sprinter 415 / 417 CDI only) 0 Basis V2062111 250.-Fog lights with cornering light 0 0 0 Wet Wiper System (windscreen wiper with integrated spray nozzles) 51) V2113010 90.-0 0 0 V3071010 Central locking for cab, habitation as well as garage doors 67) 420.-0 \circ Δ V20855J Seat heating and lumbar support for Original Mercedes-Benz seats 620.-0 0 0 V20410J Cupholder instead of storage compartment 60.- O \circ 0 V2049813 Open shelf cockpit passenger side 120.-0 0 0 Body V2007111 Trailer hitch, detachable ball head (incl. pre-installation) 98) 19) 1,450.- 0 63 0 V20062J Frame extension incl. 450 kg garage load 19) 420.-0 0 30 Roof rack with rear ladder and checker plate roof panel 77) 78) 79) V3014014 590.-0 15 0 V3014012 Roof rack with rear ladder without checker plate roof panel 79) 480.-0 0 8 GRP roof coating 78) 20) V30330J 590.-0 30 0 V20460J Comfort jacks, rear (2 units) 340.-0 9 0 V3023013 Bicycle rack for two bicycles, manually lowerable, max. load 50 kg 930.-0 17 0 V3023012 Bicycle rack for 4 bicycles, max. load: 60 kg 390.-0 14 0 V3055010 Security lock for habitation door 260.-0 0.5 0 Electric roof vent with function supply and exhaust air at kitchen ^{22) 23) 100)} V3009011 390.-0 5 0 V3011016 HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom 510.- 0 0 12 V3028012 Opening window incl. blackout blind and mosquito net, LH side, rear 360.-0 4 Outfitting Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests V2082013 680.-0 0 10 V208551 Seat heating and lumbar support for pilot seats 620.-0 0 0 ISOFIX (child seat fixation for seat bench) 106) 107) 105) V3037510 220.-0 0 3.5 5th seat with lap belt on seat bench, RH side against direction of travel $^{103)104}$ V4062010 510.- 0 38 0 V50100J External shower, located in garage 250.-0 Living and bedroom + lighting Lowerable double bed above the seating group with cold foam mattress, electric incl. roof integration 112) 97/ V40220F 2,390.- 0 0 40 V4034011 Sleeping system with cup-slatted bed frame for rear bed(s) 420.- O 3 0 V602601 Additional cushion between the longitudinal single beds incl. integrated comfort access 390.-0 Kitchen V4020012 Cooker-/oven combination 760.-0 29 0 Installation & Technology V5028013 6 kW gas warm air heating with 10 I warm water boiler and 1,800 W electric bar heater 510.-0 0 1 Automatic gas bottle changeover system with crash sensor and IceEx 25) V5026013 320.-0 3 0 Gas filter for automatic gas bottle changeover ²⁵⁾ V502501 170.-0 0 0 V502301 External gas socket with shut-off valve 170.-0 0 1 V5012511 Second habitation battery (95 Ah AGM) incl. additional 18 A charger 26) 420.-0 0 30 Solar panel with MPPT controller and display, 2 x 95 W 101) 78) 100) V5047029 1,450.-0 0 16 Roof AirCon, 2,400 W 22) V5033014 1,960.- 0 0 33 Toilet vent 116) V3064012 250.-0 0 Multimedia



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

		Price £	B-MC T 550 WhiteLin	B-MC T 600 WhiteLir	Excess weight (kg)*
V5055011	Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVD drive, DVB-T / C, DVB-S2, wiring as well as wall bracket $^{33)}$	1,230	0	0	13
Fabrics & Furni					
V100904014	Furniture finish: Noce Cognac		♦	•	0
V100704131	Fabric combination: Jandia		•	•	0
V100704132	Fabric combination: Lorane		♦	•	0
V100704076	Fabric combination: Grazia (Eco Tech Material)	850	0	0	0
V100704091	Textile leather-/ fabric combination: Dalana	850	0	0	4
V100704125	Textile leather-/ fabric combination: Marquis	850	0	0	4
V100704133	Leather-/ fabric combination: La Paz	2,560	0	0	4
V100704067	Leather: Napoli	2,560	0	0	6.5
V100704090	Leather: Grigio	2,560	0	0	6.5
V602104011	Carpet: Laguna	340		0	7
V602104009	Carpet: Samona	340	0	0	7
Packages					
V8011715	Equipment Line Premium	2,390	0	0	5
V8011513	Driver Assistance package ¹¹⁷⁾ ¹¹⁹⁾ ⁵⁸⁾	1,710	0	0	0
V8007113	Autonomy package XL	4,040	0	0	62
V8007112	Autonomy package Lithium	5,730	0	0	57
V8005014	Arctic package ^{86) 118)}	4,180	0	0	89.5

● Standard O Optional extra ▲ Mandatory
◆ On request (no extra cost) — Not possible □ Available in package Δ Not yet known at the time of publication $\,$ Please note the information on page 85 $\,$



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

ne

PRICES AND TECHNICAL DATA HYMER B-CLASS MODERNCOMFORT I











	B-MC1550	B-MC1580	B-MC1600	B-MC1680	B-MC1690
Price a)£	104,450	104,450	106,760	108,640	108,640
Standard chassis	Mercedes-Benz Sprinter 315 CDI	Mercedes-Benz Sprinter 315 CDI	Mercedes-Benz Sprinter 315 CDI	Mercedes-Benz Sprinter 315 CDI	Mercedes-Benz Sprinter 315 CDI
Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive
kW (hp)	110 (150)	110 (150)	110 (150)	110 (150)	110 (150)
Length / Width / Height (cm)	699/229/296 1)	699 / 229 / 296 ¹⁾	719 / 229 / 296 ¹⁾	739 / 229 / 296 ¹⁾	739 / 229 / 296 1)
Body width / Internal width (cm)	219 / 212	219 / 212	219 / 212	219 / 212	219 / 212
Standing height in living area (cm)	198	198	198	198	198
Wheelbase (mm)	3900	3900	4000	4200	4200
Mass in running order (kg)*	3117 (2961 - 3273)* 40)	3102 (2947 - 3257)* 40)	3142 (2985 - 3299)* 40)	3167 (3009 - 3325)* 40)	3197 (3037 - 3357)* 40)
Manufacturer-specified mass for optional equipment (kg)*	28	43	1	54	24
Technically permissible maximum laden mass (kg)*	3500	3500	3500	3500	3500
Technically permissible maximum towable mass (kg)*	2000 2)	2000 2)	2000 2)	2000 2)	2000 2)
Permitted number of seats (including driver)*	4 - 5 O ³⁾	4 3)	4-50 ³⁾	3-50 ³⁾	3-50 3)
Insulation Floor / Wall / Roof (mm)	41/34/34	41/34/34	41/34/34	41/34/34	41/34/34
Overall clearance storage- / garage door resp. flap W x H $$\rm (cm)$$	90 x 123	90 x 123	99 x 123 / 99 x 99 O	99 x 123 / 99 x 99 O	90 x 115 / 90 x 94
Bed dimension: Pull-down bed L x W (cm)	194 x 145 / 2x 194 x 65 O	194 x 145 / 2x 194 x 65 O	194 x 145 / 2x 194 x 65 O	194 x 145 / 2x 194 x 65 O	194 x 145 / 2x 194 x 65 O
Bed dimension: Rear bed L x W (cm)	205 x 142	2x 192 x 86 / 215 x 86 O / 192 x 86 O	197 x 86 / 189 x 86	202 x 86 / 190 x 86	195 x 150
Bed dimension: Central bed L x W (cm)	200 x 110 - 77 O	172 x 70 O	200 x 110 - 50 O	200 x 110 - 50 O	200 x 110 - 50 O
Berths	4-50	4	4-50	4-50	4-50
Bathroom W x D (cm)	125 x 85	125 x 85	125 x 85	90 x 80	90 x 80
Separate shower W x D (cm)				73 x 77	73 x 77
Wardrobe W x D x H (cm)	35 x 55 x 188	22 x 55 x 188	56 x 70 x 83 / 51 x 74 x 67	71 x 70 x 83 / 51 x 74 x 67	23 x 60 x 115 / 23 x 60 x 115
Kitchen, W x D x H, approx. cm	93 x 98 x 93	94 x 59 x 93	93 x 98 x 93	93 x 98 x 93	93 x 98 x 93
Fridge volume (of which freezer compartment) (I)	142	142	142	142	142
Standard heating	Gas warm air, 6 kW	Gas warm air, 6 kW	Gas warm air, 6 kW	Gas warm air, 6 kW	Gas warm air, 6 kW
Gas bottle storage (Filling weight)	2x 11kg	2x 11kg	2x 11kg	2x 11kg	2x 11kg
Total fresh water tank capacity (I)	180	180	180	180	180
Fresh water tank in driving filling level (I)	20	20	20	20	20
Waste water tank (I)	150	150	150	150	150
Standard habitation battery (Ah)	95 AGM	95 AGM	95 AGM	95 AGM	95 AGM
Sockets: 230 V/12 V/USB	4/2/4	4/2/4	4/2/4	4/2/4	4/2/4





The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturerspecified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

[●] Standard O Optional extra
♦ On request (no extra cost) — Not possible ☐ Available in package

 $[\]triangle$ Not yet known at the time of publication

STANDARD EQUIPMENT HYMER B-CLASS MODERNCOMFORT I

All Mercades-Benz Sprinter 3.5 f - 315 CDI - 110 KW/150 hp - Euro VI-E ⁴³⁹ 3635 3635 3635 3635 3635 3635 3635 363		B-MC1550	3-MC1580	B-MC1600	B-MC1680	B-MC1690
Mercedics Braz Sprinter 3.51 - 315 CDI - 110 KW/150 hp - Euro VI. E - 40 38/8 38/9 38/9 38/9 38/9 38/9 38/9 38/9		B-B	B-R	B-N	B-N	B-B
Sic Chassis (Super Light Chassis / Super light weight chassis) Sic Chassis (Super Light Chassis / Super light weight chassis) Sig Fiut Innix Sid Fiut Innix	Chassis		Ļ			
Smooth atuminism skin, Colour. Carrara white Chassis (Super Light Chassis / Super lightweight chassis)		<u> • </u>	•	•	•	_
SLC Chassis (Super Light Chassis / Super lightweight chassis) 3 speed transmission 55 flue lank 21 AdBlue tank 22 LAGBlue tank 3 Surper larger in the properties of the p			_			
25-speed transmission 55 fluel tank 22 I AdBlus tank 22 I AdBlus tank 22 I AdBlus tank 23 I AdBlus tank 24 Exterior mirrors suspended, in vehicle colour, electrically heated and adjustable, incl. wide-angle mirror Morcodes-Benz noles reduction: Engine compartment insulation and underbody panelling 25 more than the suspension chassis 26 Daytime running light and LED indicator integrated in HYMER headlights 36 Mucl fluss, Front and rear adv 36 Mucl fluss, Front and rear adv 37 Flust flush that whe cover and all season tyres 38 Flust flush that whe cover and all season tyres 39 Flust flush that whe decover and all season tyres 30 Flushed risk growth and passenger airting ⁹⁰ 30 Flushed risk growth and passenger seat 36 Flushed risk growth and passenger seat 37 Flushed risk growth grow						
155 floate lank 22 JA ABlue tank Exterior mirrors suspended, in vehicle colour, electrically heated and adjustable, incl. wide-angle mirror 4 weredes Benz noise reduction: Engine compartment insulation and underbody panelling 5 comparison of the second o						
22 A ABINE trank Exterior primors suspended, in vehicle colour, electrically heated and adjustable, incl. wide-angle mirror Morcedes-Bear noise reduction: Engine compartment insulation and underbody panelling Comfort suspension chasels Doylmer unning light and LED indicator integrated in HYMER headlights Word flaps, Front and rear ade Noted flaps, Front and Rear Age Noted flaps,	·					
Exterior mirrors suspended, in vehicle colour, electrically heated and adjustable, incl. vide-angle mirror Wercodes-Benz noise reduction: Engline compartment insulation and underbody panelling Comfort suspension chassis LED Daylime running light and LED indicator integrated in HYMER headlights Well drips, front and rear axide Vehicl rips, front and rear axide Vehicle rips in the price in th						
Mercedes-Benz noise reduction: Engine compartment insulation and underbody panelling Comfort suspension chaosis LED Daytime running light and LED indicator integrated in HYMER headlights Multiple provided in the provided i						
Confort suspension chassis LED Daytime running light and LED indicator integrated in HYMER headlights Mud thaps, front and rear axis Reinforced front axis Trailer liftch price ristallation Lof steel rims with full wheel cover and all season tyres Upholded rims test of stratege compartment Lectric parking brake Driver and passenger airbag ³⁰ Cupholded river and passenger steat Semi-automatic climate control TEMPMATIK Keyless Start (fastr-stop button for comfortable engine start) Multifunctional steering wheel Warm air auxillary heating, electric ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Automatic headlight control CO Start-Stop Feature Crosswind Assist Crosswind Assis						
LED Daytime numing light and LED indicator integrated in HYMER headlights Would flaps, front and rear axide Reinforced front axie Frailer hitch pre-installation So steed rinsw thit ull wheel cover and all season tyres Lupholder instead of storage compartment Electric parking that the wheel cover and all season tyres Lupholder first prake Driver and passenger airbag ⁵⁴¹ Lupholder first and passenger seat Semi-automatic climate control TEMPMATIK (Seyless Start Istart stop button for comfortable engine start) Multifunctional steering wheel Warm air auxiliary heating, electric CO Start-Stop feature Torasswind Assist Custor Control incl. steering wheel multifunction buttons 30dy Exterior flap to load the L-shaped seating group from outside, LH side Lectric entrance step 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Larage load up to 350 kg (optional 450 kg). Please note the axide load. Large garage dons, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Diptimal PUAL Sandwich insulation alloy alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin related double floor incl. cellar compartments SRP lightweight floor with XPS insulation Skylight (floosted glass) above rear beging with law		•	•	•	•	•
Mud flaps, front and rear axial Reinforcat front axiale Frailer hitch pre-installation 6' steel rims with full wheel cover and all season tyres Upublodic instead of storage compartment Electric parking brake Proview and passenger arisag 90 Upublodic driver and passenger sease 100 Upublodic driver and passenger arisag 90 Upublodic driver and passenger sease 100 Upublodic p	·	•	•	•	•	•
Reinforced front axie Trailer hitch pre-installation 16" steel rims with full wheel cover and all season tyres Lupholder instead of storage compartment Lupholder instead of storage compartment Lupholder instead of storage compartment Lupholder from an passenger airbag Lupholder for and passenger airbag Lupholder for and passenger seat Semi-automatic climate control TEMPMATIK Keyless Start (start-stop button for comfortable engine start) Multifunctional steering wheel Warm air auxiliary heating, electric Marm air auxiliary heating, electric Marm air auxiliary heating, electric SES (Anti-Lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Automatic headlight control LCO Start-Stop feature Crosswind Assist Truse Control lind. steering wheel multifunction buttons 30dy Lectric entrance step. 1-step		•	•	•	•	•
Trailer hitch pre-installation If "steel rims with full wheel cover and all season tyres Cupholder instead of storage compartment Lectric parking brake Tougholder driver and passenger sides Cupholder driver driver driver sides Cupholder driver driver and passenger sides Cupholder driver dri	* *	•	•	•	•	•
16" steel rims with full wheel cover and all season tyres		•	•	•	•	•
Cupholder instead of storage compartment	·	•	•	•	•	•
Driver and passenger airbag 291 Compolder driver and passenger seat Semi-automatic climate control TEMPMATIK (evjess Start (start-stop button for comfortable engine start) Multifunctional steering wheel Warm air auxiliary heating, electric ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Automatic headilight control Coo Start-Stop feature Crosswind Assist Cruise Control incl., steering wheel multifunction buttons 30dy Exterior flap to load the L-shaped seating group from outside, LH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Aarage load up to 350 kg (potlonal 450 kg), Please note the axie load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin Heataed double floor incl. cellar compartments SQRP lightweight floor with XPS insulation Skylight (frosted glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net, and the same short of the same short o	Cupholder instead of storage compartment	•	•		•	
Driver and passenger airbag 291 Compolder driver and passenger seat Semi-automatic climate control TEMPMATIK (evjess Start (start-stop button for comfortable engine start) Multifunctional steering wheel Warm air auxiliary heating, electric ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Automatic headilight control Coo Start-Stop feature Crosswind Assist Cruise Control incl., steering wheel multifunction buttons 30dy Exterior flap to load the L-shaped seating group from outside, LH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Aarage load up to 350 kg (potlonal 450 kg), Please note the axie load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin Heataed double floor incl. cellar compartments SQRP lightweight floor with XPS insulation Skylight (frosted glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net, and the same short of the same short o	Electric parking brake	•	•	•	•	•
Semi-automatic climate control TEMPMATIK (ey Jess Start (start-stop button for comfortable engine start) (will tifunctional steering wheel Warm air auxiliary heating, electric ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Automatic headlight control COS Start-Stop feature Crosswind Assist Cruise Control incl. steering wheel multifunction buttons 30dy Exterior flap to load the L-shaped seating group from outside, LH side Electric entrance step. 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Sarage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage dors, LH and RH side Large gardin compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) William of thickness of the side o	Driver and passenger airbag ⁹¹⁾	•	•			•
Keyless Start (start-stop button for comfortable engine start) Multifunctional steering wheel Marm air auxiliary heating, electric ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Automatic headlight control CO Start-Stop feature Crosswind Assist Cruise Control incl. steering wheel multifunction buttons addy Exterior flap to load the L-shaped seating group from outside, LH side ———————————————————————————————————	Cupholder driver and passenger seat	•	•	•	•	•
Multifunctional steering wheel Warm air auxiliary heating, electric Warm air auxiliary heating, electric ABS (Anti-lock Prake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Automatic headlight control ECO Start-Stop feature Crosswind Assist Crusise Control incl, steering wheel multifunction buttons 30dy Exterior flap to load the L-shaped seating group from outside, LH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Exterior flap to load the L-shaped seating group from outside, LH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Sarage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin Heated double floor incl. cellar compartments Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, insquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Diffitting Mosquito net on habitation door Local beats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions an	Semi-automatic climate control TEMPMATIK	•	•		•	•
Warm air auxiliary heating, electric ABS (Anti-lock Brake System) / ASR (Anti-Siip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Automatic headlight control COO Start-Stop feature Crosswind Assist Cruise Control incl. steering wheel multifunction buttons 30dy Exterior flap to load the L-shaped seating group from outside, LH side Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Starge load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation Skylight (forsted glass) habove rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (forsted glass) habromown with blackout blind and mosquito net, 40 x 40 cm Skylight (forsted glass) habromown with blackout blind and mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) habromown with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (forsted glass) habromown with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (forsted glass) habromown with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (forsted glass) habromown with blackout blind, integrated waste bin as well as 2-way lock Dutfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Dutfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Dutfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling,	Keyless Start (start-stop button for comfortable engine start)	•	•	•	•	•
ABS (Anti-lock Brake System) / ASR (Anti-Silp Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Automatic headlight control EO Start-Stop feature Crosswind Assist Cruise Control incl. steering wheel multifunction buttons 30dy Sterior I and to load the L-shaped seating group from outside, LH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Sarage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PVBL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout bilind and integrated waste bin Heated double floor incl. cellar compartments Skylight (flosted glass) above rear bed(s) with blackout bilind and mosquito net, 40 x 40 cm Skylight (flosted glass) in bathroom with blackout bilind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout bilind, and squito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout bilind and mosquito net, as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Outfilting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Luxury table: 360° rotatable, longitudinally and transversably displaceable Luxury table: 360° rotatable, longitudinally and transversably displaceable Loung and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl	Multifunctional steering wheel	•	•		•	•
Automatic headlight control ECO Start-Stop feature Crosswind Assist Cruise Control incl. steering wheel multifunction buttons 30dy Exterior flap to load the L-shaped seating group from outside, LH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please note the axle load. 30arage load up to 350 kg (optional 450 kg). Please load.	Warm air auxiliary heating, electric	•	•	•	•	•
Automatic headlight control CEO Start-Stop feature Crosswind Assist Cruise Control incl. steering wheel multifunction buttons 30dy Setterior flap to load the L-shaped seating group from outside, LH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Sarage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin Heated double floor incl. cellar compartments GRIP lightweight floor with XPS insulation Skylight (frosted glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Dutlifting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Lavury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom+ lighting Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space	ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability					
ECO Start-Stop feature Crosswind Assist Crosswind Assist Crusise Control incl. steering wheel multifunction buttons Body Exterior flap to load the L-shaped seating group from outside, LH side Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg), Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin Heated double floor incl. cellar compartments SRP lightweight floor with XPS insulation Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Duffitting Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and badroom+ lighting Function integration into furniture elements Wullt-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Woodern, linear interior design Optimal space and generous sense of space	Program)					
Crosswind Assist Cruise Control incl. steering wheel multifunction buttons 3ody Exterior flap to load the L-shaped seating group from outside, LH side — — — — — — — — — — — — — — — — — — —	Automatic headlight control	•	•	•	•	•
Cruise Control incl. steering wheel multifunction buttons 30dy 30dy 30dy 30dy 30dy 30dy 30dy 30dy	ECO Start-Stop feature	•	•		•	
Exterior flap to load the L-shaped seating group from outside, LH side		•	•	•	•	•
Exterior flap to load the L-shaped seating group from outside, LH side		•	•	•	•	•
Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Outfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Luxury table: 360° rotatable, longitudinally and transversably displaceable Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Modern, linear interior design Optimal space and generous sense of space	•					
Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Dytimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin Heated double floor incl. cellar compartments SRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Dutfitting Wosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Dytimal space and generous sense of space				_	_	_
Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin Heated double floor with XPS insulation SaRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Dutfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom* lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space						
Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Dptimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Dutfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Modern, linear interior design Dytimal space and generous sense of space						
Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Deptimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Outfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Dytimal space and generous sense of space						
Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Window in habitation door incl. blackout blind and integrated waste bin Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Outfitting Wosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom+ lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space						
Window in habitation door incl. blackout blind and integrated waste bin Heated double floor with XPS insulation GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Outfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space						
Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) in bathroom with window, blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) in bathroom well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) in bathroom well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) in bathroom well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) in bathroom well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) in bathroom well as integra	,					
GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Outfitting Wosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space	-		•			
Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Outfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space	·					
Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Outfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space		•	•	•	•	•
Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Outfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space		•	•	•	•	•
HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Outfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space		_	_	_	•	•
Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Outfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space		•	•	•	•	•
Outfitting Mosquito net on habitation door Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space		•	•		•	•
Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space	Outfitting					
Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space	Mosquito net on habitation door	•	•	•	•	•
Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space	Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests	•	•	•	•	•
Cab blinds made of high-quality pleated fabric Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Diptimal space and generous sense of space	Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts	•	•		•	•
Living and bedroom + lighting Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space	Luxury table: 360° rotatable, longitudinally and transversably displaceable	•	•	•	•	•
Pull-down bed, manual Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space	Cab blinds made of high-quality pleated fabric	•			•	
Function integration into furniture elements Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space	Living and bedroom + lighting					
Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear Modern, linear interior design Optimal space and generous sense of space	Pull-down bed, manual	•	•	•	•	•
Modern, linear interior design Optimal space and generous sense of space Optimal space and generous sense of space	Function integration into furniture elements	•	•	•	•	•
Optimal space and generous sense of space	Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear	•	•		•	•
	Modern, linear interior design	•	•	•	•	•
Complete LED interior lighting ● ● ● ●	Optimal space and generous sense of space	•	•			•
	Complete LED interior lighting	•	•	•	•	•

0 0 0 0

	0	0	0	0	0
	B-MC1550	B-MC1580	B-MC1600	B-MC1680	B-MC1690
	2	Ω	Ω	آر ا	2
	B-N	B-N	B-N	B-N	B-N
LED worktop lighting	•	•	•	•	•
Night lighting with toggle switch	•	•	•	•	•
LED awning light	•			•	
Lighting dimmable (via push button)	•	•	•	•	•
Kitchen					
Kitchen drawer with Servo Soft feature	•	•	•	•	•
Freely arrangeable kitchen drawers, extra wide	•		•		•
142 I Smart-Tower fridge	•	•	•	•	•
Extra deep sink with tight-fitting chopping board and high water tap	•	_	•		•
Installation & Technology					
6 kW gas warm air heating with 10 I warm water boiler	•	•	•	•	•
LCD keypad for heating	•	•	•	•	•
Cab heating concept with increased warm air heating incl. heated dashboard in the living condition	•	•	•	•	•
Warm air heating in the rear bedroom, adjustable separately	•		•	•	_
Extra low gas bottle compartment for easy gas bottle change with comfy access via external door	•	_	•	•	•
Charging booster for safe charging of the habitation battery while driving (up to 70 A)	•	•	•	•	•
Reinforced battery, 12 V, 95 Ah AGM	•	•	•	•	•
180 I fresh water tank, insulated and heated (20 I in driving position)	•		•	•	•
150 I waste water tank, insulated and heated	•	•	•	•	•
7" touch display for convenient control and monitoring of important vehicle features and components	•		•	•	•
HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER					
Connect app - anytime, anywhere. ⁹³⁾					
Twin USB at seating group	•	•	•	•	•
Electric waste water drainage with dashboard switch	•	•	•	•	•
Multimedia					
Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear bedroom, radio and	•	•	•		•
DVB-T2 antenna					
DAB Radio pre-installation		_	•	<u> </u>	_
Fabrics & Furniture finishes				Ţ	
Furniture finish: Grand Oak					
Fabric combination: Janeiro		•			
Packages					
Extended standard equipment without surcharge					

EQUIPMENT LINES HYMER B-CLASS MODERNCOMFORT I

	Extended standard equipment without surcharge	Equipment Line Plus	Equipment Line Premium
Semi-automatic climate control TEMPMATIK	•	•	-
Cruise Control incl. steering wheel multifunction buttons	•	•	•
Electric parking brake	•	•	•
Multifunctional steering wheel	•	•	•
Reinforced front axle	•	•	•
DAB Radio pre-installation	•	•	•
9G-TRONIC automatic transmission incl. Hold function	_	•	•
10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera	_	•	•
Leather steering wheel (automatic transmission only)	-	•	•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons	_	•	•
Instrument cluster with colour display	_	•	•
Mercedes-Benz acoustics package	_	•	•
HYMER Premium Full-LED headlights	_	_	•
Shelf for smartphones incl. wireless charging with charge level indicator	_	_	•
Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)	-	-	•
Fully automatic climate control THERMOTRONIC incl. rain sensor	_	_	•
Excess weight Equipment line (kg)*	0	36	39
Package price £		6,570	8,890
Special price £		6,160	8,300
You save £		410	590

 \triangle Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKAGES HYMER B-CLASS MODERNCOMFORT I

Package	Autonomy package XL	Autonomy package Lithium
HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer	v	х
Third habitation battery (95 Ah AGM)	x	
Inverter 12 V to 230 V, 1,800 W with network priority circuit	x	x
Third habitation battery HYMER Smart Battery System (150 Ah Lithium)		x
Package price £	4,350	6,410
Special price £	4,040	5,730
You save £	310	680
Excess weight (kg)*	62	57

Living Comfort package 4	Price £
Wooden shower slats	140
Fitted sheets made to measure for rear beds individually adapted to mattress contours	210
4 pillows	170
Ambient light system : 4-level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination	590
Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling)	420
Package price	1,530
Special price	1,190
You save	340
Excess weight (kg)*	10

B-Class MC I Arctic package	Price £
Warm water heating	2,480
Heat exchanger for warm water heating	850
Heat exchanger pre-installation, Mercedes-Benz	340
Warm water garage floor heating	420
Checker plate floor as well as felt trim in the rear garage	340
Insulating glazing for cab side windows and cab door	850
External insulation windscreen mat	360
Insulating mat for cab footwell, supplied loose	140
Auxiliary heating (supports heating when heating up the vehicle)	730
Package price	6,510
Special price	4,840
You save	1,670
Excess weight (kg)*	95.5

 Δ Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER B-CLASS MODERNCOMFORT I

Chassis		Price £	B-MC1550	B-MC1580	B-MC1600	B-MC1680	B-MC1690	Excess weight
Chassis	Mercedes-Benz Sprinter 3.5 t - 317 CDI - 125 KW/170 hp - Euro VI-E 35) 43)	1,710	$\overline{}$	0	0	0	0	0
	Mercedes-Benz Sprinter 4.43 t - 415 CDI - 110 KW/150 hp - Euro VI-E 46) 94)	1,190	0	0	0	0	0	13
	Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E 46) 94) 35)	2,900		0	0	0	0	13
V201103880	Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 CDI only)	2,300	•		•	•		0
V201103500 V201104500	Weight variant 4,500 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) 95)		•	•	•			0
V201104500 V201103500	Downplating to 3.5 t (Mercedes-Benz Sprinter 415 / 417 CDI only)		•	× ·	•	•		0
Basis	Downplating to 3.5 t (Mercedes-Benz Sprinter 415 / 417 Obt only)			•				0
V3003011	Exterior colour: Crystal-Silver Metallic	3,420	0	0	0	0	0	30
V2051092	92 I fuel tank	330		0	0	0	0	22
V2052510	Chrome version front (grill / fog light cover)	510		0	0	0	0	0
V2062110	Halogen fog lights ³⁶⁾	250		0	0	0	0	1
V2062110	LED fog lights incl. static cornering light ⁵¹⁾	680		0	0	0	0	1.5
V3071010	Central locking for cab, habitation as well as garage doors ⁶⁷⁾	600		0	0	0	0	Δ
V2021027	16" alloy wheels (black) with all season tyres ^{13) 94)}	1,020		0	0	0	0	0
V2021027	16" alloy wheels (silver) with all season tyres ^{13) 94)}	1,020	_	0	0	0	0	0
V2021027 V2021041	17" alloy wheels (silver) with summer tyres ¹³⁾	1,240		0	0	0	0	4
V2049813	Open shelf cockpit passenger side	120		0	0	0	0	0
V2027811	Active Brake Assist ⁴⁶⁾	510		0	0	0	0	0
Body	Notive Blake Assist	310.						J
V30522160	Awning with adapter, white housing, 450 x 250 cm ¹⁸⁾	1,360	\cap	0	0	_	_	35
V30522160	Awning with adapter, white housing, 450 x 250 cm ¹⁸⁾	1,360		0	0	_	_	35
V30522170	Awning with adapter, white housing, 500 x 250 cm ¹⁸⁾	1,450	_	_	_	0	0	38
V30522170	Awning with adapter, white housing, 500 x 250 cm ¹⁸⁾	1,450				0	0	38
V2007111	Trailer hitch, detachable ball head (incl. pre-installation) 98) 19)	1,500	\circ	0	0	0	0	63
V3014014	Roof rack with rear ladder and checker plate roof panel ^{77) 78) 79)}	590	_	0	0	0	0	15
V3014014	Roof rack with rear ladder without checker plate roof panel ⁷⁹⁾	510	0	0	0	0	0	8
V3020211	Electric entrance step on cab door (when opening the cab door the step automatically extends)	390		0	0	0	0	8
V30330J	GRP roof coating ^{20) 77)}	590	0	0	0	0	0	30
V2045012	Hydraulic lift system with automatic front and rear levelling 102) 99)	6,850		0	0	0	0	83
V2045012 V20460J	Comfort jacks, rear (2 units) ⁹⁹⁾	340		0	0	0	0	9
V204603 V20062J	Frame extension incl. 450 kg garage load ¹⁹⁾	420		0	0	0	0	30
V3023013	Bicycle rack for two bicycles, manually lowerable, max. load 50 kg	930		0	0	0	0	17
V3023013 V3023012	Bicycle rack for 4 bicycles, max. load: 60 kg	390		0	0	0	0	14
V3072010	Lockable compartment, RH side	170				0		3
V3072010 V3028012	Opening window incl. blackout blind and mosquito net, LH side, rear	360						4
V3020012 V3011016	HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom	510		0	0	0	0	12
V3055012	Security lock for cab and habitation door	510		0	0	0	0	1
V3008010	Skylight in the front with blackout blind and mosquito net, 40 x 40 cm ³⁹⁾	170		0	0	0	0	2
V3009011	Electric roof vent with function supply and exhaust air at kitchen ^{22) 23)}	390		0	0	0	0	5
Outfitting	Electric 1991 vent with function supply and exhaust an at rate inch	330.	$\overline{}$					
V20855J	Seat heating and lumbar support for pilot seats	620	$\overline{}$	0	0	0	0	0
V3037510	ISOFIX (child seat fixation for seat bench) 105) 106) 107) 108)	220		0	0	0	0	3.5
V4040510	Drawer and insert tray storage space in seating group	250		0	0	0	0	3.3
V4040310 V4062010	5th seat with lap belt on seat bench, RH side against direction of travel ¹⁰⁴⁾¹⁰³⁾¹²⁰⁾	510		_	0	0	0	38
V4002010 V6001014	Roller blind for windscreen (can be pulled from bottom to top), manual ¹³⁾	420		0	0	0	0	0
V50100J	External shower, located in garage	250		0	0	0	0	1
								-16
								6.5
V40070J V4052016	Front overhead lockers instead of pull-down bed (incl. kitchen skylight) Premium round table, extendable with real wood surface 110) 109)	470 510		0	0	0	0	



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

								3
			0	000	0	000	0	Excess weight (kg
			3-MC 550	B-MC1580	B-MC 600	B-MC1680	B-MC1690	» we
		Price £	MC	NC NC	AC.	ΑC	MC MC	Ses
		a)	<u>-</u>	<u>~</u>	<u>~</u>	<u>-</u>	<u>~</u>	Ř
V40430J	Multifunctional sideboard instead of couch incl. seating, shoe- and multimedia compartment as well as 2 x 230 V and 1 Twin-USB socket $^{121)122)120)}$	640	0	0	0	0	0	15
V4036611	Sense of space - open shelves in the rear instead of overhead lockers		_	•	•	•	_	-4
V30310J	Checker plate floor as well as felt trim in the rear garage	340						18.5
V2101010	Underfloor storage box incl. pull-out on the RH side	390	_	_	_	0	0	18
Living and bed		200						
V4034010	Sleeping system with cup-slatted bed frame for front bed	390		0	0	0	0	3
V4034011	Sleeping system with cup-slatted bed frame for rear bed(s)	420		0	0	0	_	3 15
V40220MA	Pull-down bed with single bed feature, manual ¹²³⁾	1,110	O	0	0	0	0	15
V40370J V4006110	Queensbed in the rear, electrically height adjustable	360		_			0	5 2.5
V4006110	XXL bed, extra long mattress incl. semi-high wardrobe (instead of floor-to-ceiling wardrobe) Bed conversion for comfort L-shaped seating group incl. additional cushion and lowerable	300	_	0			_	2.5
V60285J	table involving the cab seat	340	_	0	_	_	_	5
V60285J	Bed conversion for L-shaped seating group incl. lowerable table ¹⁰³⁾	390	0	_	0	0	0	5
V60260J	Additional cushion between the longitudinal single beds incl. integrated comfort access	390	_	0	0	0	_	4
V5029211	Ambient light system: 4-level light system with dynamic and individual control of the	590						1
V5029211	illumination (incl. light temperature) as well as atmospheric base illumination $^{114)}$	590	Ц	Ш	Ш	Ц	Ш	1
Kitchen								
V4020012	Cooker- / oven combination	760	0	0	0	0	0	29
Installation & T		=10						
V5028013	6 kW gas warm air heating with 10 l warm water boiler and 1,800 W electric bar heater	510	_	0	0	0	0	1
V5028014	Warm water heating ^{115) 83)}	2,480						55 15
V30325J V5026013	Gas bottle slide out Automatic gas bottle changeover system with crash sensor and IceEx ^{25) 24)}	600 320		0	_	_	_	15 3
V5025013	Gas filter for automatic gas bottle changeover ²⁵⁾	320 170		0	0	0	0	0
V50230J	External gas socket with shut-off valve	170	_	0	0	0	0	1
V5012511	Second habitation battery (95 Ah AGM) incl. additional 18 A charger ²⁶⁾	420	_	0	0	0	0	30
	HYMER Smart Battery System (50 Ah Lithium) incl. additional 18 A charger and battery							
V5012513	computer ^{41) 124) 26)}	1,020	0	0	0	0	0	10
V5012512	HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer ^{26) 27)}	2,480						25
V5047029	Solar panel with MPPT controller and display, 2 x 95 W ⁷⁸⁾	1,450	0	0	0	0	0	16
V80288J	Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling)	420						3
V5033014	Roof AirCon, 2,400 W ²²⁾	1,960		0	0	0	0	33
V3064012	Toilet vent	250		0	0	0	0	1
V5069710	Water filter for fresh water system	210	<u> </u>	0	0	0	0	1
Multimedia	22" av 22" TV bysaliot	220	$\overline{}$		_	_	$\stackrel{\sim}{-}$	
	22" or 32" TV bracket 22" Smart LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-	320	0	0	0	0	0	4
V5054513	Multimedia system with Bluetooth® (DVB-T / C, DVB-S2) incl. receiver ³²⁾	1,110	0	_	0	0	0	7
V5054514	32" LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2) incl. receiver ³²⁾	1,530	0	0	0	0	0	10
V5055011	Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVD drive, DVB-T / C, DVB-S2, wiring as well as wall bracket $^{33)}$	1,230	0	0	0	0	0	13
V50440116	Digital flat antenna, without receiver	2,310	0	0	0	0	0	17
V50440123	Digital satellite dish, 80 cm, without receiver	2,480	0	0	0	0	0	14.5
V50440124	Digital satellite dish, 80 cm, Twin LNB	2,730	0	0	0	0	0	15.5
Fabrics & Furn					Ļ	Ţ	الجا	
	Furniture finish: Noce Cognac		♦	•	♦	♦	•	0
V100704132	Fabric combination: Lorane		•	•	•	•	•	0
V100704131	Fabric combination: Jandia	050	•	•	•	•	•	0
	Fabric combination: Grazia (Eco Tech Material)	850	_	0	0	0	0	0
V100704091 V100704125	Textile leather-/ fabric combination: Dalana Textile leather-/ fabric combination: Marquis	850 850		0	0	0	0	4
V100704125 V100704133	Leather-/ fabric combination: La Paz	2,560		0	0	0	0	4
410010 4 133	Leading / Tability Combination, La F &Z	2,300	J	J	J	J	J	+



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

*(g)

								Kg Kg
		Price £	B-MC 550	B-MC1580	B-MC1600	B-MC1680	B-MC1690	Excess weight (kg
V100704090	Leather: Grigio	2,560	0	0	0	0	0	6.5
V100704067	Leather: Napoli	2,560	0	0	0	0	0	6.5
V602104009	Carpet: Samona	340	0	0	0	0	0	7
V602104011	Carpet: Laguna	340	0	0	0	0	0	7
Packages								
V8011615	Equipment Line Plus	6,160	0	0	0	0	0	36
V8011715	Equipment Line Premium	8,300	0	0	0	0	0	39
V8039010	Living Comfort package 4	1,190	0	0	0	0	0	10
V8007113	Autonomy package XL	4,040	0	0	0	0	0	62
V8007112	Autonomy package Lithium	5,730	0	0	0	0	0	57
V8005013	B-Class MC I Arctic package ³⁵⁾	4,840	0	0	0	0	0	95.5

● Standard O Optional extra ▲ Mandatory △ Not yet known at the time of publication Please note the information on page 85 ◆ On request (no extra cost) — Not possible □ Available in package



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PRICES AND TECHNICAL DATA HYMER B-CLASS MODERNCOMFORT I WHITELINE





	B-MC I 550 WhiteLine	B-MCI 600 WhiteLine
Price ^{a)}	116,410	118,720
Standard chassis	Mercedes-Benz Sprinter 417 CDI	Mercedes-Benz Sprinter 417 CDI
Drive	Front Wheel Drive	Front Wheel Drive
kW (hp) 125 (170)	125 (170)
Length / Width / Height (cm	699/229/296	719 / 229 / 296
Body width / Internal width (cm	219 / 212	219 / 212
Standing height in living area (cm	198	198
Wheelbase (mm	3900	4000
Mass in running order (kg)	* 3270 (3107 - 3434)*	3295 (3130 - 3460)*
Manufacturer-specified mass for optional equipment (kg)	* 805	778
Technically permissible maximum laden mass (kg)	* 4430	4430
Technically permissible maximum towable mass (kg)	* 1450 ²⁾	1450 ²⁾
Permitted number of seats (including driver)	* 4-5O	4-50
Insulation Floor / Wall / Roof (mm) 41/34/34	41/34/34
Overall clearance storage- / garage door resp. flap W x h	90 x 123	99 x 123 / 99 x 99 O
Bed dimension: Pull-down bed L x W (cm	194 x 145 / 2x 194 x 65 O	194 x 145 / 2x 194 x 65 O
Bed dimension: Rear bed L x W (cm) 205 x 142	197 x 86 / 189 x 86
Bed dimension: Central bed L x W (cm	200 x 110 - 77 O	200 x 110 - 50 O
Berth:	4-50	4-50
Bathroom W x D (cm) 85 x 125	85 x 125
Wardrobe W x D x H (cm) 35 x 55 x 188	56 x 70 x 83 / 51 x 74 x 67
Kitchen, W x D x H, approx. cn	93 x 98 x 93	93 x 98 x 93
Fridge volume (of which freezer compartment) (l) 142	142
Standard heating	g Gas warm air, 6 kW	Gas warm air, 6 kW
Gas bottle storage (Filling weight) 2x 11kg	2x 11kg
Total fresh water tank capacity (l	180	180
Fresh water tank in driving filling level (l) 20	20
Waste water tank (l		
) 150	150
Standard habitation battery (Ah	,	150 95 AGM

Standard
 O Optional extra
 Mandatory
 Not yet known at the time of publication
 Available in package



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER B-CLASS MODERNCOMFORT I WHITELINE

B-MC1550 WhiteLine

	- B
Chassis	
Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E	• •
Basis	
Smooth aluminium skin, Colour: Carrara white	• •
SLC Chassis (Super Light Chassis / Super lightweight chassis)	• •
22 I AdBlue tank	• •
Exterior mirrors suspended, in vehicle colour, electrically heated and adjustable, incl. wide-angle mirror	• •
Mercedes-Benz noise reduction: Engine compartment insulation and underbody panelling	• •
Comfort suspension chassis	• •
Mud flaps, front and rear axle	• •
LED Daytime running light and LED indicator integrated in HYMER headlights	• •
Automatic headlight control	• •
Driver and passenger airbag ⁹¹⁾	• •
Cupholder driver and passenger seat	• •
Keyless Start (start-stop button for comfortable engine start)	• •
ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability P	rogram) • •
Crosswind Assist	• •
Cupholder instead of storage compartment	• •
Trailer hitch pre-installation	• •
Warm air auxiliary heating, electric	• •
9G-TRONIC automatic transmission incl. Hold function	• •
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons (surcharge on Cruise Control)	• •
Leather steering wheel (automatic transmission only)	• •
Cruise Control incl. steering wheel multifunction buttons	• •
32 I fuel tank	• •
Chrome version front (grill / fog light cover)	• •
Electric parking brake	• •
Reinforced front axle	• •
C '	
Semi-automatic climate control TEMPMATIK	
Semi-automatic climate control LEMPMATIK 16" alloy wheels (black) with all season tyres	•
16" alloy wheels (black) with all season tyres	• •
16" alloy wheels (black) with all season tyres Active Brake Assist ⁴⁶⁾	
16" alloy wheels (black) with all season tyres Active Brake Assist ⁴⁶⁾ Body	
G" alloy wheels (black) with all season tyres Active Brake Assist ⁴⁶⁾ 3ody Electric entrance step, 1-step	
L6" alloy wheels (black) with all season tyres Active Brake Assist ⁴⁶⁾ Body Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology	
16" alloy wheels (black) with all season tyres Active Brake Assist 46) Body Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side	
Active Brake Assist ⁴⁶⁾ Body Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside	
Active Brake Assist 46) Redive Brake Assist 46) Rediversity Brake Bra	
Active Brake Assist 469 3ody Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation	
Active Brake Assist 469 3ody Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation	
Active Brake Assist 469 3ody Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Diptimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	
Active Brake Assist 469 3ody Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Deptimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm	
Active Brake Assist 46) Active Brake Assist 46) Body Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm	
Active Brake Assist 469 Sody Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 c	
Active Brake Assist 46) 3ody Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm	
Active Brake Assist 46) Body Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Brange load up to 350 kg (optional 450 kg). Please note the axle load. Brange garage doors, LH and RH side Brange loading compartment with external access incl. extra deep cellar compartment and access from the inside Brange loading compartment with external access incl. extra deep cellar compartment and access from the inside Brange loading compartment with external access incl. extra deep cellar compartment and access from the inside Brange loading compartment with external access incl. extra deep cellar compartment and access from the inside Brange loading compartment with external access incl. extra deep cellar compartment and access from the inside Brange loading compartment with external access incl. extra deep cellar compartment and access from the inside Brange loading compartment with external access incl. extra deep cellar compartment and access from the inside Brange loading compartment with external access incl. extra deep cellar compartment and access from the inside Brange loading compartment with external access incl. extra deep cellar compartment and access from the inside Brange load up to 350 kg (optional 450 kg). Please note the axle load. Brange load up to 350 kg (optional 450 kg). Please note the axle load. Brange load up to 350 kg (optional 450 kg). Please note the axle load. Brange load up to 350 kg (optional 450 kg). Please note the axle load. Brange load up to 350 kg (optional 450 kg). Please note the axle load. Brange load up to 350 kg (optional 450 kg). Please note the axle load. Brange load up to 350 kg (optional 450 kg). Please note the axle load. Brange load up to 350 kg (optional 450 kg). Please note the axle load. Brange load up to 350 kg (optional 450 kg). Please note the axle load. Brange load up to 350 kg (optional 450 kg). Please note the axle load. Brange load up to 350 kg (optional 450 kg). Please load. Brange load up to	
Active Brake Assist 46) 30dy Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Cab door with electric power windows and entry lighting Awning with adapter, white housing, 450 x 250 cm Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock	
Active Brake Assist 46) Body Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Dytimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments BRP lightweight floor with XPS insulation HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 c Cab door with electric power windows and entry lighting Awning with adapter, white housing, 450 x 250 cm Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Design graphics: WhiteLine Dutfitting	
Active Brake Assist ⁴⁶⁾ 3ody Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Dytimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 c Cab door with electric power windows and entry lighting Awning with adapter, white housing, 450 x 250 cm Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Design graphics: WhiteLine Dutfitting	
Active Brake Assist 46) Body Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net as well as integrated clothes rail, 40 x 40 c Cab door with electric power windows and entry lighting Awning with adapter, white housing, 450 x 250 cm Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Design graphics: WhiteLine Dutfitting Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests	
Active Brake Assist 46) Body Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net as well as integrated clothes rail, 40 x 40 cm Cab door with electric power windows and entry lighting Awning with adapter, white housing, 450 x 250 cm Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Design graphics: WhiteLine Outfitting Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Luxury table: 360° rotatable, longitudinally and transversably displaceable	
16" alloy wheels (black) with all season tyres Active Brake Assist ⁴⁶⁾ Body Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load.	
Active Brake Assist 46) Body Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large loading compartment with external access incl. extra deep cellar compartment and access from the inside Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Cab door with electric power windows and entry lighting Awning with adapter, white housing, 450 x 250 cm Comfort habitation door with window, blackout blind, integrated waste bin as well as 2-way lock Design graphics: WhiteLine Outfitting Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests Luxury table: 360° rotatable, longitudinally and transversably displaceable Cab blinds made of high-quality pleated fabric	

	B-MC 550 WhiteLine
	MC Z
	ė o
Function integration into furniture elements	
Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear	
Modern, linear interior design	
Optimal space and generous sense of space	
Complete LED interior lighting	
LED worktop lighting	
Night lighting with toggle switch	
LED awning light	
Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts	
Bed conversion for L-shaped seating group incl. lowerable table	
4 pillows	
Fitted sheets made to measure for rear beds individually adapted to mattress contours	
Ambient light system: 4-level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination ¹¹⁴⁾	•
Kitchen	
Kitchen drawer with Servo Soft feature	•
Freely arrangeable kitchen drawers, extra wide	• (
142 Smart-Tower fridge	• (
Extra deep sink with tight-fitting chopping board and high water tap	• (
Large cooker with glass cover and front panel operation	• (
Bathroom	
Wooden shower slats	• (
Installation & Technology	
6 kW gas warm air heating with 10 I warm water boiler	• (
LCD keypad for heating	• (
Cab heating concept with increased warm air heating incl. heated dashboard in the living condition	• (
Warm air heating in the rear bedroom, adjustable separately	• (
7" touch display for convenient control and monitoring of important vehicle features and components	• (
HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app -	• (
anytime, anywhere.	
Extra low gas bottle compartment for easy gas bottle change with comfy access via external door	•
Reinforced battery, 12 V, 95 Ah AGM	• (
Charging booster for safe charging of the habitation battery while driving (up to 70 A)	•
180 I fresh water tank, insulated and heated (20 I in driving position)	• (
150 I waste water tank, insulated and heated	• (
Electric waste water drainage with dashboard switch	• (
Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB (incl. kitchen wall panelling)	• (
Multimedia	
Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear bedroom, radio and DVB-T2	
antenna	
10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing	• 4
camera 32" LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2) incl.	
receiver	
	• (
Digital satellite dish, 80 cm, without receiver	
Digital satellite dish, 80 cm, without receiver 32" TV bracket	• (
32" TV bracket	

Standard
 O Optional extra
 Mandatory
 Not yet known at the time of publication
 Available in package

PACKAGES HYMER B-CLASS MODERNCOMFORT I WHITELINE

Package	Autonomy package XL	Autonomy package Lithium
HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer	Y	х
Third habitation battery (95 Ah AGM)	x	
Inverter 12 V to 230 V, 1,800 W with network priority circuit	x	x
Third habitation battery HYMER Smart Battery System (150 Ah Lithium)		х
Package price £	4,350	6,410
Special price £	4,040	5,730
You save £	310	680
Excess weight (kg)*	62	57

Equipment Line Premium	Price £
HYMER Premium Full-LED headlights	1,450
Shelf for smartphones incl. wireless charging with charge level indicator	190
Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)	120
Fully automatic climate control THERMOTRONIC incl. rain sensor	560
Package price	2,320
Special price	2,130
You save	190
Excess weight (kg)*	3

B-Class MC I Arctic package	Price £
Warm water heating	2,480
Heat exchanger for warm water heating	850
Heat exchanger pre-installation, Mercedes-Benz	340
Warm water garage floor heating	420
Checker plate floor as well as felt trim in the rear garage	340
Insulating glazing for cab side windows and cab door	850
External insulation windscreen mat	360
Insulating mat for cab footwell, supplied loose	140
Auxiliary heating (supports heating when heating up the vehicle)	730
Package price	6,510
Special price	4,840
You save	1,670
Excess weight (kg)*	95.5

 \triangle Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER B-CLASS MODERNCOMFORT I WHITELINE

		Price £	B-MCI550 White	B-MC1600 White	Excess weight (kg)
Chassis	Weight agricult 4 FOO log (Magazados Barro Corintos 41F / 417 OD Logle) 95)				
V201104500	Weight variant 4,500 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) ⁹⁵⁾ Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 CDI only)		*	X	0
V201103880 V201103500	Downplating to 3.5 t (Mercedes-Benz Sprinter 415 / 417 CDI only)				0
Basis	Downplating to 3.5 t (Mercedes-Deliz Sprinter 415 / 417 CDI Only)		Ě	Ě	
V2062110	Halogen fog lights ³⁶⁾	250		0	1
V2062112	LED fog lights incl. static cornering light ¹²⁵⁾	680	0	0	1.5
V3071010	Central locking for cab, habitation as well as garage doors ⁶⁷⁾	600	0	0	Δ
V2049813	Open shelf cockpit passenger side	120		0	0
Body	The second process of the second				
V2007111	Trailer hitch, detachable ball head (incl. pre-installation) 98)19)	1,500	0	0	63
V20062J	Frame extension incl. 450 kg garage load ¹⁹⁾	420	0	0	30
V2045012	Hydraulic lift system with automatic front and rear levelling ^{102) 99)}	6,160	0	0	83
V3014014	Roof rack with rear ladder and checker plate roof panel 77) 78) 79)	590	0	0	15
V3014012	Roof rack with rear ladder without checker plate roof panel ⁷⁹⁾	480	0	0	8
V30330J	GRP roof coating ^{78) 20)}	590	0	0	30
V20460J	Comfort jacks, rear (2 units)	340	0	0	9
V3020211	Electric entrance step on cab door (when opening the cab door the step automatically extends)	390	0	0	8
V3055012	Security lock for cab and habitation door	510	0	0	1
V3023013	Bicycle rack for two bicycles, manually lowerable, max. load 50 kg	930	0	0	17
V3023012	Bicycle rack for 4 bicycles, max. load: 60 kg		-	0	14
V3072010	Lockable compartment, RH side	170	0	0	3
V3011016	HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom	510	-	0	12
V3008010	Skylight in the front with blackout blind and mosquito net, 40 x 40 cm ³⁹⁾	170	0	0	2
V3009011	Electric roof vent with function supply and exhaust air at kitchen ^{22) 23)}	390	_	0	5
V3028012	Opening window incl. blackout blind and mosquito net, LH side, rear	360	0	_	4
Outfitting		600	_		
V20855J	Seat heating and lumbar support for pilot seats	620		0	0
V3037510	ISOFIX (child seat fixation for seat bench) 106) 107) 105)	220		0	3.5
V4062010	5th seat with lap belt on seat bench, RH side against direction of travel (103) (104)	510		0	38
V6001014 V50100J	Roller blind for windscreen (can be pulled from bottom to top), manual 13) External shower leasted in garage	420		0	0
V40070J	External shower, located in garage Front overhead lockers instead of pull-down bed (incl. kitchen skylight)	250 470		0	-16
Living and bed		470	ŭ		-10
V40220MA	Pull-down bed with single bed feature, manual ¹²³⁾	1,110	0	0	15
V4034010	Sleeping system with cup-slatted bed frame for front bed	390		0	3
V4034011	Sleeping system with cup-slatted bed frame for rear bed(s)	420		0	3
V60260J	Additional cushion between the longitudinal single beds incl. integrated comfort access	390	-	0	4
Kitchen					
V4020012	Cooker- / oven combination	760	0	0	29
Installation & T	echnology				
V5028013	6 kW gas warm air heating with 10 l warm water boiler and 1,800 W electric bar heater	510	0	0	1
V5026013	Automatic gas bottle changeover system with crash sensor and IceEx ²⁵⁾	320	0	0	3
V50250J	Gas filter for automatic gas bottle changeover ²⁵⁾	170	0	0	0
V50230J	External gas socket with shut-off valve	170	0	0	1
V5012511	Second habitation battery (95 Ah AGM) incl. additional 18 A charger ²⁶⁾	420		0	30
V5047029	Solar panel with MPPT controller and display, 2 x 95 W ⁷⁸⁾	1,450	0	0	16



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

		Price £	B-MC 550 WhiteLine	B-MC I 600 WhiteLine	Excess weight (kg)*
V5033014	Roof AirCon, 2,400 W ²²⁾⁷⁸⁾	1,960	0	0	33
V3064012	Toilet vent	250	0	0	1
V5069710	Water filter for fresh water system	210	0	0	1
Multimedia					
V5055011	Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVD drive, DVB-T / C, DVB-S2, wiring as well as wall bracket ³³⁾	1,230	0	0	13
Fabrics & Furni	ture finishes				
V100904014	Furniture finish: Noce Cognac		•	•	0
V100704132	Fabric combination: Lorane		•	•	0
V100704131	Fabric combination: Jandia		♦	•	0
V100704076	Fabric combination: Grazia (Eco Tech Material)	850	0	0	0
V100704091	Textile leather-/ fabric combination: Dalana	850	0	0	4
V100704125	Textile leather-/ fabric combination: Marquis	850	0	0	4
V100704133	Leather-/ fabric combination: La Paz	2,560	0	0	4
V100704090	Leather: Grigio	2,560	0	0	6.5
V100704067	Leather: Napoli	2,560	0	0	6.5
V602104011	Carpet: Laguna	340	0	0	7
V602104009	Carpet: Samona	340	0	0	7
Packages					
V8011715	Equipment Line Premium	2,130	0	0	3
V8007113	Autonomy package XL	4,040	0	0	62
V8007112	Autonomy package Lithium	5,730	0	0	57
V8005013	B-Class MC I Arctic package	4,840	0	0	95.5



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

e e

PRICES AND TECHNICAL DATA HYMER B-CLASS MASTERLINE T



	B-ML T 780
Price ^{a)} £	106,590
Standard chassis	Mercedes-Benz Sprinter 415 CDI
Drive	Front Wheel Drive
kW (hp)	110 (150)
Length / Width / Height (cm)	789 / 235 / 296 ¹⁾
Body width / Internal width (cm)	225 / 218
Standing height in living area (cm)	198
Wheelbase (mm)	4500
Mass in running order (kg)*	3255 (3092 - 3418)*
Manufacturer-specified mass for optional equipment (kg)*	806
Technically permissible maximum laden mass (kg)*	4430
Technically permissible maximum towable mass (kg)*	1450 ²⁾
Permitted number of seats (including driver)*	4 - 5 O ³⁾
Insulation Floor / Wall / Roof (mm)	41/34/34
Overall clearance storage- / garage door resp. flap W x H (cm)	110×123
Bed dimension: Rear bed L x W (cm)	207 - 202 x 90
Bed dimension: Central bed L x W (cm)	205 x 110 - 50
Berths	2-30
Bathroom W x D (cm)	90 x 80
Separate shower W x D (cm)	73 x 77
Wardrobe W x D x H (cm)	30 x 57 x 190
Kitchen, W x D x H, approx. cm	107 x 58-96 x 93
Fridge volume (of which freezer compartment) (I)	153
Standard heating	Gas warm air, 6 kW
Gas bottle storage (Filling weight)	2x 11kg
Total fresh water tank capacity (I)	180
Fresh water tank in driving filling level (I)	20
Waste water tank (I)	150
Standard habitation battery (Ah)	95 AGM
Sockets: 230 V/12 V/USB	4/2/6

● Standard O Optional extra
♦ On request (no extra cost) — Not possible ☐ Available in package



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER B-CLASS MASTERLINE T

B-MLT780 Mercedes-Benz Sprinter 4.43 t - 415 CDI - 110 KW/150 hp - Euro VI-E Exterior colours: White cab / White body Exterior body colour: White Low-frame chassis with through-loading feature SLC Chassis (Super Light Chassis / Super lightweight chassis) 6-speed transmission 22 I AdBlue tank 92 I fuel tank Automatic headlight control Electrically adjustable and heated exterior mirrors Mercedes-Benz noise reduction: Engine compartment insulation and underbody panelling Comfort suspension chassis Daytime Running Light integrated in headlights Reinforced front axle Trailer hitch pre-installation Heat-insulating glass with band filter on windscreen 16" steel rims with full wheel cover and all season tyres Electric cab windows and central locking for cab Electric parking brake Driver and passenger airbag Cupholder driver and passenger seat Semi-automatic climate control TEMPMATIK Keyless Start (start-stop button for comfortable engine start) Multifunctional steering wheel Warm air auxiliary heating, electric ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) **ECO Start-Stop feature** Cruise Control incl. steering wheel multifunction buttons Active Brake Assist Crosswind Assist Body 65 cm Maxi Comfort habitation door with inner shell, 2-way lock, window with blackout blind and waste bin Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology Garage load up to 350 kg (optional 450 kg). Please note the axle load. Large garage doors, LH and RH side Large through-loading compartment with external access from both sides incl. extra deep basement compartment and access from the inside Insulated GRP rear panel with integrated third brake light and design elements Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) Heated double floor incl. cellar compartments GRP lightweight floor with XPS insulation Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm Panoramic skylight above cab, manually hinged HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room Outfitting Original Mercedes-Benz Comfort seat, upholstered in living area fabric 45) 44) Cab blinds Mosquito net on habitation door Front seating group with 2 integrated 3-point belts Living and bedroom + lighting Function integration into furniture elements Modern, linear interior design Optimal space and generous sense of space Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s) Lighting dimmable (via push button) Complete LED interior lighting LED worktop lighting

LED awning light
Ambient light system: 4-level light system with dynamic and individual control of the illumination (incl. light temperature) as well as atmospheric base illumination ¹¹⁴⁾
Kitchen
Pantry
Kitchen drawer with Servo Soft feature
Freely arrangeable kitchen drawers, extra wide
Structure wall panelling also serving as splash guard
153 l Jumbo fridge
Extra deep sink with tight-fitting chopping board and high water tap
Large cooker with glass cover and front panel operation
Installation & Technology
6 kW gas warm air heating with 10 I warm water boiler
Warm air heating in the rear bedroom, adjustable separately
LCD keypad for heating
Extra low gas bottle compartment for easy gas bottle change with comfy access via external door
7" touch display for convenient control and monitoring of important vehicle features and components
HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app - anytime, anywhere. ⁹³⁾
Twin USB at seating group
Charging booster for safe charging of the habitation battery while driving (up to 70 A)
Reinforced battery, 12 V, 95 Ah AGM
180 I fresh water tank, insulated and heated (20 I in driving position)
150 I waste water tank, insulated and heated
Electric waste water drainage with dashboard switch Multimedia
DAB Radio pre-installation
Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear, radio and DVB-T2 antenna
Fabrics & Furniture finishes
Furniture finish: Grand Oak
Fabric combination: Janeiro
Packages
Extended standard equipment without surcharge

 $\ensuremath{\Delta}$ Not yet known at the time of publication

EQUIPMENT LINES HYMER B-CLASS MASTERLINE T

	Extended standard equipment without surcharge	Equipment Line Plus	Equipment Line Premium
Semi-automatic climate control TEMPMATIK	•	•	-
Cruise Control incl. steering wheel multifunction buttons	•	•	•
Electric parking brake	•	•	•
Multifunctional steering wheel	•	•	•
Reinforced front axle	•	•	•
DAB Radio pre-installation	•	•	•
9G-TRONIC automatic transmission incl. Hold function	-	•	•
10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera	_	•	•
Leather steering wheel (automatic transmission only)	-	•	•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons	_	•	•
Instrument cluster with colour display	_	•	•
Mercedes-Benz acoustics package	_	•	•
LED High-Performance headlights	_	_	•
Shelf for smartphones incl. wireless charging with charge level indicator	_	_	•
Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)	-	-	•
Fully automatic climate control THERMOTRONIC incl. rain sensor	_	_	•
Excess weight Equipment line (kg)*	0	36	41
Package price £		6,570	9,150
Special price £		6,160	8,550
You save £		410	600

 \triangle Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKAGES HYMER B-CLASS MASTERLINE T

Package	Autonomy package XL	Autonomy package Lithium
HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer	x	х
Third habitation battery (95 Ah AGM)	x	
Inverter 12 V to 230 V, 1,800 W with network priority circuit	x	x
Third habitation battery HYMER Smart Battery System (150 Ah Lithium)		х
Package price £	4,350	6,410
Special price £	4,040	5,730
You save £	310	680
Excess weight (kg)*	62	57

Driver Assistance package	Price £
Active Lane Keeping Assist	510
Attention Assist	80
High Beam Assist	330
Traffic Sign Assist	330
Heated windscreen	390
Heat-insulating glass with band filter on windscreen	250
Package price	1,890
Special price	1,710
You save	180
Excess weight (kg)*	0

Style package	Price £
Chrome grill	300
Bumper, attachment parts and grill frame painted in vehicle colour	680
Fog lights with cornering light	250
Package price	1,230
Special price	1,020
You save	210
Excess weight (kg)*	2

Living Comfort package 3	Price £
Wooden shower slats	140
Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB as well as comfort lights	420
Fitted sheets made to measure for rear beds individually adapted to mattress contours	210
4 pillows	170
Package price	940
Special price	770
You save	170
Excess weight (kg)*	7



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

B-Class ML T Arctic package	Price £
Heat exchanger for warm water heating	850
Heat exchanger pre-installation, Mercedes-Benz	340
Warm water garage floor heating	420
Insulated partitioning curtain for cab, double-layered sewn	300
Insulating mat for cab footwell, supplied loose	140
Auxiliary heating (supports heating when heating up the vehicle)	730
Warm water heating	2,480
Checker plate floor, felt trim as well as 2 additional lashing rails in the rear garage	420
Package price	5,680
Special price	4,180
You save	1,500
Excess weight (kg)*	93

 \triangle Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER B-CLASS MASTERLINE T

Price £

		Price £	B-M	Exce
Chassis			ш	ш
Onassis	Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E 35)	1,710	0	0
V201103880	Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 CDI only)	_,,,	•	0
V201104500	Weight variant 4,500 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) 95)		•	0
Basis			Ť	
V20250115	Exterior cab colour: Black / Grey	330	0	0
V20250119	Exterior cab colour: Obsidian black (Metallic)	1,240		0
V20250144	Exterior cab colour: Tenorite grey (Metallic)	1,240		0
V20250146	Exterior cab colour: Iridium silver (Metallic)	1,240		0
V3003011	Exterior body colour: Crystal-Silver Metallic	2,560		30
V2052020	Chrome grill ⁴⁸⁾	300		2
V2062111	Fog lights with cornering light	250		0
V3051019	Bumper, attachment parts and grill frame painted in vehicle colour ^{49) 48)}	680		0
V2058011	Four-circuit air suspension (2 axles) 126)	10,280	0	52
V2113010	Wet Wiper System (windscreen wiper with integrated spray nozzles) 51)	90		0
V2021027	16" alloy wheels (black) with all season tyres 13) 94)	1,020		0
V2021027	16" alloy wheels (silver) with all season tyres ^{94) 13)}	1,020		0
V2021041	17" alloy wheels (silver) with summer tyres ¹³⁾	1,240		4
V20410J	Cupholder instead of storage compartment	60		0
V2049813	Open shelf cockpit passenger side	120		0
V20855J	Seat heating and lumbar support for Original Mercedes-Benz seats	620		0
Body	or to the second of the second			
V3052410	Roof awning incl. dimmable LED lighting, white housing, 450 x 300 cm ¹⁸⁾	1,880	0	52.6
V3052410	Roof awning incl. dimmable LED lighting, silver housing, 450 x 300 cm ¹⁸⁾	1,880		52.6
V2007111	Trailer hitch, detachable ball head (incl. pre-installation) 19)	1,500		63
V30330J	GRP roof coating ²⁰⁾	590		30
V2045012	Hydraulic lift system with automatic front and rear levelling ^{99) 102)}	6,850		83
V20460J	Comfort jacks, rear (2 units) 99)	340		9
V30020113	Comfort-Plus habitation door incl. closing aid, RFID (keyless) access as well as central locking	850	0	2
V20062J	Frame extension incl. 450 kg garage load ¹⁹⁾	420		30
V3055010	Security lock for habitation door	260		0.5
V3009011	Electric roof vent with function supply and exhaust air at kitchen ²³⁾	390		5
V3011016	HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom	510		12
Outfitting	, , , , , , , , , , , , , , , , , , ,			
V2082013	Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests	680	0	10
V4052015	Premium round and extendable table with real wood frame ^{110) 109)}	510		2
V4062010	5th seat with lap belt on seat bench, RH side against direction of travel ¹⁰³⁾	510		38
V30310J	Checker plate floor, felt trim as well as 2 additional lashing rails in the rear garage	420		22
V30410J	Insulating mat for cab footwell, supplied loose	140		3
V50100J	External shower, located in garage	250		1
V20855J	Seat heating and lumbar support for pilot seats	620		0
V4040510	Drawer and insert tray storage space in seating group	250		3
V60240J	Insulated partitioning curtain for cab, double-layered sewn	300		2
Living and bed				
V60280J	Bed conversion for seating group incl. additional cushion and lowerable table ¹⁰³⁾	390	0	5
V4044017	Comfort L-shaped seating group with lounge cushions, longitudinal / transverse sliding table and 2 built-in 3-point belts			10
V60285J	Bed conversion for L-shaped seating group incl. lowerable table ¹¹¹⁾ 103)	390	0	5
V60260J	Additional cushion between the longitudinal single beds incl. integrated comfort access	390	-	4
Kitchen			Ĭ	
V40310129	TEC-Tower (153 fridge/freezer unit, oven) 127) 13)	590	0	10
V4020012	Cooker- / oven combination ¹²⁸⁾	760		29



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

		Price £	B-MLT 780	Excess weight (kg
V4028014	Hybrid cooker (gas- and induction cooker) ¹²⁹⁾	600	0	2.5
V4001511	Kitchen worktop made of solid surface	1,360	0	10
Bathroom				
V5053010	Ceramic toilet	420	0	10
Installation & T	echnology			
V5028013	6 kW gas warm air heating with 10 I warm water boiler and 1,800 W electric bar heater	510	0	1
V5028014	Warm water heating	2,480		55
V5026013	Automatic gas bottle changeover system with crash sensor and IceEx ^{25) 24)}	320	0	3
V50250J	Gas filter for automatic gas bottle changeover ²⁵⁾	170	0	0
V50230J	External gas socket with shut-off valve	170	0	1
V5012511	Second habitation battery (95 Ah AGM) incl. additional 18 A charger ²⁶⁾	420	0	30
V5012513	HYMER Smart Battery System (50 Ah Lithium) incl. additional 18 A charger and battery computer 41) 124) 26)	1,020	0	10
V5012512	HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer 27) 26) 124)	2,480		25
V5047029	Solar panel with MPPT controller and display, 2 x 95 W	1,450	0	16
V5033014	Roof AirCon, 2,400 W	1,960	0	33
V3064012	Toilet vent	250	0	1
V5069710	Water filter for fresh water system	210	0	1
Multimedia				
V5054514	32" LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2), electric bracket as well as receiver	1,620	0	10
V5055011	Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVD drive, DVB-T / C, DVB-S2, wiring as well as wall bracket 33)	1,230	0	13
V50440116	Digital flat antenna, without receiver	2,310	0	17
V50440123	Digital satellite dish, 80 cm, without receiver	2,480	0	14.5
V50440124	Digital satellite dish, 80 cm, Twin LNB	2,730	0	15.5
Fabrics & Furni	ture finishes			
V100904009	Furniture finish: Velvet Ash		•	0
V100704132	Fabric combination: Lorane		•	0
V100704131	Fabric combination: Jandia		•	0
V100704076	Fabric combination: Grazia (Eco Tech Material)	850	0	0
V100704091	Textile leather-/ fabric combination: Dalana	850	0	4
V100704125	Textile leather-/ fabric combination: Marquis	850	0	4
V100704133	Leather-/ fabric combination: La Paz	2,560		4
	Leather: Grigio	2,560	0	6.5
V100704067	Leather: Napoli	2,560	0	6.5
V602104011	Carpet: Laguna	340	0	7
V602104009	Carpet: Samona	340	0	7
Packages				
V8011615	Equipment Line Plus ⁵⁷⁾	6,160		36
V8011715	Equipment Line Premium 57)	8,550		41
V8011519	Driver Assistance package ⁵⁸⁾	1,710		0
V8028914	Style package ⁴⁹⁾	1,020		2
V8039019	Living Comfort package 3	770		7
V8007113	Autonomy package XL	4,040	-	62
V8007112	Autonomy package Lithium	5,730		57
V8005023	B-Class ML T Arctic package ³⁵⁾	4,180	0	93

● Standard O Optional extra ▲ Mandatory
◆ On request (no extra cost) — Not possible □ Available in package Δ Not yet known at the time of publication $\,$ Please note the information on page 85 $\,$



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

(g)

PRICES AND TECHNICAL DATA **HYMER B-CLASS MASTERLINE I**









	B-ML I 780	B-ML1790	B-ML I 880	B-ML I 890
Price a)£	128,640	128,640	140,530	140,530
Standard chassis	Mercedes-Benz Sprinter 415 CDI	Mercedes-Benz Sprinter 415 CDI	Mercedes-Benz Sprinter 415 CDI	Mercedes-Benz Sprinter 415 CDI
Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive	Front Wheel Drive
kW (hp)	110 (150)	110 (150)	110 (150)	110 (150)
Length / Width / Height (cm)	789 / 235 / 296 ¹⁾	789 / 235 / 296 ¹⁾	899 / 235 / 296 ¹⁾	899 / 235 / 296 ¹⁾
Body width / Internal width (cm)	225 / 218	225 / 218	225/218	225 / 218
Standing height in living area (cm)	198	198	198	198
Wheelbase (mm)	4500	4500	4800	4800
Mass in running order (kg)*	3510 (3335 - 3686)*	3550 (3373 - 3728)*	4045 (3843 - 4247)*	4080 (3876 - 4284)* **
Manufacturer-specified mass for optional equipment (kg)*	551	511	1075	1040
Technically permissible maximum laden mass (kg)*	4430	4430	5500	5500
Technically permissible maximum towable mass (kg)*	1450 ²⁾	1450 ²⁾	880 ♦ /380 ²⁾	880 ♦ / 380 ²⁾
Permitted number of seats (including driver)*	4-50 ³⁾	4-50 ³⁾	4-50 ³⁾	4-50 ³⁾
Insulation Floor / Wall / Roof (mm)	41/34/34	41/34/34	41/34/34	41/34/34
Overall clearance storage- / garage door resp. flap $\mathbf{W} \times \mathbf{H}$ (cm)	110 x 123	90 x 114 / 90 x 94	110 x 123	90 x 114 / 90 x 94
Bed dimension: Pull-down bed L x W (cm)	197 x 145 / 2x 199 x 65 O	197 x 145 / 2x 199 x 65 O	197 x 145 / 2x 199 x 65 O	197 x 145 / 2x 199 x 65 O
Bed dimension: Rear bed L x W (cm)	207 x 90 / 202 x 90	200 x 156	2x 205 x 90	200 x 156
Bed dimension: Rear bed L x W (cm) Bed dimension: Central bed L x W (cm)	207 x 90 / 202 x 90 205 x 110 - 50	200 x 156 205 x 110 - 50	2x 205 x 90 205 x 110 - 75	200 x 156 205 x 110 - 75
, ,				
Bed dimension: Central bed L x W (cm)	205 x 110 - 50	205 x 110 - 50	205 x 110 - 75	205 x 110 - 75
Bed dimension: Central bed L x W (cm) Berths	205 x 110 - 50 4 - 5 O	205 x 110 - 50 4 - 5 O	205 x 110 - 75 4 - 5 O	205 x 110 - 75 4 - 5 O
Bed dimension: Central bed L x W (cm) Berths Bathroom W x D (cm)	205 x 110 - 50 4 - 5 O 90 x 80	205 x 110 - 50 4 - 5 O 90 x 80	205 x 110 - 75 4 - 5 O 90 x 80	205 x 110 - 75 4 - 5 Q 90 x 80
Bed dimension: Central bed L x W (cm) Berths Bathroom W x D (cm) Separate shower W x D (cm)	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190 / 65 x 57 x	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x
Bed dimension: Central bed L x W (cm) Berths Bathroom W x D (cm) Separate shower W x D (cm) Wardrobe W x D x H (cm)	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x 107	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190 / 65 x 57 x 190	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x 107 / 65 x 57 x 190
Bed dimension: Central bed L x W (cm) Berths Bathroom W x D (cm) Separate shower W x D (cm) Wardrobe W x D x H (cm) Fridge volume (of which freezer compartment) (l)	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190 153	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x 107 153	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190 / 65 x 57 x 190 153	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x 107 / 65 x 57 x 190 153
Bed dimension: Central bed L x W (cm) Berths Bathroom W x D (cm) Separate shower W x D (cm) Wardrobe W x D x H (cm) Fridge volume (of which freezer compartment) (I) Standard heating	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190 153 Warm water heating	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x 107 153 Warm water heating	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190 / 65 x 57 x 190 153 Warm water heating	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x 107 / 65 x 57 x 190 153 Warm water heating
Bed dimension: Central bed L x W (cm) Berths Bathroom W x D (cm) Separate shower W x D (cm) Wardrobe W x D x H (cm) Fridge volume (of which freezer compartment) (l) Standard heating Gas bottle storage (Filling weight)	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190 153 Warm water heating 2x 11kg	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x 107 153 Warm water heating 2x 11kg	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190 / 65 x 57 x 190 153 Warm water heating 2x 11kg	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x 107 / 65 x 57 x 190 153 Warm water heating 2x 11kg
Bed dimension: Central bed L x W (cm) Berths Bathroom W x D (cm) Separate shower W x D (cm) Wardrobe W x D x H (cm) Fridge volume (of which freezer compartment) (l) Standard heating Gas bottle storage (Filling weight) Total fresh water tank capacity (l)	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190 153 Warm water heating 2x 11kg 180	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x 107 153 Warm water heating 2x 11kg 180	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190 / 65 x 57 x 190 153 Warm water heating 2x 11kg 180	$205 \times 110 - 75$ $4 - 5 \bigcirc$ 90×80 73×77 $30 \times 56 \times 107 / 30 \times 56 \times$ $107 / 65 \times 57 \times 190$ 153 Warm water heating $2 \times 11 \text{kg}$ 180
Bed dimension: Central bed L x W (cm) Berths Bathroom W x D (cm) Separate shower W x D (cm) Wardrobe W x D x H (cm) Fridge volume (of which freezer compartment) (l) Standard heating Gas bottle storage (Filling weight) Total fresh water tank capacity (l) Fresh water tank in driving filling level (l)	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190 153 Warm water heating 2x 11kg 180 20	205 x 110 - 50 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x 107 153 Warm water heating 2x 11kg 180 20	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 57 x 190 / 65 x 57 x 190 153 Warm water heating 2x 11kg 180 20	205 x 110 - 75 4 - 5 O 90 x 80 73 x 77 30 x 56 x 107 / 30 x 56 x 107 / 65 x 57 x 190 153 Warm water heating 2x 11kg 180 20

Standard	
◆ On request	(no extra cos

O Optional extra ▲ Mandatory
st) ─ Not possible ☐ Available in package

 \triangle Not yet known at the time of publication ** Estimated values



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm\,5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturerspecified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory. fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER B-CLASS MASTERLINE I

	B-ML I 7	B-ML I 7	B-ML I 8	-ML 18
Chassis	À	À	À	À
Mercedes-Benz Sprinter 4.43 t - 415 CDI - 110 KW/150 hp - Euro VI-E	—	-		_
Mercedes-Benz Sprinter 5.5 t - 415 CDI - 110 KW/150 hp - Euro VI-E	_	_		•
Basis				
Smooth aluminium skin, Colour: Carrara white	•	•	•	•
SLC Chassis (Super Light Chassis / Super lightweight chassis)	•	•	•	•
Low-frame chassis with through-loading feature	•	•	•	•
6-speed transmission	•	•	_	_
9G-TRONIC automatic transmission incl. Hold function	_	_	•	•
92 I fuel tank	•		•	•
22 AdBlue tank	•	•	•	•
Exterior mirrors suspended, in vehicle colour, electrically heated and adjustable, incl. wide-angle mirror			•	•
ECO Start-Stop feature				
Chrome version front (grill / fog light cover)				
Electric parking brake Mescades Para pairs reduction Engine compartment insulation and underhady panelling				
Mercedes-Benz noise reduction: Engine compartment insulation and underbody panelling Comfort suspension chassis				
LED Daytime running light and LED indicator integrated in HYMER headlights				
Mud flaps, front and rear axle				
Tandem axle	_	_		•
Reinforced front axle	•		•	•
Trailer hitch pre-installation	•	•	•	•
16" steel rims with full wheel cover and all season tyres	•	•	_	_
Driver and passenger airbag	•	•	•	•
Cupholder driver and passenger seat	•	•	•	•
Semi-automatic climate control TEMPMATIK	•	•	•	•
Keyless Start (start-stop button for comfortable engine start)	•	•	•	•
ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program)	•	•	•	•
Active Brake Assist	•	•	•	•
Automatic headlight control	•	•	•	•
Crosswind Assist	•	•	_	_
Cruise Control incl. steering wheel multifunction buttons	•	•	•	•
Cupholder instead of storage compartment	•	•	•	•
Warm air auxiliary heating, electric	<u>•</u>	<u>•</u>	<u>•</u>	_
Body Post whose side with draws are resident and the state of the sta	_	_		_
Real glass side windows, superimposed				
Electric entrance step, 1-step Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology				
Garage load up to 350 kg (optional 450 kg). Please note the axle load.				
GRP roof coating ²⁰⁾				
Large through-loading compartment with external access from both sides incl. extra deep basement compartment and access from				Ĭ
the inside	•	•	•	
Large garage doors, LH and RH side	•	•	•	•
Glossy grille with chrome trim	•	•	•	•
Insulated GRP rear panel with integrated third brake light and design elements	•	•	•	•
Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness)	•	•	•	•
65 cm Maxi Comfort habitation door with inner shell, 2-way lock, window with blackout blind and waste bin	•	•	•	•
Heated double floor incl. cellar compartments	•	•	•	•
GRP lightweight floor with XPS insulation	•	•	•	•
Skylight above pull-down bed with blackout blind and mosquito net, 40 x 40 cm				
Skylight (frosted glass) in bathroom with blackout blind and mosquito net, 40 x 40 cm	•		•	•
Skylight (frosted glass) above separate shower with blackout blind, mosquito net as well as integrated clothes rail, 40 x 40 cm	•	•	•	•
HYMER panoramic skylight 80 x 50 cm, double-glazed with LED lighting, living room	•		•	
Skylight (clear glass) above rear bed(s) with blackout blind and mosquito net, 40 x 40 cm		_		
Opening windows with blackout blind and mosquito net, LH and RH side, rear	_	_	<u> </u>	i
Outfitting Cab costs, unhalatored in living area fabric swivelling, height, and tilt adjustable with 2 armrests				—
Cab seats, upholstered in living area fabric, swivelling, height- and tilt adjustable with 2 armrests				
Comfort L-shaped seating group with Lounge cushions and 2 integrated 3-point belts Luxury table: 360° rotatable, longitudinally and transversably displaceable				•
Mosquito net on habitation door				
Cab blinds made of high-quality pleated fabric		•		
	_	_	_	_

	B-ML1780	790	B-ML I 880	890
	4	B-MLI	4	B-MLI
	B-B	B-	B-	B-
Living and bedroom + lighting				
Queensbed in the rear, electrically height adjustable	_	•	_	•
Function integration into furniture elements				
Pull-down bed, manual	•	•	•	•
Multi-zone cold foam mattress incl. high-quality mattress pad (knitted fabric) for ventilation in the rear	_		_	
Modern, linear interior design	•	•	•	•
Optimal space and generous sense of space	•		•	
Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for pull-down bed	•	•	•	•
Sleeping Comfort system with cup-slatted bed frame and Multizone cold foam mattress(es) for rear bed(s)		_	•	_
Lighting dimmable (via push button)	•	lacksquare	•	•
Complete LED interior lighting				
LED worktop lighting	•	lacksquare	•	•
Night lighting with toggle switch	•		•	
Ambient light system: 4-level light system with dynamic and individual control of the illumination (incl. light temperature) as well as			$\overline{}$	
atmospheric base illumination ¹¹⁴⁾		_		_
Kitchen				
Pantry	•	•	•	•
Kitchen drawer with Servo Soft feature		•	•	
Freely arrangeable kitchen drawers, extra wide	•	•	•	•
153 l Jumbo fridge		•	•	
Extra deep sink with tight-fitting chopping board and high water tap	•	•	•	•
Large cooker with glass cover and front panel operation		•	•	
Structure wall panelling also serving as splash guard	•	•	•	•
Bathroom				
Saloon bathroom with separate shower, wash area, toilet and wardrobe			•	•
Installation & Technology				
Warm water heating (incl. booster in the cab) incl. dashboard convectors	•	•	•	•
Extra low gas bottle compartment for easy gas bottle change with comfy access via external door		•	•	
Charging booster for safe charging of the habitation battery while driving (up to 70 A)	•	•	•	•
Reinforced battery, 12 V, 95 Ah AGM		•	•	
Electric waste water drainage with dashboard switch	•		lacktriangle	lacktriangle
180 I fresh water tank, insulated and heated (20 I in driving position)	•	•	•	
150 I waste water tank, insulated and heated	•		•	
7" touch display for convenient control and monitoring of important vehicle features and components		•	•	
HYMER Connect: Control and monitor important components and features of your vehicle conveniently with the HYMER Connect app - anytime, anywhere. ⁹³⁾	•	•	•	•
Twin USB on seating group and in small cab cupboard				
LCD keypad for heating	•	•	•	•

Fabrics & Furniture finishes

Furniture finish: Grand Oak

Fabric combination: Janeiro

Packages

Extended standard equipment without surcharge (B-ML I 780 / 790)

Extended standard equipment without surcharge (B-ML I 880 / 890)

Radio / TV pre-installation incl. 12 V and 230 V socket, 2 speakers in the cab, the front bed as well as the rear bedroom, radio and

Multimedia

DVB-T2 antenna

DAB Radio pre-installation

EQUIPMENT LINES HYMER B-CLASS MASTERLINE I

	Extended standard equipment without surcharge (B-ML I 780 / 790)	Extended standard equipment without surcharge (B-ML I 880 / 890)	Equipment Line Plus	Equipment Line Plus (B-ML I 880 / 890)	Equipment Line Premium	Equipment Line Premium (B-ML I 880 / 890)
Semi-automatic climate control TEMPMATIK	•	•	•	•	_	_
Cruise Control incl. steering wheel multifunction buttons		•	•	•	•	•
Electric parking brake	•	•	•	•	•	•
Multifunctional steering wheel	•	•	•	•	•	•
Reinforced front axle	•	•	•	•	•	•
DAB Radio pre-installation	•	•	•	•	•	•
9G-TRONIC automatic transmission incl. Hold function	_	•	_	•	_	•
9G-TRONIC automatic transmission incl. Hold function	_	_	•	_	•	_
10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera	_	_	•	•	•	•
Leather steering wheel (automatic transmission only)	—	_	•	•	•	•
Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons	_	_	•	•	•	•
Instrument cluster with colour display	_	_	•	•	•	•
Mercedes-Benz acoustics package	_	_	•	•	•	•
HYMER Premium Full-LED headlights	_	_	_	_	•	•
Shelf for smartphones incl. wireless charging with charge level indicator		-	-	-	•	•
Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket)	_	_	_	_	•	•
Fully automatic climate control THERMOTRONIC incl. rain sensor	_	_	_	_	•	•
Excess weight Equipment line (kg)*	0	0	36	6	39	9
Package price £			6,570	4,180	8,890	6,500
Special price £			6,160	3,860	8,300	5,990
You save £			410	320	590	510

 \triangle Not yet known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PACKAGES HYMER B-CLASS MASTERLINE I

Package	Autonomy package XL	Autonomy package Lithium
HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer	Х	X
Third habitation battery (95 Ah AGM)	X	
Inverter 12 V to 230 V, 1,800 W with network priority circuit	x	x
Third habitation battery HYMER Smart Battery System (150 Ah Lithium)		X
Package price £	4,350	6,410
Special price £	4,040	5,730
You save £	310	680
Excess weight (kg)*	62	57

Living Comfort package 3	Price £
Wooden shower slats	140
Additional sockets: 4 x 230 V / 1 x 12 V / 1 x Twin-USB as well as comfort lights	420
Fitted sheets made to measure for rear beds individually adapted to mattress contours	170
4 pillows	170
Package price	900
Special price	770
You save	130
Excess weight (kg)*	7

Arctic package SMART	Price £
Heat exchanger for warm water heating	850
Heat exchanger pre-installation, Mercedes-Benz	340
Warm water garage floor heating	420
External insulation windscreen mat	360
Insulating mat for cab footwell, supplied loose	140
Auxiliary heating (supports heating when heating up the vehicle)	730
Checker plate floor, felt trim as well as 2 additional lashing rails in the rear garage	420
Package price	3,260
Special price	2,210
You save	1,050
Excess weight (kg)*	39

 \triangle Not yet known at the time of publication



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

OPTIONAL EQUIPMENT HYMER B-CLASS MASTERLINE I

			78	79	88	89	×
		Price £	B-ML I 78	B-ML I 79	B-ML 188	B-ML 189	Excesswe
		a)	≥-	<u>~</u>	<u>~</u>	<u>~</u>	Š
Chassis							ш
Ondoor	Mercedes-Benz Sprinter 4.43 t - 417 CDI - 125 KW/170 hp - Euro VI-E 35)	1,710	0	0	_	_	0
	Mercedes-Benz Sprinter 5.5 t - 417 CDI - 125 KW/170 hp - Euro VI-E	1,710		_	0	0	0
V201104500	Weight variant 4,500 kg (Mercedes-Benz Sprinter 415 / 417 CDI only) ⁹⁵⁾	2,7201	•	•	_	_	0
V201105000	Weight variant 5,000 kg (Mercedes-Benz Sprinter 415 / 417 CDI only)		_	_	•	•	0
Basis	Toologic variation, or the first season being apprinted the first season being season being season by						
V3003011	Exterior colour: Crystal-Silver Metallic	4,280	0	0	0	0	30
V2062110	Halogen fog lights ³⁶⁾	250		0	0	0	1
V2062112	LED fog lights incl. static cornering light ⁵¹⁾	680		0	0	0	1.5
V2058011	Four-circuit air suspension (2 axles) 35)	10,280	_	0	_	_	52
V2058014	Four-circuit air suspension (3 axles)	11,990		_	0	0	78
V2021027	16" alloy wheels (black) with all season tyres 13) 94)	1,020		0	•	•	0
V2021027	16" alloy wheels (silver) with all season tyres ^{94) 13)}	1,020		0	0	0	0
V2021041	17" alloy wheels (silver) with summer tyres ¹³⁾	1,240		0	0	0	4
V2049813	Open shelf cockpit passenger side	120		0	0	0	0
Body				_	_	_	
V3052410	Roof awning incl. dimmable LED lighting, white housing, 550 x 300 cm ¹⁸⁾	2,220	0	0	_	_	65
V3052411	Roof awning incl. dimmable LED lighting, silver housing, 550 x 300 cm ¹⁸⁾	2,220	0	0	_	_	65
V3052410	Roof awning incl. dimmable LED lighting, white housing, 600 x 300 cm ¹⁸⁾	2,480	_	_	0	0	70
V3052411	Roof awning incl. dimmable LED lighting, silver housing, 600 x 300 cm ¹⁸⁾	2,480	_	_	0	0	70
V2007111	Trailer hitch, detachable ball head (incl. pre-installation) 98) 19)	1,500	0	0	0	0	63
V3020211	Electric entrance step on cab door (when opening the cab door the step automatically extends)	390	0	0	0	0	8
V2045012	Hydraulic lift system with automatic front and rear levelling ⁹⁹⁾	6,850	0	0	0	0	83
V30020113	Comfort-Plus habitation door incl. closing aid, RFID (keyless) access as well as central locking	850	0	0	0	0	2
V20460J	Comfort jacks, rear (2 units) 99)	340	0	0	0	0	9
V20062J	Frame extension incl. 450 kg garage load ¹⁹⁾	420	0	0	0	0	30
V3072010	Lockable compartment, RH side	170	0	0	0	0	3
V20391J	Electric windscreen warming	600	0	0	0	0	0
V3055012	Security lock for cab and habitation door	510	0	0	0	0	1
V3009011	Electric roof vent with function supply and exhaust air at kitchen ²³⁾	390	0	0	0	0	5
V3011016	HYMER panoramic skylight 80 x 50 cm, double-glazed, rear bedroom	510	0	0	0	0	12
Outfitting							
V20855J	Seat heating and lumbar support for pilot seats	620	0	0	0	0	0
V4052015	Premium round and extendable table with real wood frame 130) 110)	510	0	0	0	0	2
V4062010	5th seat with lap belt on seat bench, RH side against direction of travel ¹⁰³⁾	510		0	_	_	38
V4062011	5th seat with 3-point belt on seat bench, RH side in direction of travel 131) 103)	760		_	0	0	38
V6001012	Electric front roller shutter with roller blind that can be drawn bottom up as well as sun visor	1,410		0	0	0	16
V30410J	Insulating mat for cab footwell, supplied loose	140					3
V50100J	External shower, located in garage	250	0	0	0	0	1
V40430J	Multifunctional sideboard instead of couch incl. seating, shoe- and multimedia compartment as well as $2 \times 230 \text{ V}$ and 1 Twin-USB socket $^{132)} ^{122)} ^{121)}$	640	0	0	0	0	15
V40350J	Ladder for pull-down bed	60	0	0	0	0	5
V4040510	Drawer and insert tray storage space in seating group	250	0	0	0	0	3
V40070J	Front overhead lockers instead of pull-down bed ¹³³⁾	470	0	0	0	0	-16
V30310J	Checker plate floor, felt trim as well as 2 additional lashing rails in the rear garage	420					22
Living and bed	room + lighting						
V40220E	Pull-down bed, electric	1,280		0	0	0	3
V40220EA	Pull-down bed with single bed feature, electric ¹³⁰⁾	1,710	0	0	0	0	18
V40220MA	Pull-down bed with single bed feature incl. comfort sleeping system with cup-slatted bed frame, manual $^{130)}$	1,110	0	0	0	0	15
V60285J	Bed conversion for L-shaped seating group incl. lowerable table ^{111) 103)}	390	0	0	0	0	5
V60260J	Additional cushion between the longitudinal single beds incl. integrated comfort access	390	0	_	0	-	4



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

V:tahan		Price £	B-MLI 780	B-ML1790	B-ML1880	B-ML1890	Excess weight
Kitchen V40310129	TEC-Tower (153 fridge/freezer unit, oven) 127) 13)	610		0	0	0	10
V4020012	Cooker- / oven combination 128)	760		0	0	0	29
V4028012 V4028014	Hybrid cooker (gas- and induction cooker) 129)	600		0	0	0	2.5
V4020014 V4001511	Kitchen worktop made of solid surface	1,360		0	•		10
Bathroom	Ritchen worktop made of solid surface	1,500.	$\check{}$		Ŏ	Š	10
V5053010	Ceramic toilet	420	0	0	0	0	10
Installation & T		1201	ŭ	ŭ	Ŭ	Ŭ	
V5026013	Automatic gas bottle changeover system with crash sensor and IceEx ^{25) 24)}	320	0	0	0	0	3
V50250J	Gas filter for automatic gas bottle changeover ²⁵⁾	170		0	0	0	0
V50230J	External gas socket with shut-off valve	170		0	0	0	1
V5012511	Second habitation battery (95 Ah AGM) incl. additional 18 A charger ²⁶⁾	420		0	0	0	30
V5012513	HYMER Smart Battery System (50 Ah Lithium) incl. additional 18 A charger and battery computer 41) 124) 26)	1,020		0	0	0	10
V5012512	HYMER Smart Battery System (150 Ah Lithium) incl. additional 18 A charger and battery computer 27) 26)	2,480					25
V5047029	Solar panel with MPPT controller and display, 2 x 95 W	1,450	0	0	0	0	16
V5033014	Roof AirCon, 2,400 W	1,960		0	0	0	33
V3064012	Toilet vent	250		0	0	0	1
V5069710	Water filter for fresh water system	210		0	0	0	1
Multimedia	,						
V5054514	32" LED-TV with built-in speakers, remote control, DVD drive, HYMER Smart-Multimedia system with Bluetooth® (DVB-T / C, DVB-S2), electric bracket as well as receiver	1,620	0	0	0	0	10
V5055011	Second Smart LED-TV in the bedroom, 22" TV with built-in speakers, DVD drive, DVB-T / C, DVB-S2, wiring as well as wall bracket $^{33)}$	1,230	0	0	0	0	13
V50440116	Digital flat antenna, without receiver	2,310	0	0	0	0	17
V50440123	Digital satellite dish, 80 cm, without receiver	2,480	0	0	0	0	14.5
V50440124	Digital satellite dish, 80 cm, Twin LNB	2,730	0	0	0	0	15.5
Fabrics & Furn	iture finishes						
V100904009	Furniture finish: Velvet Ash		♦	♦	♦	♦	0
V100704132	Fabric combination: Lorane		•	•	•	•	0
V100704131	Fabric combination: Jandia		♦	•	♦	♦	0
V100704076	Fabric combination: Grazia (Eco Tech Material)	850	0	0	0	0	0
V100704091	Textile leather-/ fabric combination: Dalana	850	0	0	0	0	4
V100704125	Textile leather-/ fabric combination: Marquis	850	0	0	0	0	4
V100704133	Leather-/ fabric combination: La Paz	2,560	0	0	0	0	4
V100704090	Leather: Grigio	2,560		0	0	0	6.5
V100704067	Leather: Napoli	2,560		0	0	0	6.5
V602104009	Carpet: Samona	340		0	0	0	7
V602104011	Carpet: Laguna	340	0	0	0	0	7
Packages							
V8011615	Equipment Line Plus ⁵⁷⁾	6,160		0	_	_	36
V8011615	Equipment Line Plus (B-ML I 880 / 890) 57)	3,860		_	0	0	6
V8011715	Equipment Line Premium ⁵⁷⁾	8,300		0	_	_	39
V8011715	Equipment Line Premium (B-ML I 880 / 890) 57)	5,990		_	0	0	9
V8039014	Living Comfort package 3	770		0	0	0	7
V8005016	Arctic package SMART	2,210		0	0	0	39
V8007113	Autonomy package XL	4,040		0	0	0	62
V8007112	Autonomy package Lithium	5,730	0	0	0	0	57

● Standard O Optional extra ▲ Mandatory
◆ On request (no extra cost) — Not possible □ Available in package Δ Not yet known at the time of publication $\,$ Please note the information on page 85 $\,$



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

PRICES AND TECHNICAL DATA HYMER VENTURE S



	Venture S
Price ^{a)} £	197,540
Standard chassis	Mercedes-Benz Sprinter 419 CDI
Drive	All Wheel Drive
kW (hp)	140 (190)
Length / Width / Height (cm)	645 / 216 / 307 ¹⁾
Body width / Internal width (cm)	207 / 200
Roof type	Sleeping roof
Standing height in living area (cm)	196
Wheelbase (mm)	3665
Mass in running order (kg)*	3565 (3387 - 3743)*
Manufacturer-specified mass for optional equipment (kg)*	375
Technically permissible maximum laden mass (kg)*	4100
Technically permissible maximum towable mass (kg)*	1780 ²⁾
Permitted number of seats (including driver)*	2
Insulation Floor / Wall / Roof (mm)	41/34/34
Bed dimension: Rear bed L x W (cm)	190 x 120 - 110
Bed dimension: Sleeping roof, L X W, approx. cm	210 - 140 x 140
Berths	4
Bathroom W x D (cm)	127 x 67
Separate shower W x D (cm)	64 x 74
Wardrobe W x D x H (cm)	30 x 540 x 196
Kitchen, W x D x H, approx. cm	168 x 60 x 93
Standard heating	Diesel warm air, 6 kW
Gas bottle storage (Filling weight)	1x 5kg
Total fresh water tank capacity (I)	120
Fresh water tank in driving filling level (I)	20
Waste water tank (I)	100
Additional habitation batteries (Ah)	4x80 Ah Lithium
Sockets: 230 V/12 V/USB	6/6/9

Standard	O Optional extra	▲ Mandatory	▲ Not yet known at the time of publication
• On request (no extra cost)	- Not possible	Available in package	



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to $\pm 5\,\%$ of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER. The real weight of your vehicle ex works can only be determined when it is weighed at the end of the line. If, in

exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations in the footnotes section.

STANDARD EQUIPMENT HYMER VENTURE S

Chassis Mercedes-Benz Sprinter 4.1 t - 419 CDI - 140 KW/190 hp - Euro VI-E Pastel: Pebble grey Bumper, wheel arch and attachments made in ELASTOCOAT 9G-TRONIC automatic transmission incl. Hold function Permanent All Wheel Drive incl. 93 I fuel tank 22 I AdBlue tank Electrically adjustable and heated exterior mirrors Electric parking brake Fog lights with cornering light Mud flaps, rear axle Daytime Running Light integrated in headlights Reinforced front axle Heat-insulating glass with band filter on windscreen Heated windscreen 16" steel rim (black) with studded tyres (All Terrain) Shelf for smartphones incl. wireless charging with charge level indicator Electric cab windows and central locking for cab Driver and passenger airbag Dashboard charging pack (2 USB-C connections with 5 V as well as one additional 12 V socket) Leather steering wheel (automatic transmission only) Steering wheel, height and tilt adjustable Fully automatic climate control THERMOTRONIC incl. rain sensor 134) Wet Wiper System (windscreen wiper with integrated spray nozzles) ABS (Anti-lock Brake System) / ASR (Anti-Slip Control) / EBV (Electric Brake Force Distribution) and ESP (Electric Stability Program) Active Distance Assist DISTRONIC+ incl. steering wheel multifunction buttons Active Brake Assist Active Lane Keeping Assist Automatic headlight control Hill Start Assist **High Beam Assist** Keyless Start (start-stop button for comfortable engine start) Traffic Sign Assist Body Design graphics in honeycomb look Optimal PUAL Sandwich insulation alloy / alloy (41 mm floor, 34 mm wall and roof thickness) GRP lightweight floor with XPS insulation Rear platform with load capacity up to 350 kg Airline rails on tailgate Comfort-Plus habitation door incl. closing aid, RFID (keyless) access as well as central locking External rear storage compartments, RH and LH side Electric entrance step, 1 step, incl. Coming Home feature Exclusive HYMER Multifunctional rear lights in LED-Hybrid technology LED Light bar above cab Front and rear underride protection Underfloor storage box, LH side Panorama window rear seating group Framed kitchen window Skylight sleeping roof, 40 x 40 cm Skylight above seating group, 40 x 40 cm Outfitting Mercedes-Benz Comfort seat in living area fabric, height- and tilt adjustable, swivelling, with 2 armrests and integral look 45)44) Seat base trim in leatherette on cab seats Cab blinds Mosquito net on habitation door and rear platform Comfort push locks with genuine leather loops Multifunctional wall panels with aluminium profiles (in bamboo look) Desk / PC workstation with folding bamboo tabletop Cab storage system with felt trim boxes Stairway with bamboo steps

82

	Ven
Lashing eyes on seating group	•
Felt-look wall panelling	•
Living room table with solid bamboo top, sliding	•
External shower in external storage compartment, LH side	
Living and bedroom + lighting	
4 pillows	•
HYMER Premium mattress with adjustable firmness level	•
Fitted sheets for sleeping roof	
Complete LED interior lighting, warm white, dimmable	•
Ambient lighting (1 pendant luminaire, 2 luminaires in multifunctional wall)	
Kitchen	
Worktop extension incl. chopping board	•
Freely arrangeable kitchen drawers, extra wide	•
FENIX kitchen worktop, extra matt, anti-fingerprint	
Waste bin	•
2-burner hob	
Bathroom	
Bathroom window	•
Make-up mirror, magnetic	•
Bamboo shower column	
Installation & Technology	
6 kW diesel warm air heating with warm water boiler as well as altitude kit	•
Warm air heating in the bedroom, can be regulated separately	•
7" touch display for convenient control and monitoring of important vehicle features and components	•
HYMER Smart Battery System 2.0 (4 x 80 Ah lithium) incl. additional 18 A charger and battery computer	•
Charging booster for safe charging of the habitation battery while driving (up to 70 A)	•
3 x 115 W solar panels with MPPT control	•
Inverter 12 V to 230 V, 1,300 Watt incl. 70 A additional charger	•
120 I fresh water tank, insulated and heated (20 I in driving position)	•
100 I waste water tank, insulated and heated	•
Electric waste water drainage	•
Water filter for fresh water system	•
Multimedia	
2 cab speakers, radio and DVB-T2 antenna	•
Networking of the technical components of vehicle body construction	•
10.25" MBUX Multimedia system incl. SatNav, Voice Control, steering wheel multifunction keys, DAB+, Touchscreen as well as reversing camera ⁵⁷⁾	
Mobile SONOS Smartspeaker incl. bracket for multifunction wall	•
Fabrics & Furniture finishes	
Furniture finish: Native Bamboo	•
Fabric combination: Indiana	•
Cab carpet Venture S	

OPTIONAL EQUIPMENT HYMER VENTURE S

		Price £	Venture S	Excesswe
Chassis V201103880	Weight variant 3,880 kg (Mercedes-Benz Sprinter 415 / 417 / 419 CDI only)	220	$\overline{}$	0
Basis	Weight Variant 3,000 kg (Weicedes-Denz Sprinter 413 / 417 / 415 CDI Only)	220	ŭ	
V20250166	Exterior colour: Source blue metallic; 18" alloy rims Delta Beadlock (black) incl. studded tyres ¹³⁾	12,420	0	25.5
V20855J	Seat heating and lumbar support for Original Mercedes-Benz seats	620		0
Body	Continuenting and talling a capper troit original morococc Doll Continuenting	020.	Ŭ	
V30522110	3 m awning, electric (12 V) with LED lighting	1,710	0	30
V2007111	Trailer hitch (ball head removable)	1,710	0	24
V3071510	Bicycle rack on airline rails for two bicycles, max. load 60 kg	330	0	13
V3055010	Security lock for habitation door	250	0	0.5
V20460J	Comfort jacks, rear (2 units)	340	0	9
V3012011	Electric skylight ventilator with supply and exhaust air function for seating group	390	0	5
Outfitting				
V30490J	2 camping chairs + table (suitable for storage space seating group RH side)	420	0	14.5
V4016210	SKOTTI gas grill incl. bracket in storage compartment	210	0	4.5
Bathroom		<u> </u>		
V5053010	Ceramic toilet	420	_	10
V3064012	Toilet vent (silent, steady air exchange during rinsing, no use of additional toilet chemicals necessary)	340	0	0.5
Installation & T				
V5028021	6 kW Diesel warm air heating with 10 l warm water boiler, altitude kit and 1,800 W electric bar heater ¹³⁾	500		2
V50230J	Gas connection in storage compartment	170	_	1
V5033015	Underfloor AirCon Truma Saphir Compact 1,800 W	1,710	<u> </u>	24
Multimedia				
V5012810	Compact beamer incl. bracket for multifunctional wall and canvas	1,110		3
V5073012	HYMER Premium Sound System in the cab	730	0	0
Fabrics & Furn				
V100704123	Fabric combination: Gomera			0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional

V100704126 Leather / fabric combination: Moreno

equipment shown in the model overviews. This is a calculated value for each type and layout that HYMER uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

2,560.- 0

6.5

IMPORTANT NOTES

Abbreviations

ABS - Anti-lock Braking System

ASR - Anti-Slip Control - Traction Control

EDS - Electronic Differential Lock

ESC - Electronic Stability Control - ESP

HBA - Hydraulic Brake Assist

LAC - Load Adaptive Control

MSR - Engine Drag Torque Control

EBV - Electronic Brake-Force Distribution

Any modification in the Original factory condition of your vehicle may result in impaired driving and / or driving safety.

Please note that the standard equipment may be omitted when ordering optional extras. Individual package contents can sometimes be ordered individually. Since not all dependencies of optional extras can be listed here, please check with your HYMER dealer.

Accessories and original spare parts recommended by Hymer GmbH & Co KG are designed, developed and approved specifically for your vehicle. Your HYMER dealer supplies these products; he is informed about all the technical details and can perform the necessary work in the correct manner. Accessories, add-on, conversion or installation parts not approved by Hymer GmbH & Co KG may cause damage to the vehicle and impair road safety. Even if an expert's report, a parts BE or a type approval is available for these parts, there is no presumption of the proper condition of the product. Please understand that for any damage caused by non-approved products or not permitted changes, Hymer GmbH & Co KG CANNOT be made liable.

Weight figures are approximate values. The payload stated in the price list is reduced by the weights stated in the price list if optional extras are fitted.

Please note: The alternative engine options available at extra cost, as well as all other chassis options such as automatic transmission and air conditioning, result in a change in weight. The additional weight of the individual chassis and engine variants as well as chassis options are always indicated in the chassis-related optional extras in the individual optional extras lists.

Please note: A maximum of 2 child seats are permitted on the bench seat in the living area, provided the table is removed and securely stowed. On an L-shaped seating group with fixed table, only one child seat is permitted beside the window. For this purpose, the side cushion must be removed and the table top moved towards the centre of the vehicle and locked in place. Please observe the exact instructions in the corresponding operating instructions. Please ensure that your observe the prescribed axle load when installing special parts attached to the rear of the vehicle, such as a motorcycle rack or trailer hitch.

The prices indicated are only valid for optional extras if fitted with the production of a new vehicle. The retrofitting of certain optional extras is sometimes not possible or associated with considerable additional costs.

This price list includes the series status at the time of printing. Despite checking the contents, errors can not be excluded. In the course of the model year, we reserve the right to change equipment and to make product improvements. The layouts are partially shown with optional extras available at extra cost, these are not part of the standard scope of delivery.

The water installation system is at least state-of-the-art as of 07/2011 (EG directive 2002/72/EG).

Before signing a sales contract, please inform yourself about our current product and series status with one of our approved HYMER dealers.

All prices are non-binding recommended retail prices in GBP including the legally valid value added tax (VAT), freight from Germany, first registration fee and pre-delivery inspection. For deliveries after the 31 st of December 2020 import duties may apply. These are not included in the price and are charged separately.

Changes in price, design and equipment are possible without prior notice.

a) This is a recommended retail price based on German retail prices. Prices in other countries may differ due to currency conversion and country-specific VAT, fees and import duties. For the latest information, please ask a local dealer for the prices applicable in your country.

This price list supersedes all previous ones.

Collection / Pick-up:

Collection / Pick-up of your HYMER motorhome at the factory is not possible.

FOOTNOTES

- 1) Overall width corresponds the measurement incl. wheel arches.
- 2) a) Up to 12 % incline: With increasing altitude, the engine power inevitably decreases. From 1,000 m above sea level and every further 1,000 m, 10 % of the trailer load must be deducted from the total towing capacity. b) The specification is the maximum towing capacity, taking into account the overall towing weight of the chassis variant. The overall towing weight and thus the towing capacity may vary depending on the equipment / chassis variant. Please contact us in this regard, we will be happy to calculate the towing capacity of your individual vehicle.
- 3) The number of persons stated may be reduced if the mass in running order increases. This increase occurs in particular if the engine version differs from the basic version, if optional extras are fitted and if a corresponding equipment version is selected. Use the weight information in the price list or talk to your HYMER dealer to make sure that the technically permissible total mass is not exceeded and that there is sufficient loading capacity for persons and items.
- 4) The changeover of the emissions stage from Euro 6d final to Euro 6e is expected to take place from spring 2023. Up-to-date information is available from our dealers.
- 5) In the event of an accident, the brakes are automatically locked to prevent a possible secondary collision.
- 6) For vehicles with transverse bed, the LH side opening window at the rear is only available as optional extra.
- 7) Only available in combination with large refrigerator.
- 8) Body colour Crystal Silver not available in combination with exterior cab colour Campovolo grey.
- 9) When selecting the optional 9G automatic transmission, the additional weight of the selected engine or chassis variant is already included. Therefore, the additional weights of the engine and chassis variants do not have to be taken into account.
- 10) Only available in combination with optional 16" alloy wheels with 225/75 R16 tyres for Fiat Ducato Maxi chassis or 16" steel rims.
- 11) Option not available in combination with chassis variant: 2.2 MultiJet 88 kW / 120 hp.
- 12) LED headlights are only available in combination with the optional LED Daytime Running Lights.
- 13) When ordering this optional extra, the Standard variant is not included.
- 14) Not available in combination with the optional automatic transmission.
- 15) Only available in combination with the optional Automatic AirCon with pollen filter.
- 16) Data exchange (mirroring of information) does not take place between the fully digital cockpit and the Multimedia SatNav system with 9" touchscreen.
- 17) Fully digital cockpit only available in combination with Fiat Infotainment system incl. 10" touchscreen or Multimedia SatNav system with 9" touchscreen.
- 18) Brackets for awnings feet are supplied loose.
- 19) Increased garage load of 450 kg taking into account the axle loads and the permissible total weight.
- 20) GRP roof coating doesn't match the vehicle colour. The surface quality of the GRP coating does not correspond to a painted outer panel.
- 21) Surcharge to door with 1-way lock and window.
- 22) Roof AirCon and electric roof vent are mutually exclusive. Only one of these options can be ordered.
- 23) Due to manufacturer's instructions, please refer to the maximum speed of 150 km/h. Nevertheless, note the traffic regulations of your country as well as vehicle information.
- 24) UK only: The automatic gas cylinder switchover system with crash sensor and IceEx is included in the standard scope of supply due to a legal requirement.
- 25) Due to manufacturer's instructions, we recommend to order the gas filter when ordering the optional automatic gas bottle switchover with Crash Sensor and IceEx
- 26) Second habitation battery (95 Ah AGM) incl. additional 18 A charger and HYMER Smart Battery system can not be ordered and fitted at the same time. Only one of these options can be ordered.
- 27) The HYMER Smart Battery System (HY-Tec Lithium Battery 150) significantly extends the available electrical energy and thus the self-sufficient standing time of your motorhome. The LE300 offers a 200 % increase in available battery capacity with practically identical installation space (compared to standard 95Ah AGM_II batteries), combined with a weight saving of around 6 kg (approx. -22 %). This expandable solution increases the capacity and performance of the lead-acid batteries while increasing the efficiency and lifespan of the overall system. The lithium batteries are connected in parallel to the lead batteries. In this process, the lithium batteries take over most of the charging cycles, whilst the lead batteries act as backup storage. The battery computer regulates the optimal charge/discharge and also displays the state of charge.
- 28) Second habitation battery (95 Ah AGM), HYMER Smart Battery System (50 Ah Lithium) and HYMER Smart Battery System (150 Ah Lithium) incl. 18 A auxiliary charger cannot be ordered at the same time or fitted inside one vehicle. Only one of these options can be ordered.
- 29) Electric floor tempering only available for the walk-in area. Pedestal is heated with warm air and floor openings are not heated.
- 30) SatNav device incl. automatic switching from starter to habitation battery and selector switch for driving and camping operation.
- 31) HYMER Smart Control: Simple status query of water levels and battery voltage via the operating unit of the SatNav device.
- 32) Only available in combination with TV pre-installation / TV-bracket.
- 33) Second LED-TV only available in combination with the first LED-TV.
- 34) With the LED headlights option, the LED daytime running lights are already integrated.
- 35) Only available in combination with 9G automatic transmission.
- 36) Halogen fog lights are not available in combination with HYMER Full-LED headlights.
- 37) Only available in combination with the optional height and tilt adjustment for pilot seats (A-Class models only).
- 38) Electric cab door step only available in combination with optional cab door.
- 39) 40 x 40 cm skylight not available in combination with the optional front overhead lockers instead of pull-down bed.
- 40) Mass in running order according to regulation VO (EU) No. 1230/2012 including basic equipment (75 kg for driver, filled fuel tank, filled water tank in driving position with 20 l, gas in an aluminium bottle at 100% and electrical connection cable) in the basic variant. The mass in running order (and the possible load or number of persons) changes with different engine or equipment variants and by adding optional extras. Deviations within factory tolerances are possible and permissible.

- 41) The HYMER Smart Battery System (HY-Tec Lithium Battery 50) significantly extends the available electrical energy and thus the self-sufficient standing time of your motorhome. The HY-Tec-Lithium battery 50 offers a significant weight saving of 20 kg with the same capacity compared to a standard 95Ah AGM_II battery and requires only 1/3 of the space. This expandable solution increases the capacity and performance of the lead-acid batteries while increasing the efficiency and lifespan of the overall system. The lithium batteries are connected in parallel to the lead batteries. In this process, the lithium batteries take over most of the charging cycles, while the lead batteries act as backup storage. The battery computer regulates the optimal charge/discharge and also displays the state of charge.
- 42) Option incl. automatic radio switchover from cab to habitation battery.
- 43) Mercedes-Benz Sprinter 31x chassis with permissible total weight of 3,500 kg cannot be uprated. Please keep this in mind when ordering.
- 44) Original Mercedes-Benz seats are swivelling, as well as longitudinally / tilt and height adjustable, headrest can be used.
- 45) All adjustment options are available on the Original Mercedes-Benz seats in integral optics.
- 46) Active Brake Assist standard for Mercedes-Benz Sprinter 41x CDI.
- 47) Not available in combination with trailer hitch or trailer hitch pre-installation and 450 kg frame extension.
- 48) The options "Chrome grill" as well as "Bumper, add-on parts and grill frame painted in vehicle colour" are only available in combination.
- 49) Only available in combination with exterior colours: HYMER white, Iridium silver, Tenorite grey or Obsidian black.
- 50) The options trailer hitch pre-installation and removable trailer hitch ball head (incl. pre-installation) are only available ex works and cannot be retrofitted. Please note this when ordering.
- 51) Only available in combination with Equipment Line Premium.
- 52) Design graphics Tenorite only possible in combination with exterior colour Tenorite grey.
- 53) When choosing this option, a 40 x 40 cm skylight is fitted in the living area instead of the 80 x 50 panorama skylight.
- 54) Only available in combination with the optional "6 kW warm air heating with 1,800 W electric bar heating, warm water boiler and 142 l absorber fridge" or "6 kW warm air heating with warm water boiler and 142 l absorber fridge".
- 55) If ordered with gas warm air heating, a larger gas bottle compartment (2 x 11 kg) is required. Kitchen drawers are therefore sometimes smaller or, depending on the layout, replaced by a flap.
- 56) With this option, the Original Mercedes-Benz seats are designed in integral optics.
- 57) Vehicle dimensions and weights can not be entered separately in the SatNav device.
- 58) Only available in combination with Mercedes-Benz 10.25" MBUX Multimedia System, Equipment line Plus or Equipment line Premium.
- 59) ECO Start-Stop is not available for the Grand Canyon S with 319 CDI engine and ML-T with 419 CDI engine.
- 60) All Wheel Drive only available in combination with Mercedes-Benz Sprinter 319 / 419 CDI.
- 61) All Wheel Drive only available in combination with 9G-TRONIC automatic transmission.
- 62) When ordering the optional All Wheel Drive, the overall height increases by approx. 9 cm.
- 63) All Wheel Drive is supplied with summer tyres only.
- 64) Towing capacity and axle loads are reduced when ordered with the optional All Wheel Drive.
- 65) RHD chassis: LED headlights and All Wheel Drive are mutually exclusive. Only one of these options can be ordered.
- 66) Engine compartment noise reduction insulation and engine / underride protection cannot be ordered at the same time. Only one of these options is possible.
- 67) Only available in combination with the Comfort habitation door with window, blackout blind, integrated waste bin and 2-way lock.
- 68) All Wheel Drive option not available in combination with the following optional extras: 17" alloy wheels.
- 69) Only available in combination with All Wheel Drive.
- 70) The optional tyre pressure sensors are not available in combination with the optional studded tyres.
- 71) The 16" studded tyres can only be ordered directly from the factory.
- 72) Remember that the maximum permissible speed with these tyres is 120 km/h.
- 73) Not available in combination with the optional 17" rims.
- 74) Not available in combination with bicycle rack.
- 75) The 16" steel spare wheel incl. studded tyres is only available in combination with the 16" steel rims (black) with studded tyres.
- 76) When ordering tyre pressure sensors, the spare wheel is always delivered with a sensor. If the tyre pressure sensors option is not selected on the base vehicle, the spare wheel may still be equipped with a sensor.
- 77) Roof rack with ladder and checker roof plate not available in combination GRP roof coating.
- 78) Solar panels not available in combination with roof rack and rear ladder and checker roof plate (except B-MC I 550).
- 79) Please note when ordering: Roof rack with rear ladder only available ex works. Retrofitting is not possible.
- 80) Not available in combination with the spare wheel fitted on the rear wall (exterior).
- 81) ML-T 570: Panoramic skylight above the rear bed not available in combination with 2×95 W solar panels.
- 82) 6 kW diesel warm air heating with warm water boiler and electric heating element option not available in combination with floor temperature control (electric) in living area and central passageway.
- 83) Warm water heating can be regulated separately via shut-off valve.
- 84) Electric floor tempering not available in combination with warm water heating or warm water floor heating.
- 85) When ordering the optional MBUX, the Mercedes combi colour display is added as well as an acoustic package, which includes noise dampening in the doors as well as dampening in the dashboard and in the windscreen area.
- 86) Arctic package only available in combination with Comfort habitation door.
- 87) Overall width corresponds the measurement incl. wheel arches.
- 88) Mass in running order according to VO (EU) No. 1230/2012 incl. basic equipment (75 kg for driver, full fuel tank, water tank filled to driving position with 20 l, gas in an aluminium bottle at 100 % and electric connection cable) in the standard variant. The mass in running order (as well as the possible payload or permitted passengers) changes with different engines or equipment variants or by adding optional extras. deviations within the scope of the factory tolerances are possible and permissible.
- 89) Up to 12 % incline: With increasing altitude, the engine power inevitably decreases. From 1,000 m above sea level and every further 1,000 m, 10 % of the trailer load must be deducted from the total towing capacity.
- 90) The number of people specified will be reduced if the mass in running order increases. An increase occurs in particular in a different engine from the base engine, when ordering / installing optional extras and when choosing a corresponding equipment level. Check the weight information in the price list or in consultation with your HYMER motorhome dealer to ensure that the technically permissible maximum mass is not exceeded and sufficient loading capacity remains for persons and utensils.

- 91) Please note: The front passenger airbag can not be deactivated! Therefore, it is not allowed to attach child seats with restraint system against direction of travel on the front passenger seat.
- 92) When ordering the pull-down bed option, the standard panoramic skylight in the living area is not fitted.
- 93) HYMER Connect App also allows remote control via smartphone. Remote access and control via app and associated fees are included for a period of 2 years. After this period, various functions can still be used to a limited extent.
- 94) When ordering the 16" alloy wheels by Mercedes-Benz in combination with the Mercedes-Benz Sprinter 41x CDI chassis, the weight variant 4,500kg becomes possible.
- 95) Weight variant 4.5 t only available in combination with Original 16" Mercedes-Benz alloy wheels and must be ordered separately.
- 96) B-MC 680 / 690: Only available in combination with lowerable double bed above the seating group.
- 97) When ordering the lowerable double bed above the seating group, the max. awning length is 4 m.
- 98) Maximum towable mass, taking into account the total towing weight. The total towing weight is 5,500 kg (up to and including 3.5 t permissible total weight) and 5,880 kg (over 3.5 t permissible total weight). Total towing weight and thus trailer load may vary depending on equipment / chassis variant. If you have any questions, please contact your HYMER dealer, they will be pleased to calculate the towing capacity of your individual vehicle.
- 99) Hydraulic lift jack system option not possible in combination with the optional rear comfort steadies.
- 100) When ordered with lowerable double bed above seating group, the optional solar system 2 x 95 W is not available in combination with options 2,400 W roof AirCon and / or electric roof vent.
- 101) B-MC T 550: Panoramic skylight above the rear bed not available in combination with 2 x 95 W solar panels.
- 102) Only available in combination with automatic transmission and cup holder.
- 103) The options 5th seat and bed conversion kit for L-shaped seating group change the contour of the side couch.
- 104) B-MCI/T 600: Warm water heating and 5th seating are mutually exclusive. Only one of these options can be ordered.
- 105) When fitting the ISOFIX option, the inclination of the seat cushion changes.
- 106) Only available in combination with bed conversion for comfort L-shaped seating group or seating group incl. additional cushion and lowerable table.
- 107) Only available in combination with fabric: Janeiro, Lorane or Jandia.
- 108) Two Isofix places are provided.
- 109) Only available in combination with L-shaped seating group.
- 110) When ordering the optional "Premium round table", the space behind the LH cab seat / seating group is reduced. In the cab seats' rearmost locking position, the table and the seat may collide.
- 111) The options bed conversion kit for L-shaped seating group or round seating group are not available in combination with the optional premium, round and extendable table.
- 112) Panoramic skylight in living area will not be fitted.
- 113) B-MC T 550: Lowerable bed not available in combination with roof rails.
- 114) The 4 levels in the living area (ceiling, counter, floor and functional lights). Ambient lighting on ceiling in living/sleeping area. Suspended lighting in living area. Light temperature can be adjusted in ceiling area in living/sleeping area. All luminaires controlled via push-buttons can also be dimmed. In addition, there is an all-lights-off feature to switch off all lights inside the vehicle while in bed.
- 115) Only available in combination with comfort habitation door.
- 116) Not available in combination with pull-down bed.
- 117) For weight variants over 3.5 t, truck limits are displayed, not motorhome limits.
- 118) The options warm water heating and Arctic package are only available in combination with Comfort L-shaped seating group.
- 119) Only available in combination with Driver Comfort package.
- 120) The options 5th seating and multifunctional sideboard cancel each other. Only one of these options can be ordered.
- 121) Not available in combination with pull-down bed with single bed feature.
- 122) Not available in combination with bed conversion kit for L-shaped seating group (except B-MC I 580).
- 123) Only available with sleeping comfort system with cup-slatted bed frame for pull-down bed.
- 124) HYMER Smart Battery System (50 Ah) incl. additional 18 A charger and HYMER Smart Battery System (150 Ah) with additional 18 A charger cannot be ordered together. Only one of these options can be ordered.
- 125) LED fog lights are only available in combination with HYMER Full-LED headlights.
- 126) Only available in combination with automatic transmission and cup holder.
- 127) TEC-Tower not available in combination with Thetford cooker/oven combination Aspire or Caprice.
- 128) Not available in combination with Hybrid cooker (gas and induction).
- 129) Hybrid cooker only available in combination with kitchen worktop made of solid surface.
- 130) High-quality round table not available in combination with optional pull-down bed with single bed feature.
- $131)\,5th\,seat\,only\,available\,when\,ordered\,from\,factory.\,Retro-fitting\,of\,the\,5th\,seat\,is\,not\,possible.$
- 132) Not available in combination with 5th seating.
- 133) Front overhead lockers only available in combination with electric front roller shutter.
- 134) TEMPMATIK and THERMOTRONIC climate control incl. hinged lid for central storage compartment on the dashboard.

LEGAL NOTES ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the HYMER configurator on our website offer you additional assistance in configuring your vehicle.

1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100 % with a weight of 16 kg;
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight regardless of the actual weight is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is \pm 5 %. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions.

These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg $\,$

The specific range of permissible weight deviations can be found for each model in the technical data. HYMER makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by HYMER by weighing each vehicle at the end of the line.

3. Mass of the passengers

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore 3*75 kg = 225 kg.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works.

The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order — as an element of the actual mass — is subject to a legally permissible tolerance of \pm 5 % (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in $kg \ge 10 * (n + L)$

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg * (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

3,500 kg technically permissible maximum laden mass

- 2,850 kg mass in running order
- 3*75 kg mass of the passengers
- 100 kg minimum pay-mass
- = 325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum paymass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value: 3,500 kg technically permissible maximum laden mass

- 2,907 kg real weighed mass in running order (+ 2 % compared to the stated value of 2,850 kg)
- 3*75 kg mass of the passengers
- 325 kg optional equipment (maximum permissible value)
- = 43 kg actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, HYMER further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by HYMER.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, HYMER will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order — both upwards and downwards — have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2 % higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

- 3.500 kg technically permissible maximum laden mass
- -2.907 kg real weighed mass in running order (+ 2% compared to the stated value of 2,850 kg)
- -3*75 kg mass of the passengers

- -150 kg optional equipment ordered for the specific vehicle
- = 218 kg actual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.

We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.

Please note:

This price list describes the series status at the time of publication. Despite careful checking of the content, printing errors cannot be ruled out completely. We reserve the right to make equipment changes or product improvements. Before signing a sales contract, please ask one of our approved HYMER dealers about the current product and series status.

Some vehicles are shown with optional extras that are available in the current applicable price list and are available at extra cost. The decoration shown is not supplied by HYMER.

The data complies with the European homologation regulations which may change up to the time of vehicle purchase or delivery. Your HYMER dealer will gladly provide you with information on the changes as well as the standard scope of delivery.

Copyright © 2022 Hymer GmbH & Co. KG



Hymer GmbH & Co. KG Postfach 1140 D-88339 Bad Waldsee

www.hymer.com





Follow us on Facebook and Instagram! Facebook: @hymer.official Instagram @hymer